#### PHILOSOPHICAL

# LETTERS

Between the late

### Learned Mr. RAY

And several of his Ingenious

### CORRESPONDENTS,

NATIVES and FOREIGNERS.

To which are added those of

## Francis Willughby Esq;

The Whole confisting of many curious Discoveries and Improvements in the History of Quadrupeds, Birds, Fishes, Insects, Plants, Fossiles, Fountains, &c.

Published by W. DERHAM, Chaplain to his Royal Highness George Prince of Wales, and F. R. S.

#### LONDON:

Printed by WILLIAM and JOHN INNYS, Printers to the Royal Society, at the Prince's Arms in St. Paul's Church-yard. 1718.

#### 262 Sir Hans Sloane to Mr. Ray.

Ungulæ or Ungues, they being round and blunt, and covering the very tops of his Toes.

B. N. April 15-92.

#### Sir Hans Sloane to Mr. Ray.

SIR,

London, May 20th. 1692.

Mr. Beaumont; amongst the rest is the Lapis Astroites, which is a fort of Coral generated in the Seass between the Tropicks; and it seem'd to be so clearly that, as nothing plainer. 'Tis turn'd to Flint, and the Interstices between the starry Pores are transparent. One of this kind he shewed to me was half petrify'd, the other half remaining, like a common Star Stone. He shew'd me likewise many Impressions of several Plants in Slatt, as Ferns, Flags, &c. very sair and plain, with several Stalks of Plants petrify'd and enclos'd in Flint, which he talks of publishing together with some Figures of, and reasonings upon them.

#### Mr. Ray's Answer to Dr. Robinson.

SIR,

Receiv'd yours of March 20th, in an answer whereto I can only tell you as to the first particular, about Bifulc and Quadrifulc, that the Reasons why I conjecture the Rhinocerot and Hippopotamus to be 4<sup>drifulc</sup> are, (what I intimated before) the bigness and position of the outward Hoofs, as they are repreiented in the Sculps, not being set at that distance

#### Mr. Ray's Answer to Dr. Robinson. 263

as they are in Bisulc Animals; and the Authority of Columna, as to the Hippopotamus who (had the hind Unsulæ been like to, and situate in like manner, as in other Bisulc Animals) would never have made such a Remark upon it, viz. that its Feet were Quadri-

fulc.

As to the second concerning the Viper, I believe that the Eggs have no Cohesion with the Uterus, neither the Young; I have easily turn'd the Eggs And in the Young, when ready for exclusion, I have indeed observ'd a Navel String; but it seem'd to be nothing but one fingle Membrane, which ferved only as an Infundibulum for the Yolk of the Egg into the Intestine of the young Viper; just as I have seen in young Dog-Fish, in the Belly of the old one, half, or a good part of the Yolk hanging out of the Body at the *Infundibulum*. It feems to me not at all likely that Creatures of the same Genus should have a different manner of Generation; and we see this hatching of Eggs, properly so call'd, in the Belly, exemplify'd in Cartilagineous Fish.

I have some reason to doubt of what you and Dr. Tylon write concerning Adders having no Vesiculæ Seminales. A Male that I diffected had a long Vesicula replete with Sperm, (as I took it to be) like the Milt of a Fish, extending the whole length of the Belly; but I did not carefully examine it, and therefore might

be miltaken, and it might be nothing but fat.

B. N. June 1.-92.

#### Mr. Ray to Dr. Robinson.

SIR

UR principal Physician at Braintree, Mr. Allen, my Acquaintance and Friend, hath discover'd hereabouts flying Glow-worms; and I doubt not but