For the Library of
The UNIVERSITY OF OXFORD.

From the Royal College of Surgeons.

CATALOGUE

OF

THE CONTENTS OF THE MUSEUM

OF.

THE ROYAL COLLEGE OF SURGEONS

IN LONDON.

PART III.

COMPREHENDING

THE HUMAN AND COMPARATIVE OSTEOLOGY.



LONDON:

PRINTED BY FRANCIS WARR,
RED LION PASSAGE, HOLBORN.

1831.

1658095

d & g Digitized by Google

Genus Rhinoceros.

Incisores $\frac{9}{2}$ Cuspidati $\frac{0.0}{0.0}$ Molares $\frac{6.6}{6.6}$

813. The skeleton of the Sumatran two-horned Rhinoceros.

Rhinoceros Bicornis Sumatrensis. (Rhinoceros Sumatranus—Raff: Sumatran Rhinoceros—Bell.)

Fig.—Bell, Philos. Trans. Vol. lxxxiii. pl. ii. Shaw, Gen. Zool. i. pl. 62. Habitat.—The Island of Sumatra.

This skeleton is figured in Sir E. Home's Lect. on Comp. Anat. Vol. iv. pl. LVII.

Presented by the late Sir T. S. Raffles.

814. The skull of the Sumatran two-horned Rhinoceros.

Rhinoceros Bicornis Sumatrensis.

Presented by the late Sir T. S. Raffles.

815. Skull of a female Sumatran two-horned Rhinoceros. The integuments unremoved.

Rhinoceros Bicornis Sumatrensis.

This is the head of the original specimen described and figured by Mr. Bell, in the *Philos. Trans.* Vol. lxxxiii. pl. ii.

Hunterian.

816. The skull of a male two-horned Rhinoceros, from Sumatra.

Rhinoceros Bicornis Sumatrensis.

This specimen is figured in the *Philos. Trans.* Vol. lxxxiii. *pl.* iii, iv. Sent to England by Wm. Bell, Esq.

Presented by the late Sir J. Banks, Bart.

817. The skull of the single-horned Rhinoceros, from India.

Rhinoceros Unicornis—Lin: (Rhinoceros Indicus—Cuv:)

Fig.—Buff: Hist. Nat. xi. pl. 7. Cuv: Oss. Foss. ii. p. 94. pl. 1, 2, 3, 4, 5.

Parsons, Philos. Trans. Edwards's Glean. pl. 221.

Habitat.—India: particularly the banks of the Ganges.

Hunterian.

818. The skull of the single-horned Rhinoceros, from India. Rhinoceros Unicornis.

Hunterian.

819. Horn of an Indian Rhinoceros.

Hunterian.

820. Horn of an Indian Rhinoceros. (2 feet 9½ inches in length.)

Hunterian.

821. Horn of an Indian Rhinoceros.

Hunterian.

822. Horn of an Indian Rhinoceros.

Hunterian.

823. Horn of an Indian Rhinoceros. (2 feet 9 inches in length.)

Hunterian.

824. Horn of an Indian Rhinoceros.

Purchased 1806.

825. Rudimental horn of an Indian Rhinoceros.

This, and the five following specimens form a series showing their gradual increase in size.

Hunterian.

826. Horn of an Indian Rhinoceros.

Hunterian.

827. Horn of an Indian Rhinoceros.

Hunterian.

828. Horn of an Indian Rhinoceros.

Hunterian.

829. Horn of an Indian Rhinoceros.

Hunterian.

830. Horn of an Indian Rhinoceros.

Hunterian.

831. Horn of an Indian? Rhinoceros in section.

The polished section very distinctly shows the perpendicular direction of the horny fibrillæ or hairs of which it is composed: the horn of the Rhinoceros differing so materially from those of cattle, in the circumstance of having no internal osseous base or core upon which it is secreted; being a simple cutaneous formation, unconnected with the bony surface of the skull beneath.

Rhinoceros Unicornis?.

Hunterian.

832. Horns of an African Rhinoceros. From the Cape of Good Hope.

Rhinoceros Bicornis—Lin: Erxleb: Camper, Sparrman.

(Rhinoceros Africanus—Cuv:)

Incisores $\frac{0}{0}$ Molares $\frac{66}{66}$

Fig.—Buff: Supp. vi. pl. 6. Shaw, Zool. i. pl. 61.

Habitat.—Southern Africa.

Presented by the late Henry Salt, Esq., 1811.

833. Horns of an African Rhinoceros. From Abyssinia.

Presented by the late Henry Salt, Esq., 1811.

834. Horns of an African Rhinoceros. From Abyssinia.

The posterior horn of this pair is considerably compressed, or flattened laterally, towards its apex: whether this peculiarity of character would be sufficient to point out a new species, or even a vaniety, is doubtful.

Presented by the late Henry Salt, Esq., 1811.

- 835. Horns of an African Rhinoceros. From the Cape of Good Hope?.

 Presented by the late Sir J. Banks, Bart., 1814.
- 836. The terminal phalanges of the hind-foot of an African Rhinoceros. Covered by the hoof.

Mus. Brit.

837. The bones of the fore-foot of a Rhinoceros. Partially covered by the integuments.

Hunterian.

838. The bones of the hind-foot of a Rhinoceros. Partially covered by the integuments.

Hunterian.

839. A tray containing five Rhinoceros' Molares, viz:

- No. 1. The 2nd molaris. Upper jaw, left side.
- No. 2. The 4th molaris Upper jaw, left side.
- No. 3. The 5th molaris. Upper jaw, left side.
- No. 4. The 6th or posterior molaris. Upper jaw, left side.
- No. 5. The 1st molaris. Lower jaw, left side.

Presented by Sir E. Home, Bart., 1807.

Genus TAPIRUS.

Incisores $\frac{6}{6}$ Cuspidati $\frac{1}{11}$ Molares $\frac{77}{66}$

840. The skeleton of the Indian or Malay Tapir. Male.

Tapir Malayanus—Raffles. (Tapirus Indicus—Desm: Mariba—F. Cuv:)
Fig.—Horsfield's Zool. Res. Home's Comp. Anat. iv. pl. lviii. of this skull.

The skin of this animal is preserved in the Museum, stuffed.

Presented by the late Sir T. S. Raffles, 1820.

841. Skull of the Indian or Malay Tapir.

Tapir Malayanus.

Presented by the late Sir T. S. Raffles, 1820.

842. Skull of the American Tapir.

Tapir Americanus—Lin: (Tapiirete Brasiliensibus—Marcg:

Long-nosed Tapir—Pennant.)

Fig.—Home's Comp. Anat. iv. pl. lix. of this skull.

Cuv: Descript. Osteol: du Tapir. Ann. Mus. iii. tab. 10, 11. f. 1.

Habitat. -- Most parts of South America.

Hunterian.

R