

A

Catalogue

OF THE SUBJECTS OF

NATURAL HISTORY,

IN THE

MUSEUM

OF

THE RIGHT HON. AND HON.

THE DUBLIN SOCIETY,

SYSTEMATICALLY ARRANGED,

ALSO OF

THE ANTIQUITIES, &c.

—◆◆◆—
“ *Lucidus Ordo.* ”
—◆◆◆—

DUBLIN:

PRINTED BY GRAISBERRY AND CAMPBELL, 10, BACK-LANE.

1813.

BIBLIOTHECA
REGIA
MONACENSIS

ADVERTISEMENT.

The following Catalogue exhibits at one view, in systematic classification, a great number of Subjects of Natural History, in the Zoological Department.

The System is, generally, that of LINNÆUS, the exception being in the Class Insecta, which is arranged according to FABRICIUS, with a further deviation, under the authority of CUVIER, by which the Genus Cancer, is withdrawn from the Aptera of LINNÆUS, and the Agonata of FABRICIUS, to the Class Vermes, under a new order Crustacea.

Each article is arranged in the following order, viz—First, the Figures which correspond with the numbers affixed to the Subject in the Museum. Secondly, the Generic and Specific name in Latin. Thirdly, the commonly received name of the same in English. Fourthly, the Habitat or Place where found.

The Miscellaneous part of the Catalogue includes a variety of curious Antique Remains; also Indian Ornaments and Arms, with many ingenious works of Art.

The Index at the end directs to the different Places in the Museum, to which the Catalogue refers.

BERNARD O'REILLY.

THE
ANIMAL KINGDOM.

CLASS I.

MAMMALIA.

Animals that suckle their Young.

I. CHARACTERISTIC OF THE MAMMALIA.

Hominis—Of Man.

| | | | |
|-----|------------------------------------|--|--|
| 1—2 | Hominis caput et os- sa femoris | Sculp and thigh bones of a man | |
| 3 | brachium, vasis injectis | Human arm, the blood vessels injected | |
| 4 | fœtus | Human fœtus | |
| 5 | partus matus Æthiopsis | Perfect black infant which lived three days | |

Aliorum Animalium—Of other Animals.

| | | | |
|----|--|---|---------------------|
| 6 | Fœtus Ursi Arcti | Fœtus of the Black Bear | <i>N. America</i> |
| 7 | Vitulinus | Fœtus of the Cow, two inches in length | <i>Europe</i> |
| 8 | Skeleton Talpæ Europææ | Skeleton of the Mole | <i>Ib.</i> |
| 9 | Muris Decumani | Ditto of the Rat | <i>Ib.</i> |
| 10 | Leporis Timidi | Ditto of the Hare | <i>Ib.</i> |
| 11 | Leporis Cuniculi | Ditto of the Rabbit | <i>Ib.</i> |
| 12 | Elephantis Maximi ca- pitis pars inferior | Under Jaw of an Ele- phant | <i>Asia</i> |
| 13 | Ejusdem os | Part of spine of ditto. | <i>Ib.</i> |
| 14 | Tricheci Kosmari caput | Head of the Morse | <i>Newfoundland</i> |

| | | | |
|-----------------|-------------------------------------|--|----------------------|
| 15 | Canis Domestici caput | Head of the Shepherd's Dog | <i>Europe</i> |
| 16 | Canis Lupi cap. | Ditto of the Wolf | <i>Ib.</i> |
| 17 | Felis Tigridis cap. | Ditto of the Tiger | <i>Asia</i> |
| 18 | Felis Cati cap. | Ditto of the Cat | <i>Europe</i> |
| 19 | Leporis Cuniculi cap. | Ditto of the Rabbit | <i>Ib.</i> |
| 20 | Castoris Fib. capitis pars inferior | Under Jaw of the Beaver | <i>N. America</i> |
| 21 | Cervi Capreoli cap. | Head of the Roebeuck | <i>Europe</i> |
| 22 | Bovis Tauri cap. | Ditto of the Cow | <i>Ib.</i> |
| 23 | Ovis Arietis maris cap. | Head of the Sheep, male, | <i>Ib.</i> |
| 24 | Suis Scrofæ cap. | Head of the common Hog | <i>Ib.</i> |
| 25—26 | Suis Babyrussæ cap. | Heads of the Babyrou- essa | <i>India</i> |
| 26 ^b | | Tooth of the Monodon Monoceros, or Narval, or sea Unicorn | <i>North Sea</i> |
| 26 ^c | | Three Heads of the Del- phinus Delphis, or Dolphin | <i>Mediterranean</i> |
| 27 | Elephantis max. dens lanarius | Cutting tooth of the Ele- phant | <i>India</i> |
| 28—30 | Tricheci Durong. dentes | Teeth of the Walrus | <i>Ib.</i> |
| 31 | Tricheci Manati dentes | Teeth of the Sea Cow | <i>North America</i> |
| 32 | Equi Caballidensmolaris | Grinder of the Horse | <i>Europe</i> |
| 33 | Suis Scrofæ dentes | Tusks of the Wild Boar | <i>Ib.</i> |
| 34 | al. | Do. of the Domestic do. | <i>Ib.</i> |
| 35—37 | Delphini Orcæ dentes | Teeth of the Grampus | <i>Ib.</i> |
| 38 | Cervi Alcis cornua | Horns of the Elk or Moose Deer | <i>N. America</i> |
| 39 | | Horns of the Moose deer, measuring seven feet & a half from tip to tip, dug out of a turf bog in Co. Cork, | <i>Ireland</i> |
| 40 | | Horns and bones of Moose Deer found Fossil | <i>Ib.</i> |
| 41 | Rhinocerotis cornu | Horn of the Rhinoceros | <i>India</i> |
| 42 | Cervi Elaphi cornu | Ditto of the Stag | <i>Europe</i> |
| 43 | Ejusdem cornua | Horns of Ditto well pre- served | <i>N. America</i> |
| 44 | Ejusdem cornu | Horn of ditto with few branches | <i>Europe</i> |
| 45 | Cervi Tarandi cornu | Horn of the Rein Deer | <i>Lapland</i> |
| 46 | Cervi Damæ cornu | Ditto of the Fallow Deer | <i>Europe</i> |
| 47 | Cervi Capreoli cornu | Ditto of the Roebeuck | <i>Ib.</i> |
| 48 | Antilopis Rupicapræ cornua | Horns of the Chamois | <i>Switzerland</i> |
| 49 | Ant. Cervicapræ cornua | Horns of the common Antelope | <i>Africa</i> |

| | | | |
|----|---------------------------|--|---------------|
| 50 | Ovis Arietis cornu | Horn of the Spanish Sheep | Europe |
| 51 | Ovis Arietis cornua | Very large Horns of the Ram | Europe |
| 52 | Bovis Bubali cornu | Horn of the Buffalo | India |
| 53 | Cervi Alcis ungula | Foot of the Elk | N. America |
| 54 | Cervi Capreoli ung. | Do. of the Roe buck | Europe |
| 55 | Cervi Mospygmæi ung. | Do. of the Pigmy Musk Deer | India |
| 56 | Phocæ Vitulinæ ung. | Paws of the sea Calf | Ireland |
| 57 | Ursi Maritimi ung. | Paw of the Polar Bear | North America |
| 58 | Castoris Fibri ung. | Foot of the Beaver | Ib. |
| 59 | Leporis Timidi ung. | Foot of the Hare | Ireland |
| 60 | Ursi Lotoris penis | | America |
| 61 | Hystriçis Dorsatæ spinulæ | Quills of the Canadian Porcupine | Ib. |
| 62 | Capræ Ægagri villus | Hair of the Angora Goat | Asia |
| 63 | Cameli Vicugnæ villus | Wool of the Vicugna | South America |
| 64 | Suis Scrofæ corium | Part of the Hide of a Wild Boar which required 8 years time to be tanned | Africa |

II. SYSTEMATIC ARRANGEMENT.

ORDER I. *Primates.*

Simia.

| | | | |
|-----------------|-------------|-----------------|------------|
| 65 | Simia Sabæa | Green Monkey | C. G. Hope |
| 66 | Silenus | Lion ditto | India |
| 67 | Capucinus | Capuchin ditto | S. America |
| 67 ^b | Iacchus | Striated Sagoia | Ib. |

Vespertilio.

| | | | |
|----|----------------------|-------------------|------------|
| 68 | Vespertilio Spectrum | Great Spectre Bat | Madagascar |
| 69 | Murinus | Common ditto | Europe |
| 70 | Ferrum equinum | Horse Shoe ditto | Germany |

ORDER II. *Bruta.*

Bradypus.

| | | | |
|----|---------------------|----------------|---------------|
| 71 | Bradypus Didactylus | Two toed Sloth | South America |
|----|---------------------|----------------|---------------|

Myrmecophaga.

| | | | |
|----|----------------------------|-----------------------------|-----|
| 72 | Myrmecophagæ Jubatæ pellis | Skin of the great Ant-eater | Ib. |
|----|----------------------------|-----------------------------|-----|

Manis.

| | | | |
|----|--------------------|--------------------|--------|
| 73 | Manis Pentadactyla | Short-tailed Manis | Guinea |
|----|--------------------|--------------------|--------|

| | | | |
|-----------------|-----------------------------|-----------------------|----------------------|
| 74 | <i>Manis Tetradactyla</i> | Long-tailed ditto | <i>India</i> |
| <i>Dasypus.</i> | | | |
| 75 | <i>Dasypus Novemcinctus</i> | Nine-banded Armadillo | <i>South America</i> |
| 76 | al. | Do. preserved in Wine | <i>Ib.</i> |

ORDER III. *Ferae.**Phoca.*

| | | | |
|----|----------------------|-------------------|---------------------|
| 77 | <i>Phoca Leonina</i> | Bottle nosed Seal | <i>S. Polar Sea</i> |
|----|----------------------|-------------------|---------------------|

Canis.

| | | | |
|----|--------------------|------|--------------------|
| 78 | <i>Canis Lupus</i> | Wolf | <i>Mount Ettna</i> |
| 79 | <i>Vulpes</i> | Fox | <i>Europe</i> |

Felis.

| | | | |
|-----------------|----------------------|---------------------------------------|--------------------|
| 79 ^b | <i>Felis Leo</i> | Lion, measuring 10½ feet in length | <i>Asia</i> |
| 80 | <i>Tigris caput</i> | Head of a Tiger | <i>East Indies</i> |
| 81 | <i>Leopardi cap.</i> | Do. of a Leopard | <i>Ib.</i> |
| 82 | <i>Catus</i> | Angora Cat | <i>Asia</i> |
| 83 | <i>Cati cadaver</i> | Mummy of a domestic Cat | <i>Ireland</i> |
| 84 | <i>Catus</i> | Domestic Cat | <i>Ib.</i> |
| 85 | <i>Ca. monstrum</i> | Cat with eight legs | <i>Ib.</i> |
| 86 | <i>Ca. monstrum</i> | Kitten with only two legs | <i>Ib.</i> |
| 87 | <i>Lynx</i> | Lynx | <i>Asia</i> |

Viverra.

| | | | |
|----|-------------------------|--------------------------------|-------------------|
| 88 | <i>Viverra Mephitis</i> | Skunk, Stiffing or Pole Cat | <i>N. America</i> |
|----|-------------------------|--------------------------------|-------------------|

Mustela.

| | | | |
|----|-------------------------|-----------------------|-------------------|
| 89 | <i>Mustela Putorius</i> | Common Pole Cat | <i>Europe</i> |
| 90 | <i>Erminea</i> | Ermine or Stoat | <i>N. America</i> |
| 91 | <i>Zibellina</i> | Snow Weasel or Sable | <i>Ib.</i> |
| 92 | <i>Zib.</i> | Do. shot in Co. Kerry | <i>Ireland</i> |

Ursus.

| | | | |
|----|--------------------|--------|------------|
| 93 | <i>Ursus Meles</i> | Badger | <i>Ib.</i> |
|----|--------------------|--------|------------|

Didelphis.

| | | | |
|-----------------|------------------------------|-----------------------|---------------------|
| 94 | <i>Didelphis Marsupialis</i> | Amboyna Opossum | <i>Amboyna</i> |
| 95 | <i>Dorsigera</i> | Surinam or Merian do. | <i>Surinam</i> |
| 96 | <i>Dors. pullus</i> | Young ditto | <i>Ib.</i> |
| 97 | <i>Gigantea</i> | Young Kangaroo | <i>New Holland</i> |
| 98 | <i>Opossum</i> | Virginian Opossum | <i>N. America</i> |
| 98 ^b | <i>Volans</i> | Flying Opossum | <i>New S. Wales</i> |

Talpa.

| | | | |
|-----|----------------------|--------------------------|----------------|
| 99 | <i>Talpa Europæa</i> | European Mole | <i>Europe</i> |
| 100 | <i>Europæa</i> | Do. deprived of its down | <i>England</i> |

Sorex.

| | | | |
|-----|----------------------|-------------|---------------|
| 101 | <i>Sorex Araneus</i> | Fetid shrew | <i>Europe</i> |
|-----|----------------------|-------------|---------------|

Erinaceus.

| | | | |
|-----|---------------------------|------------------|------------|
| 102 | <i>Erinaceus Europæus</i> | Common Hedge-hog | <i>Ib.</i> |
|-----|---------------------------|------------------|------------|

ORDER IV. *Glires.**Cavia.*

| | | | |
|-----|--------------------|-----------------|-------------------|
| 103 | <i>Cavia Aguti</i> | Long nosed Cavy | <i>S. America</i> |
|-----|--------------------|-----------------|-------------------|

Castor.

| | | | |
|-----|---------------------|--------|-------------------|
| 104 | <i>Castor Fiber</i> | Beaver | <i>N. America</i> |
|-----|---------------------|--------|-------------------|

Mus.

| | | | |
|-----|----------------------|----------------|----------------|
| 105 | <i>Mus Decumanus</i> | Norway Rat | <i>Europe</i> |
| 106 | <i>Dec. varietas</i> | White Rat | <i>Ireland</i> |
| 107 | <i>Dec. cadaver</i> | Mummy of ditto | <i>Ib.</i> |
| 108 | <i>Musculus</i> | Domestic Mouse | <i>Europe</i> |
| 109 | <i>Musc. Var.</i> | Ditto White | <i>Ireland</i> |
| 110 | <i>Musc.</i> | Ditto Ditto | <i>Ib.</i> |
| 111 | <i>Amphibius</i> | Water Rât | <i>Europe</i> |
| 112 | <i>Silvaticus</i> | Field Mouse | <i>Ib.</i> |
| 113 | <i>Cricetus</i> | German Hamster | <i>Ib.</i> |

Sciurus.

| | | | |
|-----|-------------------------|-----------------|------------|
| 114 | <i>Sciurus Vulgaris</i> | Common Squirrel | <i>Ib.</i> |
|-----|-------------------------|-----------------|------------|

Lepus.

| | | | |
|-----|-------------------------|------------------------|----------------|
| 115 | <i>Lepus Timidus</i> | Common Hare | <i>Ireland</i> |
| 116 | <i>Timidus monstrum</i> | Young Hare with 8 legs | <i>Ib.</i> |
| 117 | <i>Variabilis</i> | Varying ditto | <i>Ib.</i> |
| 118 | <i>Cuniculus</i> | Common Rabbit | <i>Ib.</i> |