

## Reproduction data

REPRODUCTION (RATE/LAST OFFSPRING) IN *Ceratotherium s. simum/cottoni*  
OF WORLD (LIVING) POPULATION AS ON 31.12.1996

| RACE         | STUD # | S | SIRE | DAM  | BIRTH TYPE | GEN | AGE AT DEAD-LINE | REPROD | LAST REP OFFSPR/ BIRTH YEAR |
|--------------|--------|---|------|------|------------|-----|------------------|--------|-----------------------------|
|              |        |   |      |      |            |     | YY MM            |        |                             |
| <i>simum</i> | 0461   | F | WILD | WILD | WB         | 0   | >28 09           | 1. 0.0 | 1980                        |
|              | 0465   | M | WILD | WILD | WB         | 0   | >24 09           | 0. 3.0 | 1991                        |
|              | 0473   | M | WILD | WILD | WB         | 0   | >27 09           | 4. 0.0 | 1995                        |
|              | 0480   | F | WILD | WILD | WB         | 0   | >23 09           | 5. 1.0 | 1992                        |
|              | 0483   | M | WILD | WILD | WB         | 0   | >22 09           | 1. 3.0 | 1982                        |
|              | 0484   | F | WILD | WILD | WB         | 0   | >25 09           | 1. 3.0 | 1982                        |
|              | 0487   | M | 0244 | 0240 | B          | 1   | 18 03            | 0. 2.0 | 1996                        |
|              | 0491   | M | WILD | WILD | WB         | 0   | >39 09           | 8. 8.0 | 1996                        |
|              | 0492   | M | WILD | WILD | WB         | 0   | >24 09           | 1. 0.0 | 1980                        |
|              | 0494   | F | WILD | WILD | WB         | 0   | >27 09           | 6. 2.0 | 1995                        |
|              | 0495   | F | WILD | WILD | WB         | 0   | >26 09           | 1. 0.0 | 1981                        |
|              | 0496   | F | WILD | WILD | WB         | 0   | >27 09           | 4. 5.0 | 1996                        |
|              | 0527   | F | WILD | WILD | WB         | 0   | >26 09           | 0. 1.0 | 1978                        |
|              | 0528   | F | WILD | WILD | WB         | 0   | >26 09           | 1. 0.0 | 1978                        |
|              | 0533   | F | 0390 | 0391 | B          | 1   | 17 10            | 2. 4.0 | 1995                        |
|              | 0536   | M | 0052 | 0150 | B          | 1   | 19 03            | 1. 1.0 | 1981                        |
|              | 0537   | M | 0052 | 0157 | B          | 1   | 19 02            | 1. 1.0 | 1982                        |
|              | 0559   | M | WILD | WILD | WB         | 0   | >28 09           | 5. 4.1 | 1994                        |
|              | 0560   | M | WILD | WILD | WB         | 0   | >28 09           | 1. 1.0 | 1981                        |
|              | 0563   | F | WILD | WILD | WB         | 0   | >30 09           | 4. 2.0 | 1996                        |
|              | 0565   | F | WILD | WILD | WB         | 0   | >28 09           | 1. 0.0 | 1981                        |
|              | 0566   | F | WILD | WILD | WB         | 0   | >28 09           | 4. 4.0 | 1995                        |
|              | 0567   | F | WILD | WILD | WB         | 0   | >28 09           | 1. 3.0 | 1993                        |
|              | 0569   | F | WILD | WILD | WB         | 0   | >27 09           | 3. 1.0 | 1989                        |
|              | 0570   | F | WILD | WILD | WB         | 0   | >28 09           | 2. 0.0 | 1981                        |
|              | 0573   | M | WILD | WILD | WB         | 0   | >26 09           | 0. 1.0 | 1977                        |
|              | 0574   | F | WILD | WILD | WB         | 0   | >25 09           | 0. 1.0 | 1977                        |
|              | 0575   | F | 0573 | 0574 | B          | 1   | 19 05            | 0. 1.0 | 1991                        |
|              | 0585   | F | 0405 | 0406 | B          | 1   | 16 11            | 0. 2.1 | 1996                        |
|              | 0591   | F | WILD | WILD | WB         | 0   | >20 09           | 1. 3.0 | 1987                        |
|              | 0593   | F | WILD | WILD | WB         | 0   | >20 09           | 1. 0.0 | 1985                        |
|              | 0594   | F | WILD | WILD | WB         | 0   | >20 09           | 4. 3.0 | 1994                        |
|              | 0595   | M | WILD | WILD | WB         | 0   | >20 09           | 2. 3.0 | 1987                        |
|              | 0599   | F | 0052 | 0156 | B          | 1   | 19 04            | 1. 1.0 | 1987                        |
|              | 0601   | M | 0412 | 0434 | B          | 1   | 17 00            | 1. 0.0 | 1996                        |
|              | 0602   | F | 0412 | 0424 | B          | 1   | 17 02            | 2. 0.0 | 1996                        |
|              | 0614   | F | 0070 | 0102 | B          | 1   | 16 02            | 0. 1.0 | 1991                        |
|              | 0616   | M | WILD | WILD | WB         | 0   | >26 09           | 1. 0.0 | 1977*                       |
|              | 0618   | M | WILD | WILD | WB         | 0   | >30 09           | 7. 7.0 | 1987                        |
|              | 0620   | F | WILD | WILD | WB         | 0   | >30 09           | 7. 1.0 | 1994                        |
|              | 0624   | F | 0562 | 0567 | B          | 1   | 16 01            | 1. 2.0 | 1996                        |
|              | 0625   | M | 0562 | 0568 | B          | 1   | 15 10            | 1. 1.0 | 1996                        |
|              | 0632   | F | WILD | WILD | WB         | 0   | >27 09           | 1. 0.0 | 1979*                       |
|              | 0634   | M | WILD | WILD | WB         | 0   | >26 09           | 2. 1.0 | 1991                        |
|              | 0641   | F | 0244 | 0242 | B          | 1   | 15 10            | 3. 3.0 | 1996                        |
|              | 0651   | F | 0139 | 0097 | B          | 1   | 17 03            | 1. 0.0 | 1992                        |
|              | 0678   | M | UNKN | UNKN | B          | 1?  | 28 00            | 1. 1.0 | 1975                        |
|              | 0685   | M | 0562 | 0563 | B          | 1   | 14 09            | 0. 1.0 | 1995                        |
|              | 0690   | F | UNKN | UNKN | B          | 1?  | 20 02            | 1. 1.0 | 1985                        |
|              | 0704   | F | WILD | WILD | WB         | 0   | >25 09           | 0. 1.0 | 1979                        |

## Reproduction data

REPRODUCTION (RATE/LAST OFFSPRING) IN *Ceratotherium s. simum/cottoni*  
OF WORLD (LIVING) POPULATION AS ON 31.12.1996

| RACE           | STUD # | S | SIRE | DAM  | BIRTH TYPE | GEN | AGE AT DEAD-LINE | REPROD  | LAST REP OFFSPR/ BIRTH YEAR |
|----------------|--------|---|------|------|------------|-----|------------------|---------|-----------------------------|
|                |        |   |      |      |            |     | YY MM            |         |                             |
| <i>simum</i>   | 0707   | M | WILD | WILD | WB         | 0   | >22 09           | 0. 1.0  | 1987                        |
|                | 0737   | M | UNKN | UNKN | UB         | 0?  | >26 09           | 8. 2.0  | 1995                        |
|                | 0738   | M | UNKN | UNKN | UB         | 0?  | >25 09           | 3. 1.0  | 1995                        |
|                | 0739   | F | UNKN | UNKN | UB         | 0?  | >24 09           | 3. 0.0  | 1993                        |
|                | 0741   | F | UNKN | UNKN | UB         | 0?  | >24 09           | 5. 2.0  | 1995                        |
|                | 0754   | M | WILD | WILD | WB         | 0   | >27 09           | 1. 1.0  | 1979                        |
|                | 0758   | M | WILD | WILD | WB         | 0   | >25 09           | 0. 1.0  | 1987                        |
|                | 0760   | F | WILD | WILD | WB         | 0   | >21 09           | 0. 1.0  | 1986                        |
|                | 0812   | F | 0340 | 0403 | B          | 1   | 12 00            | 0. 1.0  | 1990                        |
|                | 0816   | F | WILD | WILD | WB         | 0   | >15 09           | 1. 1.0  | 1995                        |
|                | 0899   | M | 0405 | 0407 | B          | 1   | 13 09            | 0. 1.0  | 1988*                       |
|                | 0932   | F | 0405 | 0296 | B          | 1   | 08 09            | 0. 0.1  | 1995                        |
|                | 0982   | F | WILD | WILD | WB         | 0   | >16 09           | 0. 1.0  | 1987                        |
|                | 0999   | M | WILD | WILD | WB         | 0   | >11 09           | 0. 3.2  | 1996                        |
|                | 1097   | F | WILD | WILD | WB         | 0   | >12 09           | 0. 1.0  | 1996                        |
|                | 1098   | F | WILD | WILD | WB         | 0   | >11 09           | 0. 1.0  | 1995                        |
|                | 1102   | F | UNKN | UNKN | UB         | 0?  | >29 09           | 1. 0.0  | 1979                        |
|                | 1103   | F | UNKN | UNKN | UB         | 0?  | >29 09           | 1. 2.0  | 1990                        |
|                | 1104   | F | UNKN | UNKN | UB         | 0?  | >29 09           | 5. 2.0  | 1993                        |
|                | 1105   | F | UNKN | UNKN | UB         | 0?  | >29 09           | 2. 1.0  | 1996                        |
|                | 1106   | M | UNKN | UNKN | UB         | 0?  | >29 09           | 10. 6.0 | 1996                        |
| <i>cottoni</i> | 1133   | M | 0412 | 0434 | B          | 1   | 13 00            | 0. 1.0  | 1995                        |
| <i>cottoni</i> | 0372   | M | WILD | WILD | WB         | 0   | >23 09           | 0. 2.1  | 1991                        |
| <i>cottoni</i> | 0373   | M | WILD | WILD | WB         | 0   | >24 09           | 1. 0.0  | 1980                        |

KEY FOR BIRTH TYPE: WB WILD BORN B CAPTIVE BORN UB BIRTH TYPE UNK  
NOTE:  
GEN 0? - BIRTH TYPE UNK  
GEN 1? - PARENTS UNK  
\* - STATUS OF ANIMAL UNK

## LITERATURE

FOR HUSBANDRY GUIDELINES FOR RHINOCEROSSES  
(published in International Studbook for  
African Rhinoceroses edition no. 6)

## Veterinary Care

by

DR. REINHARD GÖLTENBOTH Berlin Zoo

- ✕ CHAPLIN, H., et al. (1986): Acute intravascular haemolytic anemia in the Black rhinoceros; hematologic and immuno-hematologic observations. *Am. J. vet. Res.* 47, 1313-1320.
- DIERENFELD, E. S. (1989): Vitamin E deficiency in zoo reptiles, birds and ungulates. *J. Zoo Wildl. Med.* 20, 3-11.
- ✕ DIERENFELD, E. S. et al. (1988): Vitamin E in captive and wild Black rhinoceros (*Dic. bic.*). *J. Zoo Wildl. Med.* 24, 547-550.
- FOOSE, T. J., & L. REECE (1994): AZA SSP African rhino masterplan. Int. Rhino Foundation, Columbus, OH, USA, 14.
- ✕ GEMBINHARDT, H., & R. IPPEN (1982): Lungenmykose bei einem Spitz-

## Literature

## Veterinary Care

- maulnashorn (*Dic. bic.*) durch Mischinfektionen von *Aspergillus fumigatus* und *Absidia corymbifera (ramosa)*. Zool. Gart. 52, 342-350.
- X GHEBREMESKEL, K., et al. (1988): Serum alpha-tocopherol, all trans-retinol, total lipids and cholesterol in the Black rhinoceros (*Dic. bic.*). Comp. Biochem. Physiol. 91, 343-345.
- GÖLTENBOTH, R. (1985): Vitamin-C-Mangelsymptome beim Spitzmaulnashorn. Verh.ber. Arbeitstg. Zootierärzte Köln 5, 75-77.
- X GÖLTENBOTH, R. (1986): Zur tierärztlichen Betreuung der Nashörner im Zoo Berlin. Zool. Gart. 56 (1), 43-52.
- GÖLTENBOTH, R. (1988): Verdacht einer Herpesvirusinfektion bei Spitzmaulnashörnern im Zoologischen Garten Berlin. Verh.ber. Arbeitstg. Zootierärzte Hamburg 8, 123-124.
- GÖLTENBOTH, R., & R. FRANCKE (1990): Zyklus und Trächtigkeitsdiagnose durch Kotanalysen beim Spitzmaulnashorn, Indischen Elefanten und Okapi. Verh.ber. Arbeitstg. Zootierärzte Basel 10, 25-30.
- GÖLTENBOTH, R., & H.-G. KLÖS (1990): Zur Immobilisation der Zoo- und Wildtiere. Verh.ber. Erkrig. Zootiere 32, 307-314.
- GÖLTENBOTH, R. (1995): Nashörner. In: GÖLTENBOTH, R., & H.-G. KLÖS (Hrsg.) Krankheiten der Zoo- und Wildtiere. Blackwell Wissenschafts-Verlag GmbH, Berlin.
- X GRÜNBERG, W., & H. BURTSCHER (1968): Über eine pockenartige Erkrankung beim Rhinoceros. Zentralbl. Veterinärmed. 15, 649-657.
- JAROFKE, D., & R. FRESE (1992): Zuchtbuchauswertung der Todesursachen von Breitmaulnashörnern (*Ceratotherium simum*) in Zoologischen Gärten. Verh.ber. Erkrig. Zootiere 34, 281-288.
- JAROFKE, D., H.-G. KLÖS & R. FRESE (1991): Zuchtbuchauswertung der Todesursachen von Spitzmaulnashörnern (*Diceros bicornis*) in Zoologischen Gärten. Verh.ber. Erkrig. Zootiere 33, 333-336.
- X JESSUP, D. A., et al. (1992): Retrospective evaluation of leptospirosis in free-ranging and captive Black rhinoceroses (*Diceros bicornis*) by microscopic agglutination titers and fluorescent antibody testing. J. Zool. Wildl. Med. 23, 401-408.
- X JONES, D. M. (1983): Der tierärztliche Umgang mit Nashörnern, ihre Ruhigstellung und Immobilisation. In: H.-G. KLÖS & R. FRESE (Hrsg.): Internationales Zuchtbuch für Afrikanische Nashörner, Zoo Berlin 2, 107-112.
- X KIRKWOOD, J. K., et al. (1991): Plasma vitamin E response in three Black rhinoceroses following dietary supplementation. Vet. Rec. 128, 185-186.
- X KLÖS, H.-G., & R. FRESE (1993): Internationales Zuchtbuch für Afrikanische Nashörner, Zoo Berlin 5.
- KOCK, M. D., & P. MORRILL (1993): Capture and translocation of the free-ranging Black rhinoceros: medical and management problems. In: M. E. FOWLER (ed.): Zoo and wild animal medicine. W. B. Saunders Comp., Philadelphia, London, Toronto.
- X KOCK, N., et al. (1992): Hemosiderosis in the Black rhinoceros (*Diceros bicornis*) in Zimbabwe: a comparison between captive, semi-captive, and free-ranging animals. J. Zoo Wildl. Med. 23 (2), 230-234.
- X KOCK, R. A., & J. GARNIER (1993): Veterinary management of three species of rhinoceroses in zoological collections. In: O. A. RYDER (ed.): Rhinoceros biology and conservation. Proc. Int. Rhino Conf. Zool. Soc. San Diego, 325-345.
- X KULOW, W. (1990): Krankheiten der Nashörner aus der Sicht des Zootierarztes mit einem Beitrag zur medikamentellen Immobilisierung. Inaug. Diss., Berlin.

## Literature

## Veterinary Care

- X LEWIS, J. C. M., & J. K. KIRKWOOD (1990): Studies on vitamin E supplementation in a Black rhinoceros (*Dic. bic.*). Vet. Rec. 126, 558.
- X MILLER, R. E. (1992): Veterinary bibliography for rhinoceroses. Saint Louis Zool. Park, Saint Louis, Missouri, USA.
- X MILLER, R. E. (1993): Health concerns and veterinary research in the Northamerican Black rhinoceros (*Dic. bic.*) population. In: O. A. RYDER (ed.): Rhinoceros biology and conservation. Proc. Int. Rhino Conf. Zool. Soc. San Diego, 302-306.
- X MILLER, R. E., & W. J. BOEVER (1982): Fatal hemolytic anaemia in the Black rhinoceros: case report and a survey. J. Am. Vet. Med. Assoc. 181, 1228-1231.
- MONTALI, J., et al. (1982): Leiomyomas in the genital tract of large zoo mammals. Verh.ber. Erkrig. Zootiere 24, 117-122.
- X MUMSON, L. (1993): Mucosal and cutaneous ulcerative syndrome. In: O. A. RYDER (ed.): Rhinoceros biology and conservation. Proc. Int. Rhino Conf. Zool. Soc. San Diego, 354-356.
- PAGLIA, D. E., & R. E. MILLER (1993): Erythrocytic ATP deficiency and acatalasemia in the Black Rhinoceros (*Diceros bicornis*) and their pathogenic roles in acute episodic hemolysis and mucocutaneous ulcerations. Proc. Am. Assoc. Zoo Vets., 217-219.
- PAPAS, A. M., et al. (1989): Vitamin E: considerations in practical animal feeding and case studies with elephants and Black rhinoceros. Annu. Di. Scholls Conf. Nutz. Capt. Wild Anim., Chicago 8, 1-13.
- X PILASKI, J., et al. (1982): Pockenerkrankungen bei Elefanten und Nashörnern. Verh.ber. Erkrig. Zootiere 24, 257-265.
- RÜBEL, A. (1990): Erkrankungen von Spitzmaulnashörnern im Zürcher Zoo. VAZ 10, 51-53.
- X RÜEDI, D., & K. TOBLER (1988): Internationales Zuchtbuch für das Panzernashorn (*Rhinoceros unicornis*). Zoologischer Garten Basel, 5.
- RÜEDI, D., & K. TOBLER (1991): The Great Indian Rhino (*Rhinoceros unicornis*): management and veterinary care at Basel Zoo.
- X SCHALLER, K., & J. PILASKI (1979): Pocken bei Breitmaulnashörnern (*Cerat. sim. sim.*) im Zoologischen Garten Münster. Zool. Gart. 49, 169-184.
- SCHRÖDER, H. D. (1978): Beitrag zu den Erkrankungen der Unpaarhufer. Verh.ber. Erkrig. Zootiere 20, 37-39.
- X SCHWARZENBERGER, F., R. FRANCKE & R. GÖLTENBOTH (1993): Concentrations of faecal immunoreactive progestagen metabolites during oestrus cycle and pregnancy in the Black Rhinoceros (*Diceros bicornis michaeli*). J. Reprod. Fertil. 98, 285-291.
- X STRAUSS, G., & B. SEIDEL (1982): Pododermatitis purulenta beim Panzernashorn (*Rhin. unic.*) - ein Fallbericht. Verh.ber. Erkrig. Zootiere 24, 177-181.
- WALLACH, J. D., & W. J. BOEVER (1983): *Perissodactyla* (equids, tapirs, rhinos), *Proboscidae* (elephant) and Hippopotamidae. In: J. D. WALLACH, & W. J. BOEVER (eds.): Diseases of exotic animals. Philadelphia, London, Toronto, 761-829.
- X WARNECKE, M., & R. GÖLTENBOTH (1977): Über das Auftreten der Magenbremse *Gyrostigma conjugens* Enderlein bei zwei Spitzmaulnashörnern (*Dic. bic. L.*) des Berliner Zoologischen Gartens. Berl. Münch. tierärztl. Wochenschr. 90, 159-160.

## Literature

by  
Prof. Dr. UDO GANSLOßER University of Erlangen

## Behaviour

- ADCOCK, K. (1994): The relevance of territorial behaviour in Black rhino to their population management. Symp. Rhinos as Game Ranch Animals. Faculty Vet. Scie., Onderstepoort 9 - 10 September, 82-86. Pretoria: South African Vet. Assoc. Wildlife Group. Univ. Pretoria.
- ANONYMUS (1977): Territoriality in the White rhino. Ziva 25 (1), 28.
- BACKHAUS, D. (1994): Artikel 24. Zum Verhalten des nördlichen Breitmaulnashornes. Zool. Gart. (N.F.) 29, Iss. 3. 194-1
- CONDY, P. R. (1973): The population status social behaviour and daily activity pattern of the White rhino (*Ceratotherium simum simum*) in the Kyle National Park Rhodesia. M.Sc. Thesis. Univ. Rhodesia.
- DU PREZZ, J. S., & I. D. GROBLER (1977): Drinking times and behaviour at waterholes of some game species in the Etosha National Park. Madoqua 10, 61-69.
- ESTES, R. D. (1991): Artikel 16. The behaviour guide of African Mammals - White Rhinoceros, in California UP Berkley etc., 232-234.
- FRAME, G. W. (1971): The Black rhinoceros. Animals 13 (15), 692-699.
- HEPPES, J. B. (1958): The White rhino. Uganda Wildlife and Sport 1 (4), 29-35.
- HODGDEN, R. (1988): Short-term separation and stress of mother and daughter Southern White rhinoceroses at the North Carolina Zoological Park USA. Conf. Ungulate behaviour and management, College-Station, TX, USA, May 23 - 27. Applied Anim. Behaviour Scie. 1991 29 (1-4), 513.
- LAURIE, A. (1982): Artikel 147. Behavioural Ecology of the greater one-horned Rhinoceros. J. Zool. London 196, 307-341.
- MIKULICA, V. (1986): Sozialverhalten der Breitmaulnashörner (*Ceratotherium simum*) in der Gefangenschaft. Wissenschaftliche Zeitschrift der Humboldt Universität zu Berlin. Mathematisch naturwissenschaftliche Reihe 35 (3), 296-300, illus. German.
- OWEN SMITH, N. (1972): Dominance territoriality and social organization in the White rhinoceros. American Zoologist, 12 (4), 644.
- OWEN SMITH, N. (1972a): Territoriality the example of the White rhinoceros. Zoologica Africana 7 (1), 273-280.
- OWEN SMITH, R. N. (1973): The behavioural ecology of the White rhinoceros. Thesis, Univ. Wisconsin, 786 pp.
- OWEN SMITH, R. N. (1975): The social ethology of the White rhinoceros *Ceratotherium simum*. Ztschr. Tierpsychologie 38 (4), 337-384.
- PIENAAR, D. J. (1994): Social organisation and behaviour of the White rhinoceros. Symp. Rhinos as Game Ranch Anim., Faculty of Veterinary Scie., Onderstepoort 9 - 10 September. 87-92 Pretoria: South African Vet. Assoc. Wildlife Group. Univ. Pretoria.
- PIENAAR, D. J. (1994a): Habitat preference of the White rhino in the Kruger National Park. Symp. Rhinos as Game Ranch Anim., Faculty of Vet. Scie., Onderstepoort 9 - 10 September. 59-64 Pretoria: South African Vet. Assoc. Wildlife Group. Univ. Pretoria.
- POPP, J. W., & L. BUNKFELDT-POPP (1986): Interspecific aggression among female ungulates. Aggressive Behaviour 12 (3), 197-200.
- SCHENKEL, R. (1966): Zum Problem der Territorialität und des Markierens bei Säugern-am Beispiel des Schwarzen Nashorns und des Löwens. Ztschr. Tierpsychologie 23 (5), 593-626.
- SCHENKEL, R., & E. M. LANG (1969): Das Verhalten der Nashörner. Handbuch der Zoologie 8 (46), 1-56.
- VAN GYSEGHEM, R. (1984): Artikel 2. Observations on the ecology and

## Literature

## Behaviour

behaviour of the Northern White rhino. Ztschr. Säugetierkunde 49, 359-367.

## Ecology

- EVANS, P. G. H. (1979): Habitat preferences of ungulates in closed savanna of Central Africa. Mammal Review 9 (1), 19-32.
- HALL-MARTIN, A. J. (1983): Ecology and management of Black rhinos in South Africa. Game Coin, 44-48, 66.
- HENKEL, J. S. (1937): Plant and animal ecology of the Hluhluwe Game Reserve - Report. Pietermaritzburg, Province of Natal.
- HITCHINS, P. M. (1969): The Black rhinoceros. The Conservationist 1.
- JOUBERT, E. (1969): An ecological study of the Black rhinoceros (*Diceros bicornis* Linn., 1758) in South West Africa. MSc. Thesis. Univ. Pretoria.
- JOUBERT, E., & F. C. ELOFF (1971): Notes on the ecology and behaviour of the Black rhinoceros *Diceros bicornis* in South-West Africa. 1 (3), 5-53.
- LEUTHOLD, W. (1978): Ecological separation among browsing ungulates in Tsavo East National Park Kenya. Oecologia 35 (2), 241-252.
- O'CONNOR, (1982): The behavioral ecology of the White rhinoceros at the Whipsnade Zoological Park. MPhil. Thesis. Univ. Cambridge.
- OWEN-SMITH, N. (1988): Megaherbivores; the influence of very large body size on ecology. Cambridge Univ. Press, 786 pp.
- VAN GYSEGHEM, R. (1984): Observations on the ecology and behaviour of the Northern White rhinoceros *Ceratotherium simum cottoni*. Ztschr. Säugetierkunde 49 (6), 348-358.

## Nutrition

- GHEBREMESEKEL, K., G. WILLIAMS, et al. (1991): Nutrient composition of plants most favoured by Black rhinoceros in the wild. Comp. Biochem. Physiol., Comp. Physiol. 98A (3/4), 529-534.
- HERRMANN, V. M., & R. E. MILLER (1991): Total parenteral nutrition on a premature rhinoceros calf. Nutr. Clin. Prac. 6, 193-196.
- KIRKWOOD, J. K. (1990): Nutrition of zoo animals; some recent developments. Agricultural Group of the Society of Chemical Industry Symp. Alternative Livestock; Nutrition and Management, London, UK, February 20. J. Science of Food and Agriculture 53 (1), 126-128.
- KIRKWOOD, J. K., J. EVA, & S. I. JACKSON (1989): The nutrition and growth of a hand-reared low birth weight rhinoceros (*Diceros bicornis*) during her first six months. Proc. Am. Assoc. Zoo Vets., 32-41.

## Reproduction

- ADAMS, G. P., E. D. PLOTKA, C. S. ASA, & O. J. GINTHER (1991): Feasibility of characterizing reproductive events in large non-domestic species by transrectal ultrasonic imaging. Zoo Biology 10 (3), 247-260.
- ASDELL, S. A. (1964): Patterns of mammalian reproduction. London: Constable 2nd ed., 670 pp.
- BERTSCHINGER, H. J. (1994): Reproduction in Black and White rhinos; a review. Symp. Rhinos as Game Ranch Anim., Faculty of Vet. Scie., Onderstepoort 9 - 10 September. 155-161 Pretoria: South African Vet. Assoc. Wildlife Group. Univ. Pretoria.
- BLASDEL, T. L., T. GOEN, T. S. OLSEN, L. A. FARNE, et al. (1990): Research on the reproduction of captive White rhinoceroses. Proc. SAVMA Symp., 182-187.
- BLUMER, E. S. (1990): Real world applications of reproductive techno-

erature

roduction

ogies in the management of endangered species. AAZPA Ann. Conf. Proc., 514-519.

RETT, R. A., J. K. HODGES, & E. WANJOHI (1988, 1989): Assessment of reproductive status of the Black rhinoceros *Diceros bicornis* in the wild. In: P. A. JEWELL, & G. M. O. MALOY (eds.): Symp. Zool. Soc. London no. 61. The biology of large African mammals in their environment. Symp. London, UK, May 19 - 20. 147-162, XXVIII and 304 pp., illus, maps. ISBN 0-19-854009-4. New York, USA: Oxford. Univ. Press.

PAIRALL, N. (1968): The reproductive seasons of some mammals in the Kruger National Park. Zoologica Africana 3, 189-210.

FRANCKE, R., F. SCHWARZENBERGER, R. GÖLTENBOTH, & H.-G. KLÖS (1991): Diagnosis of reproductive cycle and pregnancy by progesterone detection in the feces of Black rhinoceroses *Diceros bicornis* at the Zoological Garden of Berlin. 24th Ann. Meeting on reproductive physiology and pathology and the 16th joint Veterinary and Human Medical Meeting, Leipzig, Germany, February 21 - 22. Reproduction Domestic Anim. 26 (4), 190-191.

RODFREY, R. W., L. SRIVASTAVA, P. T. RUSSEL, & B. L. DRESSER (1991): Progress in reproductive physiology research in rhinoceros. In: O. A. RYDER (ed.): Rhinoceros biology and conservation. Proc. International Conference, May 9 - 11, San Diego, Cal., USA, 1993, i-v, 1-368. 149-152, illus. Zool. Soc. San Diego.

GÖLTENBOTH, R. (1990): Zyklen- und Trächtigkeitsdiagnose durch Kotanalyse beim Spitzmaulnashorn (*Diceros bicornis*), Indischen Elefanten und Okapi. VAZ 10, 25-27.

HEARNE, J. P., K. BAUERS, & D. H. ABBOTT (1991): Regulation of fertility in wild mammals and man. Proc. Am. Assoc. Zool. Parks and Aquariums, 72-79.

HINDLE, J. E., J. VAHALA, & J. K. HODGES (1991): Recent advances in reproductive monitoring of rhinos in captivity and in the wild. In: O. A. RYDER (ed.): Rhinoceros biology and conservation. Proc. Int. Conf., May 9 - 11, San Diego, California, USA, 1993. 141-148, illus. Zool. Soc. San Diego.

HITCHINS, P. M. & J. L. ANDERSON (1983): Artikel 124. Reproduction, population characteristics and management of the Black rhinoceros in the Hluhluwe/Corridor/Umfolozi Game Reserve Complex. South African Wildlife J. 13, 78-85.

KOCK, N., D. MORTON, & M. KOCK (1991): Artikel 144. Reproductive parameters in free-ranging female Black rhinos in Zimbabwe. Onderstepoort, J. of Veterinary, Pretoria 58 (1), 55-57.

KRULICA, V. (Privatbrief): Artikel 68. White Rhinos and their reproduction.

RAMSEY, C. (1993): Reproductive biology of a female African rhinoceros. Proc. Int. Symp. on capture, care and management of threatened mammals, 17 - 20. Pretoria: South African Vet. Assoc. Wildlife Group.

SMITH RUSSEL, L. & B. READ (1992): Artikel 131. Management parameters affecting the reproductive potential of captive, female Black rhinoceroses. Zoo Biol. 11, 375-383.

WAGNER, R. A. (1986): The reproductive cycle of one Southern White rhinoceros. Proc. Am. Assoc. Zoo Vets., 14-16.

LIST OF BROKERS

|                 |               |                     |               |
|-----------------|---------------|---------------------|---------------|
| Aritake         | Toyko         | Lockau              | Tanganyika    |
| Anderson G Fund |               | Mata                | Guatemala     |
| Bailey G        | Kenya         | Meems Bros          | NY            |
| Behrend         | Buenos Aires  | Mich Ken Breeding   |               |
| Bode            | Gronau        | Montreal CAN        |               |
| Boeki           | Kyokuto       | Ming Te Co          | Taipei        |
| Brink           | Soest         | Molinar             | Italy         |
| *               | Jabria (Jab)  | Mueller             | Krechting     |
| Broker          | Basel         | Northland Wildlife  |               |
| Broker          | Moskow        | Prasch Kauer Co     |               |
| Buck            | Sarasota      | Randall             | Nairobi       |
| Carr-Hartley    | Kenya         | Ravensden           | Rushden       |
| Chipperfield    | Southampton   | Ruhe                | Alfeld        |
| De Beer         | Kenya         | *                   | Ganserndorf   |
| Delfs           | Windhoek      | *                   | Gelsenkirchen |
| Demmer          | Nairobi       | *                   | Hanover       |
| *               | Del Garda     | *                   | San Roque     |
| *               | Vienna        | *                   | Wingst        |
| Fauna Ltd.      | Brazil        | *                   | Woodside NY   |
| Fockelmann      | Hamburg (HBG) | Safeways            | Tokyo         |
| Freemann        | Miami Rare    | Sauvage             | Nairobi       |
| Fuentes         | Donna         | Schroff             | Chicago       |
| Goebel          | Thousand Oaks | Schulz              | Arusha        |
| Gollebeck       | Wiesbaden     | *                   | Okahandja     |
| Hagenbeck C     | Hamburg (HBG) | *                   | Catskill      |
| Hallstrom       | Arusha        | *->Lindemann        | Catskill      |
| Harwick Ltd     | London        | Seago J             | Nairobi       |
| Henwood R       |               | Southwick           | Blackstone    |
| Hixon           | Colorado      | Speidel             | Milwaukee     |
| IAE             | Ferndale      | Stanton             | Kenya         |
| Interfauna      | GB            | Stewart             | Nairobi       |
| Johnson L       | Hico          | Tanganyika Game Ltd |               |
| Kawahara        | Tokyo         | Thompson            | Bradenton     |
| Keihin          | Yokohama      | Van Dijk            | Tilburg       |
| Kuenzler        | Arusha        | Western Bank Ltd.   |               |
| *               | Bremen        | Woshman             | Nairobi       |
| Lamkin          | Amarillo      | Yoshikawa           | Kobe          |
| Laval Interzoo  | CAN           | Zeehandelaar        | NY            |
| Leopard         | Lorena        |                     |               |

NOTE:

|              |   |                                     |
|--------------|---|-------------------------------------|
| LAG          | - | Lion Country Safari Laguna Hills    |
| STO          | - | Lion Country Safari Stockbridge     |
| WPB          | - | Lion Country Safari West Palm Beach |
| Sanderson NY | - | private owner                       |