

**RHINOCEROTOIDEA GRAY, 1825**  
 (= Rhinoceroidea GILL, 1872)  
**BIBLIOGRAPHY OF SELECTED PAPERS –**  
**RÉFÉRENCES BIBLIOGRAPHIQUES**  
**BIBLIOGRAFÍA – BIBLIOGRAFYA – RIFERIMENTI BIBLIOGRAFICI**

**ADDENDA – 2013**

Emmanuel M.E. BILLIA\* & Daniel ZIEGLER\*\*

Rhino Resource Center Editors

Other addenda to the previous lists of bibliographic references concerning the Rhinoceroidea Superfamily are proposed (vide autem in *Studii și cercetări* (Biology), 14:7-104 [2009], *Studii și cercetări* (Geology), 16:7-55 [2011], as well as in *Studii și cercetări* (Geology), 17:15-50, 2012).

As far as regards to the reference codes included in column on the left see the “Legenda” table.

A great amount of the references listed below are also available on [www.rhinoresourcecenter.com/literature](http://www.rhinoresourcecenter.com/literature).

**LEGENDA**

- 1a Rhinocerotidae of the European Paleocene-Eocene
- 1b Rhinocerotidae of the European Oligo-Miocene
- 1c Rhinocerotidae of the European Pliocene (*Stephanorhinus megarhinus* [de Christol] and *S. elatus* [Croizet & Jobert] excepted)
- 1d *Stephanorhinus megarhinus* (de Christol, 1836): monographic works
- 1e *Stephanorhinus elatus* (Croizet & Jobert, 1828) (= *Rhinoceros etruscus* var. *astensis* [Sacco, 1895] = *S. jeanvireti* [Guérin, 1972]): monographic works
- 2 Rhinocerotidae of the European Pleistocene in general or indet. (*Stephanorhinus* [= *Dicerorhinus*] in Moldova excepted)
- 3 *Coelodonta antiquitatis* (Blumenbach, 1799) in Eurasia
- 3a *Coelodonta antiquitatis* (Blumenbach, 1799): rock art, paintings
- 4 *Stephanorhinus etruscus* (Falconer, 1868) in Eurasia
- 5 *Stephanorhinus hundsheimensis* (Toula, 1902) in Eurasia
- 6 *Stephanorhinus hemitoechus* (Falconer, 1868)
- 7 *Stephanorhinus kirchbergensis* (Jäger, 1839) (= *Dicerorhinus mercki* [Jäger, 1839] in Eurasia
- 7a *Stephanorhinus kirchbergensis* (Jäger, 1839): interactions with fossil humans (?)
- 8 *Elasmotherium* and Elasmotheriinae
- 8a *Elasmotherium*: rock art, paintings, osteological industry (?)
- 9 *Rhinoceros unicornis* L., 1758 (= *R. indicus*)
- 10 *Dicerorhinus sumatrensis* (Fischer v. Waldheim, 1814)
- 11 *Rhinoceros sondaicus* Desmarest 1822 = *R. floweri* Gray
- 11a *Rhinoceros sondaicus guthi* Guérin 1973, *Rhinoceros sondaicus sivasondaicus* Dubois 1890
- 11b *Rhinoceros sondaicus inermis* Lesson 1840, *Rhinoceros sondaicus annamiticus* Heute 1892
- 12 Chinese fossil Rhinocerotidae
- 13 Asian and Middle-Eastern fossil and/or living Rhinocerotidae in general (Chinese, Mongolian, Kazakh, Caucasian Rhinoceroidea,  
*Rhinoceros binagadensis* Dzhafarov, 1955, *Rhinoceros subinermis* Pomel, 1895, and *Rhinoceros sondaicus inermis* Lesson, 1840 excepted)
- 13a Caucasian fossil Rhinocerotidae
- 13b Kazakh fossil Rhinoceroidea
- 13c Mongolian fossil Rhinoceroidea
- 14 *Rhinoceros binagadensis* Dzhafarov 1955, *R. subinermis* Pomel 1895
- 15 *Ceratotherium simum simum* (Burchell, 1817) (southern “White rhino”)

\* via Bacchiglione 3, 00199 Roma, Italy, [eme.billia@alice.it](mailto:eme.billia@alice.it), [e.billia@yandex.ru](mailto:e.billia@yandex.ru)

\*\* PO Box 115, Pt. Washington WI 53074, USA, [dziegler12@wi.rr.com](mailto:dziegler12@wi.rr.com)

- 15a *Ceratotherium simum cottoni* (Lydekker, 1908) (northern “White rhino”)  
 16 *Diceros bicornis* L., 1758 (“Black rhino”)  
 16a *Rhinoceros cucullatus* Wagner, 1835  
 17 African fossil and/or living Rhinocerotidae in general (*Ceratotherium simum simum* [Burchell, 1817], *C. simum cottoni* [Lydekker, 1908] and *Diceros bicornis* L., 1758 excepted)  
 18 Phylogeny, cladystic, evolution of the European and Extra-European fossil and/or living Rhinocerotidae  
 19 Anatomy, anatomo–isto–patology, odonto–osteological morphology and abnormalities, genetics, palaeodiet  
 20 Biostratigraphy and biostratigraphical correlations, biozonations, ecology, ethology, distribution, extinctions, migrations, nomenclature, palaeoecology and palaeoenvironmental reconstructions, palaeogeography, stratigraphy, synonymy, systematics, taphonomy, taxonomy, trophism, ESR and Uranium-series datings, amino-acid racemisation data, radiocarbon chronologies  
 21 Coexistence Man-Rhinoceros, rhinoceroses in zoos, rhinoceroses in national parks, rhinoceroses in captivity, rhinoceros translocations, rhinoceros preservasions, Man hunting Rhinoceroses, Rhinoceroses against Man, poaching, trade  
 22 Rhinoceroses in the rock art, paintings (*C. antiquitatis* [Blum., 1799] and *Elasmotherium* excepted), moder art, culture, mythology, poems  
 23 North American Rhinoceroidea  
 24 *Stephanorhinus* (= *Dicerorhinus*) and other rhinoceroses in Moldova  
 25 People Biography & Obituaries  
 AH Atlases, Catalogues, Guides, Handbooks  
 HD Historical documents  
 \* Rhinoceroidea ex-Tapiroidea

#### INSTITUTIONAL ABBREVIATIONS

- AN ArmSSR Akademya Nauk Armyanskoy SSR (= Academy of Sciences of Armenian SSR), Erevan  
 AN AzerbSSR Akademya Nauk Azerbaydzhanskoy SSR (= Academy of Sciences of Azerbaijan SSR), Baku  
 AN GruzSSR Akademya Nauk Gruzinskoy SSR (= Academy of Sciences of the Georgian SSR), Tbilisi  
 AN KazSSR Akademya Nauk Kazakhskoy SSR (= Academy of Sciences of Kazakh SSR), Alma-Ata at present,  
 Nazional'naya Akademya Nauk Respubliki Kazakhstan (NAN RK) (= Academy of Sciences of the Republic of Kazakhstan), Almaty  
 AN MoldSSR Akademya Nauk Moldavskoy SSR (= Academy of Sciences of Moldavian SSR, Kishinev) at present, Academy of Sciences of Moldova, Chisinau  
 AN SSSR Akademya Nauk SSSR (= USSR Academy of Sciences), Moscow/Leningrad at present, Russian Academy of Sciences (RAN), Moscow/St-Petersburg  
 AN TadhSSR Akademya Nauk Tadhisskoy SSR (= Academy of Sciences of the Tajik SSR), Dushambe  
 Respubliki (AN URSR), Kiiv (= Academy of Sciences of Ukrainian SSR, Kiev); at present, Ukrains'koïa Akademia Nauk (UkrAN) (= Ukrainian Academy of Sciences), Kiiv  
 AN URSR Akademia Nauk Ukrains'koï Radyans'koï Sozialistichnoï Respubliki (= Academy of Sciences of the Ukrainian SSR), Kiiv (= Kiev)  
 GIN AN SSSR Geologicheskyy Institut Akademii Nauk (= Institute of Geology, USSR Academy of Sciences), Moscow  
 HAZU Hrvatska Akademija Znanosti i Umjetnosti (= Croatian Academy of Sciences and Arts), former Yugoslavian Academy of Sciences and Arts (JAZU), Zagreb  
 JAZU Jugoslavenska Akademija Znanosti i Umjetnosti (Academia Scientiarum et Artium Slavorum Meridionalium = Yugoslavian Academy of Sciences and Arts); at present, Hrvatska Akademija Znanosti i Umjetnosti (= Croatian Academy of Sciences and Arts), Zagreb  
 NAN RK Nazional'naya Akademya Nauk Respubliki Kazakhstan (National Academy of Sciences of the Republic of Kazakhstan), Almaty  
 PAN Polska Akademia Nauk (= Polish Academy of Sciences), Warsaw / Kraków  
 PAU Polska Akademia Umiejetnosci, Kraków  
 RAN Rossiyskaya Akademya Nauk (= Russian Academy of Sciences), Moscow/St-Petersburg  
 SAN Srpska Akademija Nauka (= Serbian Academy of Sciences), former Yugoslavian Academy of Sciences and Arts, (JAZU), Belgrade  
 SAZU Slovenska Akademija Znanosti in Umetnosti (Academia Scientiarum et Artium Slovenica = Slovenian Academy of Sciences and Arts), Ljubljana  
 SO RAN Sibirskoe Otdelenie Rossiyskoy Akademii Nauk (= Siberian Branch of the Russian Academy of Sciences)  
 UkrAN Ukrains'koïa Akademia Nauk (= Ukrainian Academy of Sciences), Kiiv

## Bibliography of selected papers

## OTHER ABBREVIATIONS

|                            |   |
|----------------------------|---|
| Abh                        | Abhandlungen  |
| Abt                        | Abteilung   |
| Bd                         | Band  |
| Bollettino SPI             | Bollettino della Società Paleontologica Italiana, Modena                                  |
| Bulletin AMNH              | Bulletin of the American Museum of Natural History, New York                              |
| Bulletin BMNH              | Bulletin of the British Museum of Natural History, London                                 |
| Byulleten' MOIP            | Byulleten' Moskovskogo obshchestva ispytateley prirody, Moskva                            |
| Dpt                        | Department  |
| Ezhegodnik RPO             | Ezhegodnik Russkogo paleontologicheskogo obshchestva, Moskva                              |
| Ezhegodnik VPO             | Ezhegodnik Vsesoyuznogo paleontologicheskogo obshchestva, Moskva                          |
| fig/figs                   | figure/figures  |
| Ht                         | Heft  |
| Izd-vo                     | Izdatel'stvo (= Publishing House)   |
| Izvestya NAN RK            | Izvestya Nazional'noy Akademii Nauk Respubliki Kazakhstan, Almaty                         |
| Jhg                        | Jahrgang  |
| N.F.                       | Neue Folge  |
| NS                         | Nouvelle Série, New Series, Novaya Serya  |
| Pl/Pls                     | Plate/Plates, Planche/Planches, Tafel/Tafeln, Tabliza/Tablizi, Tavola/Tavole              |
| Publ. House                | Publishing House  |
| s.                         | série, series, serya  |
| Selevinia (Kaz. zool. zh.) | Selevinia (Kazakhstansky zoologicheskyy zhurnal) (= The zoological journal of Kazakhstan) |
| Tipogr.                    | Tipografia  |
| Trudy GIN AN SSSR          | Trudy Geologicheskogo Instituta Akademii Nauk SSSR, Moskva                                |
| Trudy IGN                  | Trudy Instituta Geologicheskoy Nauk, Akademya Nauk SSSR, Moskva                           |
| Trudy PIN AN SSSR          | Trudy Paleontologicheskogo Instituta Akademii Nauk SSSR, Moskva                           |
| Trudy ZIN AN SSSR          | Trudy Zoologicheskogo Instituta Akademii Nauk SSSR, Moskva/Leningrad                      |
| Univ.                      | University  |

**3-20. ADAMENKO O.M., STEL'MAKH O.P., MANYUK O.P., ZORIN D.O., RADLOVČKA K.O., ANDRUKHIV O.C. & SAVCHUK L.I.**, 2010. Landshaftno-ekologichne obgruntuvanya organizazii "Parku L'odovikovogo Periodu" u c. Staruni na Prikarpatti [Landscape-ecological organization of the "L'odovik Period Park" at Starunia in Ciskarpathian area] [in Ukrainian, Russian & English abstr-s]. *Ekologichna Bezneta ta zbalansovane Resurcokoristuvanya* (Paleoekologia), pp. 60-64, 4 figs, Kiiv.

**1b. ALBERDI M.T. & BONÉ E.** 1978. Macrovertébrés du gisement d'Arenas del Rey (Miocène supérieur du Bassin de Grenade, Andalousie, Espagne). *Bulletin de la Société belge de Géologie*, **87** (4):199-214, 3 figs, 3 Pls.

**1b. ALCALÀ L., AZANZA B., CERDEÑO E., IÑESTA M., JUAN J.R., MONTOYA P. & MORALES J.**, 1987. Nuevos datos sobre los macromamíferos turolenses de Crevillente (Alicante). *Geogaceta*, **3**:24-27, 4 figs. [details: *D. schleiermachi*, fig 3]

**HD. ALCOVER J.A. & AL.**, 1998. Mammal Species of the World – Additional Data on Insular Mammals. 29 pp.

**1b. ALEKSEEV" A.**, 1915. Fauna Pozvonochnikh" d. Novo-Elizavetovki [Animaux Fossiles du Village Novo-Elisavetovka] [in Russian]. Tipografya "Tekhnik", 450 pp., numerous figs and Pls, Odessa (1916). [details: *Aceratherium incisivum* Kaup & *Rhinoceros pachygnatus* Wagner (pp. 273-315, Plate VIII)]

**7. ALEKSEEV M.N.**, 1970. An occurrence of Tiraspolian fauna at the Vilyuy River (Eastern Siberia). *Paleogeography, Paleoclimatology, Paleoecology*, **8**:209-214, 1 fig, 1 tab, Elsevier Publ. Company, Amsterdam.

**1c-3-4-7-20. ALIMEN H., RADULESCO C. & SAMSON P.**, 1968. Précisions paléontologiques et indices climatiques relatifs aux couches pléistocènes de la dépression de Brasov (Roumanie). *Bulletin de la Société Géologique de France*, **7** (10):549-560, 4 figs, 1 Pl, Paris. [details: *Dicerorhinus* cf. *leptorhinus* (Cuvier), *Dicerorhinus etruscus* (Falc.), *Dicerorhinus* sp., *Dicerorhinus kirchbergensis* (Jaeger), *Coelodonta* cf. *antiquitatis* (Blumenb.), *Tapirus arvernensis* Croizet & Jobert]

**11-19. ANDERSON C.**, 2012. Surveillance for anthrax (*Bacillus anthracis*) in water buffalo (*Bubalus bubalis*) sympatric with the Javan rhinoceros (*Rhinoceros sondaicus*) population in Ujung Kulon National Park, Indonesia. Report to Cornell University College of Veterinary Medicine, pp. 1-2.

**4. ANDREESCU I., CODREA V., ENACHE C., LUBENESCU V., MUNTEANU T., PETCULESCU A., STIUCA E. & TERZEA E.**, 2011. Reassessment of the Pliocene/Pleistocene (Neogene/Quaternary) boundary in the Dacian Basin (Eastern Paratethys), Romania. *Studii și comunicări. Științele Naturii*, **27** (1): 197-220, 11 figs, Muzeul Olteniei Craiova, Oltenia.

**4. ANDREESCU I., CODREA V., LUBENESCU V., MUNTEANU T., PETCULESCU A., STIUCA E. & TERZEA E.**, 2013. New developments in the Upper Pliocene-Pleistocene stratigraphic units of the

Dacian Basin (Eastern Paratethys), Romania. *Quaternary International*, **284**:15-29, 10 figs.

**8. ANTOINE P-O.**, 1997. *Aegyrcitherium beonensis* n.g. n. sp., nouvel élasmothère (Mammalia, Rhinocerotidae) du gisement miocène (MN 4b) de Montreuil-de-Gers (Gers, France) – Position phylogénétique au sein des Elasmotheriini. *Neues Jahrbuch für Geologie und Paläontologie*, Abh., **204** (3):399-414.

**1b. ANTOINE P-O., ORLIAC M.J., ATICI G., ULUSOY I., SEN E., CUBUKCU H.E., ALBAYRAK E., OYAL N., AYDAR E. & SEN S.**, 2012. A Rhinocerotid skull cooked-to-death in a 9.2 Ma-old ignimbrite flow of Turkey. *PLoS ONE* 7 (11):e49997, pp 1-12, 5 figs, 5 tabs. [details: *Ceratotherium neumayri*] [doi:10.1371/journal.pone.0049997:1-12]

**17. ANTOINE P-O. & ROOKMAKER K.**, 2013. The first historical record of a rhinoceros in Togo. *Mammalia*, **77** (1):127-129, 2 figs, Paris.

**2. ARRIBAS A. & ALII**, 2004. Nuevos registros paleontológicos de grandes mamíferos en la cuenca de Guadix-Baza (Granada) – Aportaciones del Proyecto Fonelas al conocimiento sobre las faunas continentales del Plio-Pleistoceno europeo. *Boletín Geológico y Minero*, **115**:567-582, 5 fig/phot/Pls, Madrid.

**6-7-20. ASPEREN E.N. v.**, 2012. Position of the Steinheim interglacial sequence within the marine oxygen isotope record based on mammal biostratigraphy. *Quaternary International*, **276-277**.

**1b. ASTRE G.**, 1925. Le plus ancien Ceratorhiné connu en Europe. *Compte Rendu Sommaire et Bulletin de la Société Géologique de France*, 4<sup>ème</sup> s., **25** (4):383-389, Société Géologique de France, Paris.

**15-19. BALL R.L., LARSEN R. & WAGMAN J.**, 2011. Investigating the hemoglobin of white rhinoceros (*Ceratotherium simum simum*) and possible implications for anesthesia. *Proceedings of the 2011 International Elephant and Rhino Conservation and Research Symposium*, pp. 1497-1521, Rotterdam.

**5. BALLATORE M. & BREDA M.**, 2013. *Stephanorhinus hundsheimensis* (Rhinocerotidae, Mammalia) teeth from the early Middle Pleistocene of Isernia La Pineta (Molise, Italy) and comparison with coeval British material. *Quaternary International*, **302**:169-183, 7 figs, 3 tabs.

**5. BALLATORE M., BREDA M., PERETTO C. & THUN HOHENSTEIN U.**, 2012. *Stephanorhinus hundsheimensis*: nuovi dati paleontologici e archeozoologici dai reperti di rinoceronte di Isernia la Pineta [*Stephanorhinus hundsheimensis*: new palaeontological and archaeozoological data on the rhinoceros remains from Isernia la Pineta (Southern Italy)] [in Italian & English]. *Annali dell'Università degli Studi di Ferrara, Museologia Scientifica e Naturalistica*, **8** (3):11, Ferrara.

**3. BARTA J.**, 1965. Slovensko v staršej a strednej dobe kamennej. *Vyd. SAV*, **230**, Bratislava.

**7. BATE D.M.A.**, 1927. On the animal remains obtained from the Mugharet-el-Emireh in 1925 (in Turville-Petre F.: *Researches in Prehistoric, Galilee 1925-1926*). *British School of Archaeology in Jerusalem*, pp. 9-13, 4 figs, London.

**9-22. BAUTZE J.**, 1985. The problem of the Khadga (*Rhinoceros unicornis*) in the light of archaeological finds and art (in Schotsmans J. & Taddei M., eds: *South Asian Archaeology 1983 – Papers from the Seventh International Conference of the Association of South Asian Archaeologists in Western Europe*, i-xix, 462 pp.). *Istituto Universitario Orientale, Dipartimento di Studi Asiatici (Series Minor XXIII)*, pp. 405-433, figs 1-7, Naples.

**4-7-8. BAYGUSHEVA V.S. & TITOV V.V.**, 2010. Pleistocene large mammal associations of the Sea of Azov and adjacent regions. Abstracts volume of the “Quaternary Stratigraphy and Paleontology of the Southern Russia – Connections between Europe, Africa and Asia”, pp. 24-27, 1 Pl, Rostov-on-Don.

**1b. BECKER D., ANTOINE P-O. & MARIDET O.**, 2013. A new genus of Rhinocerotidae (Mammalia, Perissodactyla) from the Oligocene of Europe. *Journal of Systematic Palaeontology*, pp. 1-26, 7 figs, 3 tabs, 2 app. [http://dx.doi.org/10.1080/14772019.2012.699007]

**1b-20. BECKER D., BÜRGIN T., OBERLI U. & SCHERLER L.**, 2009. *Diaceratherium lemanense* (Rhinocerotidae) from Eschenbach (Eastern Switzerland) – Systematics, paleoecology, paleobiogeography. *Neues Jahrbuch für Geologie und Paläontologie*, Abhandlungen, **254** (1-2):5-39, 9 figs, 10 tabs, Stuttgart. [details: an evolved form of *Diaceratherium lemanense* (Pomel 1853)]

**1b-20. BECKER D. & SCHERLER L.**, 2012. European Oligo-Miocene rhinocerotids: diversity and ecology. Résumés du “Quatrième Symposium Georges Cuvier - Fossiles, Evolution, Mouvement”, Montbéliard 8-12 Octobre 2012, p. 5.

**8. BEZSONOV A.**, 1905. Ob ostatkakh *Elasmotherium sibiricum* – Samarsky Gorodskoy Publichny Muzey – Zal Imperatora Aleksandra II – Otchet za 1902 i 1903 g.g. [On *Elasmotherium sibiricum* remains – Room of Alexander II Emperor – Report on the 1902 and 1903 years]. *Tipografya Gubernskogo Pravleniya*, pp. 39-41, Samara.

**9-20-21. BHATTA R.**, 2011. Ecology and conservation of Great Indian one-horned Rhino (*Rhinoceros unicornis*) in Pobitora Wildlife Sanctuary, Assam, India. A Thesis submitted to the Gauhati University for the Degree of PhD in Zoology in the Faculty of Science, 231 pp.

**4-6. BIDDITTO I. & CELLETTI P.**, 2001. Plio-Pleistocene Proboscidea and Lower Palaeolithic bone industry of Southern Latium (Italy). *Proceedings of the International Congress “The World of Elephants”*,

## Bibliography of selected papers

Rome 2001, pp. 91-96, 2 figs, Roma.

**AH. BILLIA E.M.E. & ZIEGLER D.**, 2012. RHINOCEROTOIDEA Gray, 1825 (= *Rhinoceroidea* Gill, 1872) – Bibliography of Selected Papers/Bibliografia/Références Bibliographiques/Bibliografia/Riferimenti Bibliografici – Addenda 2012. *Studii și cercetări* (s. Geology-Geography), **17**:15-50, Complexul Muzeal Bistrița-Năsăud, Bistrița.

**4. BLAIN H.A., BAILON S. & AGUSTÍ J.**, 2008. Amphibians and squamate reptiles from the latest early Pleistocene of Cueva Victoria (Murcia, southeastern Spain, SW Mediterranean) – Paleobiogeographic and paleoclimatic implications. *Geologica Acta*, **6** (4):345-361. [details: the *Stephanorhinus etruscus* presence in this site is only cited] [doi:10.1344/105.000000262]

**16-21. BLASZKIEWITZ B.**, 2012. 38jähriges Spitzmaulnashorn (*Diceros bicornis*) im Zoo Berlin gestorben [Black rhinoceros (*Diceros bicornis*) died in an age of 38 years at Zoo Berlin]. *Zoologische Garten*, **81**:185-187, figs 1-2.

**3-20. BOCHERENS H.**, 2003. Isotopic biogeochemistry and the paleoecology of the mammoth steppe fauna (in: Reumer J.W.F., Vos J. de & Mol D., eds: Proceedings of the Second International Mammoth Conference “Advances in Mammoth Research”, Rotterdam, May 16-20, 1999). *DEINSEA*, **9**:57-76, 10 figs, 2 tabs, Rotterdam.

**3. BOCHERENS H., DRUCKER D.G., BILLIOU D., PATHOU-MATHIS M. & VANDERMEERSCH B.**, 2005. Isotopic evidence for diet and subsistence pattern of the Saint-Cesaire I Neanderthal – Review and use of a multi-source mixing model. *Journal of Human Evolution*, **49**:71-87.

**3. BOESKOROV G.G.**, 2012. Some specific morphological and ecological features of the fossil woolly rhinoceros (*Coelodonta antiquitatis* Blumenbach 1799). *Biology Bulletin*, **39** (8):692-707, 11 figs, 1 tab. [Original Russian Text © G.G. Boeskorov, 2012, published in *Zoologicheskii Zhurnal*, 2012, vol. **91** (2):219-235, Skt-Peterburg]

**20. BONIFAY M.-F.**, 1982. Paléoclimatologie quantitative – Méthode fondée sur les grands mammifères quaternaires et première application aux régions sud de la France. *Paleogeography, Paleoclimatology, Paleoecology*, **38**:207-226, 7 figs.

**13b. BORISSYAK A.A.**, 1916. L’*Indricotherium* n. gen., Rhinoceros gigantesque du Paléogène d’Asie. *Comptes Rendus de l’Académie des Sciences de Paris*, **162**:520-521, Paris.

**1b. BORISSYAK A.A.**, 1962. A survey of fossil sites of tertiary land mammals in the U.S.S.R. *International Geology Review*, **4** (8):845-867. [details: *Aceratherium lemanense* Pomel, *Aceratherium depereti* Borissyak, *Brachypotherium aurelianense* var. *gailiti* Borissyak]

**3. BOSCH M.D., ANTL-WEISER W., FLADERER F.A. & NIGST Ph.R.**, 2010. New results from zooarchaeological, taphonomic, and spatial analyses of the Gravettian mammoth bone accumulation at Grub-Kranawetberg (Lower Austria). Hugo Obermaier Society for Quaternary Research and Archaeology of the Stone Age, 52. Jahrestagung in Leipzig (6-10 April 2010), pp. 17-18.

**8. BOULE M.**, 1917. O zubnom apparate ... Borissyak 1914 ... (De l’appareil dentaire de l’*Elasmotherium caucasicum*). *L’Anthropologie*, **28**:163-165.

**22. BRAUN I.M.**, 2009. Altsteinzeitliche Höhlenkunst in Deutschland ? *Mitt. Verb. dt. Höhlen- u. Karstforscher*, **55** (1):17-28, 19 figs, München.

**3-19. BREDOW B. v.**, 1994. Kommentare zu Elektrospinresonanz-Datierungen des Zahnpatit eines Molaren von *Coelodonta antiquitatis* aus dem Gerhartsreiter Graben durch die Gesellschaft für Strahlen- und Umweltforschung Neuherberg bei München, Mammutheum-Verlag.

**16-19. BRYANT B., BLYDE D., EAMENS G. & WHITTINGTON R.**, 2012. *Mycobacterium avium* subspecies *paratuberculosis* cultured from the feces of a Southern black rhinoceros (*Diceros bicornis minor*) with diarrhea and weight loss. *Journal of Zoo and Wildlife Medicine*, **43** (2):391-393.

**16-21. BUK K.G. & KNIGHT M.H.**, 2012. Habitat suitability model for black rhinoceros in Au-grabies Falls National Park, South Africa. *South African Journal of Wildlife Research*, **42** (2):82-93.

**1b. B’YUSHKOV B.P.**, 1955. Slepok tretichnogo nosoroga v bazal’tax Kolumbiyskogo Plato [A mould of a tertiary rhinoceros from basalts of the Kolumb Plateau]. *Priroda*, **7**:111-112, 2 figs, Izd-vo Akademii Nauk SSSR, Moskva.

**15-19. CACERES S., MARTINEZ-FERNANDEZ L., SILVAN L., SCHWARZENBERGER F., CASARES M., MARTIN-RUIZ A. & ILLERA J.C.**, 2012. Faecal cortisol and progesterone metabolites concentration in four captive white rhinoceros (*Ceratotherium simum*) kept in different housing conditions. *Wiener Tierärztliche Monatsschrift*, **99** (Suppl. 1):52.

**16-19. CAIN B., WATTS Ph.C., WANDERA A.B., STEVENS-WOOD B. & SHAWCROSS S.G.**, 2013. A reliable, single-step method for gender determination in black rhinoceros from low-copy template DNA. *Conservation Genetics Resources*, 3 pp., Springer Science+Business Media Dordrecht [doi:

10.1007/s12686-013-9875-y]

**6. CAPASSO BARBATO L. & GLIOZZI E.**, 1995. Biochronological and palaeogeographical implications of a well-balanced late Middle Pleistocene fauna from Quisisana-Certosa (Capri, Southern Italy). *Bollettino della Società Paleontologica Italiana*, **34** (2):235-261, Modena.

**1b. CERECEDA J.D.**, 1914. Acerca de un nuevo "Rhinoceros" mioceno. "Rhinoceros austriacus" Peters, mutación "hispanicus". *Boletín de la Real Sociedad Española de Historia Natural*, **XIV**:391-397, Pls VIII, IX, X, Museo Nacional de Ciencias Naturales, Madrid.

**19-20. CERLING T.E., HARRIS J.M., AMBROSE S.H., LEAKEY M.G. & SOLOUNIAS N.**, 1997. Dietary and environmental reconstruction with stable isotope analyses of herbivore tooth enamel from the Miocene locality of Fort Ternan, Kenya. *Journal of Human Evolution*, **33**:635-650.

**23. CHAPPELL W.M., DURHAM J.W. & SAVAGE D.E.**, 1951. Mold of a rhinoceros in basalt, Lower Grand Coulee, Washington. *Geological Society of America Bulletin*, **62** (8):907-918. [doi:10.1130/0016-7606(1951)62[907:MOARIB]2.0.CO;2]

**13. CHAUHAN P.R.**, 2008. Large mammal fossil occurrences and associated archaeological evidence in Pleistocene contexts of peninsular India and Sri Lanka. *Quaternary International*, **192**:20-42, 7 figs, 3 tabs. [details: *Rhinoceros sinhaleys*, *Rhinoceros kagavena*, *Rhinoceros karnuliensis*, *Rhinoceros cf. unicornis*, *Rhinoceros deccanensis*, *Rhinoceros* sp.] [doi:10.1016/j.quaint.2007.06.034]

**7. CHEN SHAOKUN, HUANG WANBO, PEI JIAN, HE CUNDING, QIN LI, WEI GUANGBIAO & LENG JING**, 2012. [The latest Pleistocene *Stephanorhinus kirchbergensis* from the Three Gorges Area and re-evaluation of Pleistocene rhinos in Southern China] [in Chinese, English abstr]. *Acta Anthropologica Sinica*, **31** (4):381-394, 4 figs, 1 tab, Beijing. [details: the *S. kirchbergensis* remains come from the Migong Cave (Wushan County, Chongqing; absolute age = 13150±190 BP). Till to-day, this record appears the latest and southernmost ones in Eurasia]

**22. CHEN YUAN-PENG**, 2010. Reality and imagination in the knowledge of traditional natural history – A study based upon the rhinoceros and rhinoceros horn. *History Journal*, **33** (5):1-82, numerous illustr.-s., National Chengchi University.

**AH. CHEPALYGA A.L.**, 1967. Antropogenovye Presnovodnye Mollyuski Yuga Russkoy Ravniny i ikh Stratigraficheskoe Znechenie [Anthropogene Freshwater Mollusks in the South of the Russian Plain and their Stratigraphic Importance] [in Russian]. *Trudy Akad. Nauk SSSR*, **166**:222 pp., 42 Pls, 23 figs, numerous tabs, AN SSSR, Geologicheskij Institut, Izd-vo "Nauka", Moskva. [details: the monograph concerns mollusks. Nevertheless, some reports on Rhinocerotidae are present: *Rhinoceros/Dicerorhinus etruscus* Falconer (pp. 23, 24, 44), *Rhinoceros* sp. (pp. 30-42-43), *Rhinoceros mercki* Jäger (p. 48), *Dicerorhinus* sp. (pp. 16, 40, 43, 44), *Elasmotherium caucasicum* and *Elasmotherium* sp. (pp. 15, 44), *Elasmotherium sibiricum* (p. 45)]

**15-16-21. CHILD B.**, 2012. The sustainable use approach could save South Africa's rhinos. *South African Journal of Science*, **108** (7-8):1-4.

**15a-20. CINKOVA I. & BICIK V.**, 2012. Social and reproductive behaviour of critically endangered northern white rhinoceros in a zoological garden. *Mammalian Biology*, **78** (1):50-54.

**5. CODREA V. & CZIER Z.**, 1993. Preliminary data concerning big mammalian fauna from the Subpiatra Pleistocene deposits, Bihor County (Romania). *Theoretical and Applied Karstology*, **6**:207-210, Bucuresti.

**3. CODREA V. & GHERDAN D.**, 1990. La signification de quelques restes squelettes de mammifères rencontré dans le forage F<sub>1</sub>A Avram Iancu (dépt. de Bihor, l'Ouest de la Roumanie). *Extra Din Crisia*, **XX**:553-565, 5 figs, 2 tabs, 3 Pls, Oradea.

**1b. CODREA V. & SURARU N.**, 1989. Über einen Amarynodontiden: "*Cadurcodon*" zimborensis n. sp. in den Zimborer-schichten von Zimbör, kreis Salaj im Nord-westen des Transsylvanischen Beckens (in: The Oligocene from the Transylvanian Basin). p. 319-338, 2 figs, 2 tabs, 2 Pls, Cluj-Napoca.

**5. COLTORTI M., FERAUD G., MARZOLI A., PERETTO C., TON-THAT T., VOINCHET P., BAHAIN J.-J., MINELLI A. & THUN HOHENSTEIN U.**, 2005. New <sup>40</sup>Ar/<sup>39</sup>Ar, stratigraphic and palaeoclimatic data on the Isernia La Pineta Lower Palaeolithic site, Molise, Italy. *Quaternary International*, **131**:11-22, 5 figs, 4 tabs.

**21. DAMMERMAN K.W.**, 1929. Preservation of Wild Life and Nature Reserves in the Netherlands Indies. *Proceedings of the Fourth Pacific Science Congress in Java*, 92 pp., 15 figs, 20 Pls, Java.

**1b. DANTÍN CEREDA J.**, 1914. Acerca de un nuevo "Rhinoceros" mioceno. "Rhinoceros austriacus" Peters, mutación "hispanicus". *Boletín de la Real Sociedad Española de Historia Natural*, **XIV**:391-397, Pls VIII, IX, X, Museo Nacional de Ciencias Naturales, Madrid.

**8. DAVID A. & EREMEICO N.**, 2003. Findings of *Elasmotherium cf. peii* (Chow Minchen, 1958) from sediments of Early Pleistocene (Upper Villafranchian) at Salcia (Republic of Moldova). *Advances in Vertebrate paleontology "Hen to Panta"*, pp. 41-46.

## Bibliography of selected papers

4. **DAVID A. & OBADA Th.**, 2004-05. La faune de mammifères et l'âge géologique des dépôts Poratiens de "Râpa Scortsescu". *Travaux de l'Institut de Speologie Emile Racovitza*, **XLIII** (2004) – **XLIV** (2005):269-279, Bucuresti.
3. **DAVID A.I. & STEYLER L.D.**, 1969. Ostatki iskopaemykh mlekopitayushchikh iz peshchery s. Buteshty [Fossil mammal remains from a cave at the Buteshta village] [in Russian]. *Trudy*, **II**:147-159, 1 map, 1 tab, Gosudarstvenny Istoriko-Kraevedchesky Muzey, Ministerstvo Kult'ury SSR, Kartya Moldovenyasko, Kishinev.
12. **DENG TAO**, 2006. An Early Pleistocene mammalian fauna from the Linxia Basin in Northeastern China (a Power Point presentation for the INQUA International Symposium "Quaternary of Baikalia – Stratigraphy, Paleontology and Paleoenvironments of the Pliocene-Pleistocene of Transbaikalia and Interregional Correlations", Ulan-Ude, August 28–September 3, 2006).
- 12-19. **DENG TAO**, 2013. Incisor fossils of *Aprotodon* (Perissodactyla, Rhinocerotidae) from the Early Miocene Shangzhuang Formation of the Linxia Basin in Gansu, China. *Vertebrata Palasiatica*, **51** (2):131-140, 2 figs, Beijing.
12. **DENG TAO, HANTA R. & JINTASAKUL P.**, 2013. A new species of *Aceratherium* (Rhinocerotidae, Perissodactyla) from the Late Miocene of Nakhon Ratchasima, northeastern Thailand. *Journal of Vertebrate Paleontology*, **33** (4):977-985, 5figs, 3 tabs [details: *Aceratherium porpani* sp. nov.] [<http://dx.doi.org/10.1080/02724634.2013.748058>]
- 8-12. **DENG TAO, WANG SHIQI & HOU SUKUAN**, 2012. A bizarre tandem-horned elasmothere rhino from the Late Miocene of northwestern China and origin of the true elasmothere. *Chinese Science Bulletin* (Geology), pp. 1-7, 4 figs, 1 tab. [doi: 10.1007/s11434-012-5574-4]
19. **DENNIS P., ELLIS S., MELLEN J. LEE P., OLEA-POPELKA F. PETRIC A. & RYDER O.**, 2012. IOD in rhinos – Epidemiology Group report: report from the epidemiology working group of the international workshop on iron overload disorder in browsing rhinoceros (February 2011). *Journal of Zoo and Wildlife Medicine*, **43** (3s):S114-S116, American Association of Zoo Veterinarians.
- AH. DEPERET Ch.**, 1917. Monographie de la Faune Mammifères Fossiles du Ludien Inferieur d'Euzet Les Bains. Lyon, 288 pp, 25 Pls. [details: about 1/3 of the volume is devoted to rhinoceroses]
3. **DIEDRICH C.G.**, 2006. By Ice Age spotted hyenas removed, cracked, nibbled and chewed skeleton remains of *Coelodonta antiquitatis* (Blumenbach 1799) from the Lower Weichselian (Upper Pleistocene) freeland prey deposit site Bad Wildungen-Biedensteg (Hessia, NW Germany). *Journal of Taphonomy*, **4** (4):173-206, 22 figs.
3. **DIEDRICH C.G.**, 2006. Ice age spotted hyenas ?hunting or only scavenging the cave bear *Ursus spelaeus* Rosenmüller at the Ice Age spotted hyena open air den and prey deposit site Bad Wildungen - Biedensteg (Hessia, Germany). *Scientific Annals, School of Geology, Aristotle University of Thessaloniki* (AUTH), **98**:193-199, 4 figs, 1 tab, Thessaloniki.
3. **DIEDRICH C.G.**, 2012a. Late Pleistocene *Crocota crocuta spelaea* (Goldfuss, 1823) clans as przewalski horse hunters and woolly rhinoceros scavengers at the open air commuting den and contemporary Neanderthal camp site Westeregeln (central Germany). *Journal of Archaeological Science*, **39**:1749-1767.
3. **DIEDRICH C.G.**, 2012b. Late Pleistocene *Crocota crocuta spelaea* (Goldfuss 1823) populations from the Emscher River terrace open air hyaena den near Bottrop and other sites in NW Germany – Their bone accumulations along rivers in lowland mammoth steppe environments and scavenging activities on woolly rhinoceros. *Quaternary International*, **276-277**:93-119.
3. **DIEDRICH C.**, 2013. Recycling of badger/fox burrows in Late Pleistocene loess by hyenas at the den site Bad Wildungen-Biedensteg (NW Germany) – Woolly rhinoceros killers and scavengers in a mammoth steppe environment of Europe. *Journal of Geological Research*, vol. 2013, 31 pp., 16 figs, 14 tabs, article ID 190795, Hindawi Publishing Corporation [<http://dx.doi.org/10.1155/2013/190795>]
3. **DIEDRICH C.G., SCHÄFER D., RAPPILBER I., WANSAN S. & WEBER Th.**, 2010. Neandertalercamp und Hyänenhorst – Neue Untersuchungen im pleistozänen Gipskarst von Westeregeln, Salzlandkreis (Sachsen-Anhalt). Hugo Obermaier Society for Quaternary Research and Archaeology of the Stone Age, 52. Jahrestagung in Leipzig (6-10 April 2010), pp. 21-22.
- 3-AH. **DISCAMPS E.**, 2011. La place du Rhinocéros dans le régime alimentaire des hyènes à Camiac (Gironde, France) et ses implications pour la compétition avec les derniers néanderthaliens (in Brugal J.-P., Gardeisen A., Zucker A., eds: Prédateurs Dans Tous Leurs États – Évolution, Biodiversité, Interactions, Mythes, Symboles). XXXI<sup>e</sup> Rencontres Internationales d'Archéologie et d'Histoire d'Antibes, pp. 35-50, 6 figs, 3 tabs, Éditions APDCA, Antibes.
- 3-AH. **DISCAMPS E.**, 2011. Hommes et hyènes face aux recompositions des communautés d'Ongulés (MIS 5-3) – Éléments pour un cadre paléoécologique des sociétés du Paléolithique Moyen et Supérieur ancien d'Europe de l'Ouest. Thèse de Doctorat en Préhistoire et Géologie du Quaternaire. Thèse n° 4440 présentée à

l'Université Bordeaux-1, École Doctorale Sciences et Environnements, 438 pp, several figs and tabs.

**3. DONG MING XING, ZHANG XIANG XIN, NIU SHU YIN, PANG QI QING, BIAN HONG HAO & ZHANG QIAN**, 2011. [Palaeoloxodon-Coelodonta fauna of the later Late Pleistocene and its palaeoclimate in Shijiazhuang area, Hebei Province] [in Chinese, English abstr]. *Journal of Palaeogeography*, **13** (4):419-425, 4 figs.

**5. DORONICHEV V.B.**, 2000. Lower Paleolithic occupation of the Northern Caucasus. *ERAUL*, **92**:67-77, 7 figs, 1 tab.

**19. DROMA A.**, 2012. The monitoring of rhino health through bleeding at the Uganda Wildlife Education Centre. *Proceedings of the International Conference of Zookeepers* (Singapore, September 2012), pp. 1-3.

**22. DUBEY M.**, 1992. Rock paintings of Pachmarhi hills (in: Lorblanchet M., ed: Rock Art in the Old World). Papers presented in Symposium A of the AURA Congress 1988, pp. 131-135, Darwin.

**20. DUNHAM K.M.**, 2012. Trends in populations of elephant and other large herbivores in Gonarezhou National Park, Zimbabwe, as revealed by sample aerial surveys. *African Journal of Ecology*, **50**:476-488.

**3-6-7. DUSSELDORP G.L.**, 2009. Biache-Saint-Vaast (in: A View to a Kill – Investigating Middle Palaeolithic Subsistence Using an Optimal Foraging Perspective, 199 pp.). Proefschrift [PhD Thesis], Universiteit van Leiden, pp. 75-102, 8 figs, 10 tabs, Sidestone Press, Leiden.

**16-19. EDWARDS K.L., SHULTZ S., PILGRIM M. & WALKER S.L.**, 2012. Using hormone analysis to investigate reproductive success in the female eastern black rhinoceros (*Diceros bicornis michaeli*). *Wiener Tierärztliche Monatsschrift*, **99** (Suppl. 1):37.

**13-19. EISENBERG J.F. & SEIDENSTICKER J.**, 1976. Ungulates in Southern Asia – A consideration of biomass estimates for selected habitats. *Biological Conservation*, **10** (4):293-308, figs 1-2, tabs 1-4, appendix A.

**3-4-7-8-24. EREMEYKO N.A.**, 2002. Nosorogi Pliozena i Pleystozena R. Moldova, ikh stratigraficheskoe i paleogeograficheskoe znachenie [Plio-Pleistocene rhinoceroses of the Republic of Moldova, their stratigraphical and palaeogeographical significance] [in Russian, Romanian & English abstr-s]. Dissertazya na soiskanie uchenoy stepeni dr-a biologicheskikh nauk [PhD dissertation thesis], AN Respubliki Moldova (Institut Zoologii), pp. 1-113, numerous figs & tabs, Chisinau.

**AH-HD. EVENHUIS N.L.**, 2012. Sir Richard Owen's fly, *Gyrostigma rhinocerontis* (Diptera: Oestridae): correction of the authorship and date, with a list of animal names newly proposed by Owen in his little-known 1830 catalogue. *Zootaxa*, **3501**:74-82.

**22. EWAGUE A., EL GRAOUI M. & BOUMAGGARD E.H.**, 2013. Les représentations gravées de rhinocéros dans le Haut Atlas marocain – The rhinoceros engravings in the Moroccan High Atlas. *L'anthropologie*, 13 pp., 10 figs, Paris.

**15-21. FALBERG A.**, 2013. "The living are getting rarer": the causes and consequences of the International Trade in White Rhinoceros Horns Under the Convention on International Trade in Endangered Species. *Journal of Law and International Affairs*, **2** (1):182-236.

**3-6. FALGUÈRES Ch., LUMLEY H. de & BISCHOFF J.L.**, 1992. U-series dates for stalagmitic flowstone E (Riss/Würm Interglaciation) at Grotte du Lazaret, Nice, France. *Quaternary Research*, **38**:227-233, 5 figs, 1 tab.

**3. FEJFAR O.**, 1957-58. Einige Beispiele der Benagung fossiler Knochen. *Anthropozoikum - Nakladatelství Československé Akademie Ved*, **VII**:145-149, 12 Pls, 3 figs, Praha.

**15-21. FERREIRA S.M., BOTHA J.M. & EMMETT M.C.**, 2012. Anthropogenic influences on conservation values of white rhinoceros. *PLoS ONE* **7**(9): e45989. [doi:10.1371/journal.pone.0045989: 1-14]

**15-16-21. FERREIRA S. & OKITA-OUA B.**, 2012. A proposed framework for short-, medium- and long-term responses by range States to curb poaching for African rhino horns. *Pachyderm*, **51**:60-74.

**11-19. FINLAYSON H.H.**, 1951. Note on the cranial and dental characters of a specimen of *Rhinoceros sondaicus* Desm. *Proceedings of the Zoological Society of London*, **120**:151-154.

**2. FISCHER v. WALDHEIM G.F.**, 1831. Notice sur une machoire inferieure fossile de Rhinocéros. *Bulletin de la Société Impériale des Naturalistes de Moscou*, **3**:152-154, 1 Pl, Moskva.

**2. FISCHER v. WALDHEIM G.F. & VOZDVIZHENSKY V.**, 1835. On some fossil bones found [near Pokhomov] within the Ryazan Government. *Bulletin de la Société Impériale des Naturalistes de Moscou*, **8**:389-394, 1 Pl, Moskva.

**13c. FLYNN L.J. & BERNOR R.L.**, 1987. Late Tertiary Mammals from the Mongolian People's Republic. *American Museum Novitates*, **2872**:1-16, figs 1-6, tabs 1-4, New York. [details: *Chilotherium* sp.]

**3. FORONOVA I.V. & SOTNIKOVA M.V.**, 2012. Morphological features of some representatives of mammal fauna (Proboscidea, Carnivora) in the end of the middle-beginning of Late Pleistocene on the south of Eastern Europe, Dniester Basin [in Russian]. Proceedings of the International Conference "Geocological and Bioecological Problems of the North Black Sea Coast", Tiraspol', November 9-10, PGU Publ., pp. 321-324, Tiraspol'.



## Bibliography of selected papers

- 13. FORSTER-COOPER C.F.**, 1923. *Baluchitherium osborni* (?syn. *Indricotherium turgaicum* Borissjak). *Philosophical Transactions of the Royal Society of London*, B, **212**:35-66, London.
- 18-19-20. FORTELIUS M., ERONEN J., JERNVALL J., LIU LIPING, PUSHKINA D., RINNE J., TESAKOV A., VISLOBOKOVA I., ZHANG ZHAOQUN & ZHOU LIPING**, 2002. Fossil mammals resolve regional patterns of Eurasian climate change over 20 million years. *Evolutionary Ecology Research*, **4**:1005-1016, 3 figs. [details: Rhinocerotidae indet.]
- AH. FRAYER D.W.**, 2006. The Krapina Neandertals – A Comprehensive, Centennial, Illustrated Bibliography. Hrvatski Prirodoslovni Muzej, 220 pp. w/ ilustr., Zagreb.
- 5-AH. FREUDENBERG W.**, 1908. Die Fauna von Hundsheim in Niederösterreich. *Jahrbuch der Kaiserlich-Königlichen Geologischen Reichsanstalt*, Bd **LVIII**, Ht 2, pp. 197-222, Verlag der K-K. Geologischen Reichsanstalt, Wien.
- 12. FUKUCHI A. & KAWAI K.**, 2011. Revision of fossil rhinoceroses from the Miocene Mizunami Group, Japan. *Paleontological Research*, **15** (4):247-257.
- 19-21. FYUMAGWA R.D.**, 2012. Anthropogenic and natural influence on disease prevalence at the humanlivestock-wildlife interface in the Serengeti ecosystem, Tanzania. PhD thesis, Norwegian University of Science and Technology, pp. 1-184, Trondheim.
- 1b. GABUNYA L.K.**, 1960. O pervoy nakhodke ostatkov gigantskikh nosorogov iz sem. Indricotheriidae v Rumunii [On the first discovery of giant rhinoceros remains of the Indricotheriidae family in Romania] [in Russian]. *Doklady Akademii Nauk SSSR*, **130** (2):425-427, 1 fig, Moskva.
- 1b. GABUNYA L.K. & CHOCHIEVA K.I.**, 1982. Co-evolution of the Hipparion Fauna and vegetation in the Paratethys Region. Institute of Paleobiology, Academy of Sciences of the Georgian SSR, **6** (1):1-13, 2 figs, 10 tabs, Tbilisi. [details: *Paraceratherium prohorovi* (Borissjak), *Aceratherium aralense* Borissjak, *Dicerorhinus caucasicus* Borissjak, *Chilotherium* sp., *Brachypotherium brachypus* Lartet, *Dicerorhinus* sp., *Aceratherium* aff. *incisivum* Kaup, *Aceratherium zernovi* Borissjak, *Chilotherium berislavicus* Korotkevich, *Aceratherium incisivum* Kaup, *Chilotherium schlosseri* Weber, *Diceros pachygnatus* Wagner, *Aceratherium simplex* Kroc.]
- 19. GANZ T., GOFF J., KLASING K., NEMETH E. & ROTH T.**, 2012. IOD in rhinos – Immunity group report: report from the immunity, genetics and toxicology working group of the international workshop on iron overload disorder in browsing rhinoceros (February 2011). *Journal of Zoo and Wildlife Medicine*, **43** (3s):S117-S119, American Association of Zoo Veterinarians.
- 4. GARCÍA-FERNÁNDEZ D., GALOBART À., ROS X. & CERDEÑO E.**, 2001. *Stephanorhinus etruscus* (Rhinocerotidae) en el Villafranquiense de Crespià (Girona, NE de la Península Ibérica). *Revista Española de Paleontología*, **16** (1):145-160, 6 figs, 16 tabs, Sociedad Española de Paleontología, Madrid.
- 3. GASPARIK M.**, 1993. Late Pleistocene gastropod and vertebrate fauna from Tokod (NE Transdanubia, Hungary). *Fragmenta Mineralogica et Palaeontologica*, **16**:89-116, Budapest.
- 25. GASPARIK M.**, 2007. Dénes Jánossy (1926–2005). *Fragmenta Palaeontologica Hungarica*, **24**-25:45-50, Budapest.
- 13. GENTRY A.W.**, 1987. Rhinoceroses from the Miocene of Saudi Arabia (in: Whybrow P.J., ed: Miocene Geology and Palaeontology of Ad Dabtiyah, Saudi Arabia). *Bulletin of the British Museum (Natural History)*, Geology, **41** (4):409-432, 45 figs, 3 tabs.
- 17. GERAADS D., MacCROSSIN M. & BENEFIT B.**, 2011. A new rhinoceros, *Victoriaceros kenyensis* gen. et sp. nov., and other Perissodactyla from the Middle Miocene of Maboko, Kenya. *Journal of Mammalian Evolution*, **19**:57-75, 5 figs, 5 tabs, Springer Science.
- 3-20. GERMONPRÉ M.**, 2003. Mammoth taphonomy of two fluvial sites from the Flemish Valley, Belgium (in: Reumer J.W.F., Vos J. de & Mol D., eds: Proceedings of the Second International Mammoth Conference “Advances in Mammoth Research”, Rotterdam, May 16-20, 1999). *DEINSEA*, **9**:171-183, 6 figs, 4 tabs, Rotterdam.
- 3-20. GERMONPRÉ M. & ERVYNCK A.**, 1988. Pleistocene zoogdierresten te Uitbergen (Oost-Vlaanderen, België). *Cranium* (Tijdschrift van de Werkgroep Pleistocene Zoogdieren), jrg. 5, **1**:5-7, 2 figs, Utrecht.
- 22. GERRITSEN W.P.**, 2007. De eenhoorn, de Bijbel en de Physiologus: de metamorfose van een Oud-Indische mythe. *Queeste - Tijdschrift over Middeleeuwse Letterkunde*, **14** (1):78-87, 1 fig.
- 20. GIPPOLITI S., COTTERILL F.P.D. & GROVES C.P.**, 2013. Mammal taxonomy without taxonomists: a reply to Zachos and Lovari. *Hystrix - The Italian Journal of Mammalogy*, pp. 1-3.
- 16. GODDARD J.**, 1966. Mating and courtship of the black rhinoceros (*Diceros bicornis* L.). *East African Wildlife Journal*, **4**:69-75, figs 1-8, tabs 1-2.
- 9-20. GOOD P.**, 1978. Die Semantik des Einhornes. *Schweizer Monatshefte - Zeitschrift für Politik, Wirtschaft, Kultur*, **58** (2):117-126.

**10-19. GOOSSENS B., SALGADO-LYNNA M., ROVIE-RYAN J.J., AHMAD A.H., PAYNE J., ZAINUDDIN Z.Z., NATHANA S.K.S.S. & AMBU L.N.**, 2013. Genetics and the last stand of the Sumatran rhinoceros *Dicerorhinus sumatrensis*. *Oryx*, pp. 1-5.

**15-19. GOOT A.C. v.d., DALERUM F., GANSWINDT A., MARTIN G.B., MILLAR R.P. & PARIS M.C.J.**, 2012. Faecal progesterone patterns in wild African white rhinoceros (*Ceratotherium simum*). *Wiener Tierärztliche Monatsschrift*, **99** (Suppl. 1):36.

**9-19-21. GROENENBERG D.S.J., COURCY C. de, LINNIE M. & OOSTERWEGHEL L.**, 2012. On the identity of the first rhinoceros owned by of the Dublin Zoo (†1865) – Genetic characterisation of a poorly preserved museum specimen. *Biology and Environment – Proceedings of the Royal Irish Academy*, **112B**:285-291, 3 figs, 1 tab, Royal Irish Academy. [doi: 10.3318/BIOE.2012.18]

**1b. GROSSI F. & PANDOLFI L.**, 2012. Investigation on the vertebrate remains from Monte delle Picche (Rome, Central Italy). *Rendiconti Online della Società Geologica Italiana*, **21**:1092-1093, 1 fig.

**HD. GROVES C.P.**, 2012. The nature of species – A rejoinder to Zachos et al. *Mammalian Biology*, **78** (1):7-9.

**3. GU TZU GANG, SHEN GUANG LUNG & LI KE DING**, 1979. [A Pleistocene fossil of *Coelodonta* from Gungho Basin, Qinghai Province (*Coelodonta nihowanensis*)] [in Chinese, English abstr]. *Journal of Lanzhou University*, pp. 135-138, 1 fig.

**3. GUENTHER E.W. & MUSIL R.**, 1993. Zur Fauna der Fundstelle Metternich aus dem mittleren Jungpaläolithikum. *Quartär*, **43-44**:173-190, 3 figs, 3 tabs.

**15-19. GUERIER A.S.**, 2012. Parentage analysis in a free ranging, closed population of southern white rhinoceros – Genetics, pedigrees and management. MSc dissertation presented to the University of Pretoria, pp. 1-123, Pretoria.

**17. GUÉRIN C.**, 1976. Les restes de Rhinocéros du gisement miocène de Béni Mellal, Maroc. *Géologie Méditerranéenne*, **III** (2):105-108, 2 figs, Marseille. [details: *Paradiceros mukirii* Hooijer]

**17. GUÉRIN C.**, 2011. Les Rhinocerotidae (Mammalia, Perissodactyla) miocènes et pliocènes des Tugen Hills (Kénya). *Estudios Geológicos*, **67** (2):333-362.

**AH. GUÉRIN C., WINSLOW J.H., PIBOULE M. & FAURE M.**, 1981. Le prétendu rhinocéros de Nouvelle Calédonie est un marsupial (*Zygomaturus diahotensis* nov. sp.) – Solution d'une énigme et conséquences paléogéographiques. *Geobios*, **14** (2):201-217, 4 figs, 1 Pl.

**AH-HD. GUÉRIN F.E.**, 1833-1834. Dictionnaire Pittoresque d'Histoire Naturelle et des Phénomènes de la Nature, contenant l'histoire des animaux, des végétaux, des minéraux [...] (avec planches gravées sur acier par M. Beyer, sur les dessins de M. Sainson [...]). Au Bureau de Souscription, 9 voll., total pp. 6000 ca, 720 Pls, Paris.

**3. GÜNTHER E.W. & MUSIL R.**, 1993. Zur Fauna der Fundstelle Metternich aus dem mittleren Jungpaläolithikum. *Quartär*, **43-44**:173-190, 3 figs, 3 tabs.

**23. GUSTAFSON E.P.**, 2012. New Records of Rhinoceroses from the Ringold Formation of Central Washington and the Hemphillian-Blancan Boundary. *Journal of Vertebrate Paleontology*, **32** (3):727-731.

**19. HAN F.**, 2008. Effect of deposits alteration on dating the animal teeth from Caune de l'Arago site by combined Electron Spin Resonance (ESR) and uranium series methods. *Annali dell'Università degli Studi di Ferrara – Museologia Scientifica e Naturalistica*, volume speciale 2008, pp. 77-80, 2 figs, 2 tabs, Ferrara.

**8-17. HANDA N., NAKAYA H., NAKATSUKASA M. & KUNIMATSU Y.**, 2012. New specimens of Elasmotheriini (Rhinocerotidae, Perissodactyla) from the Namurungule and Nakali Formations (Early Late Miocene) of Northern Kenya. *Journal of Vertebrate Paleontology*, **32**, Suppl 1 (Special Issue) – Abstracts of the 72<sup>nd</sup> Annual Meeting Society of Vertebrate Paleontology, Raleigh Convention Center, Raleigh, North Carolina USA, October 17-20, 2012.

**8-17. HANDA N., NAKAYA H., NAKATSUKASA M. & KUNIMATSU Y.**, 2012. The Late Miocene Elasmotheriini (Rhinocerotidae, Mammalia) from the Namurungule and Nakali Formations of Northern Kenya. Japan Geoscience Union Meeting 2012, Chiba, Japan.

**15-16. HAPPOLD D.C.D.**, 1973. The distribution of large mammals in West Africa. *Mammalia*, **37**:88-93, tab 1.

**11-19-20. HARIYADI A.R.S., ALIKODRA H.S., PRIAMBUDI A., SETIAWAN R., DARYAN D., PURNAMA H. & YAYUS A.**, 2012. Optimizing habitat of Javan rhinoceros (*Rhinoceros sondaicus*) in Ujung Kulon National Park by reducing the invasive palm (*Arenga obtusifolia*) and promoting the growth of food plant species. *Pachyderm*, **52**:49-54.

**HD. HARTMANN A.**, 1923. Die Errichtung des Aargauischen Museums für Natur- und Heimatkunde. *Mitteilungen der Aargauischen Naturforschenden Gesellschaft*, **16**:vi-xlii.

**13. HEINTZ É., GINSBURG L. & HARTENBERGER J-L.**, 1978. Mammifères fossiles en Afghanistan – État des connaissances et résultats d'une prospection. *Bulletin du Muséum nationale d'histoire naturelle de Paris*, 3e sér, n. 516, Sciences de la Terre, **69**:101-119, 1 fig, 1 tab, Paris. [details: a third

## Bibliography of selected papers

metatarsal fragment of a Miocene Rhinocerotidae indet. was found at the fossiliferous point "Ghazgay 13" in the Khurkabal Basin (Eastern Afghanistan)]

**13c. HEISSIG K.**, 2007. Oligocene-Miocene Vertebrates from the Valley of Lakes (Central Mongolia) – Morphology, phylogenetic and stratigraphic implications – 8. Rhinocerotidae. *Annalen des Naturhistorischen Museums in Wien*, **108 A**:233-269, 25 figs. [details: *Paraceratherium* sp., *Benaratherium* sp., *Caementodon* sp., *Gobitherium* sp., *Aceratherium* (*Alicornops*) cf. *pauliace* (Richard, 1937), *Hoploaceratherium gobiense* (Beliajeva, 1960), *Iranotherium*]

**1b. HEISSIG K.**, 2012. Les Rhinocerotidae (Perissodactyla) de Sansan (in Peigné S. & Sen S., eds: Mammifères de Sansan). *Mémoires du Muséum national d'Histoire naturelle*, **203**:317-485, 464 figs, 66 tabs, Muséum national d'Histoire naturelle, Paris.

**19. HERMES R., HILDEBRANDT T.B., WALZER C., GOERITZ F., GRAY C., NIEMULLER C. & SCHWARZENBERGER F.**, 2012. Estrus induction in white rhinoceros (*Ceratotherium simum*). *Theriogenology* [available on internet]

**19-HD. HOLBROOK L.**, 2001. Cranial and postcranial perspective on the phylogeny of Perissodactyls (Mammalia). 6<sup>th</sup> International Congress of Vertebrate Morphology (abstract), p. 241.

**1b-1e-3-4-5. HOLEC P.**, 1986. Neueste Resultate der Untersuchung von Neogenen und Quartären Nashörnern, Bären und Kleinsäugetern in dem Bereich der Westkarpaten (Slowakei). *Acta Universitatis Carolinae, Geologica* (volume dedicated to professor Špinar), **2**:223-231, 1 map, Praha.

**3. HOLEC P.**, 2002. Nález fragmentu lebky srstnatého nosorožca *Coelodonta antiquitatis* (Blumenbach, 1799) v naplavoch Vahu od Zemného [Finding of the skull fragment of the woolly rhinoceros *C. antiquitatis* (Blum., 1799) in the Vah river deposits near Zemné village] [in Slovak, English abstr] *Mineralia Slovaca*, **34** (1):75-78, 3 Pls, 3 figs, Bratislava.

**1b. HOLEC P. & SABOL M.**, 1996. Tret'ohorné stavovce (Vertebrata) Devínskej Kobyly [The tertiary vertebrates from Devínska Kobyla] [in Slovak]. *Mineralia Slovaca*, **28** (6):519-522, 1 map, 2 tabs. [details: *Aceratherium* cf. *tetradactylum* Lartet, *Aceratherium* sp., *Dicerorhinus steinheimensis* (Jäger, emend. Roger, 1900), Rhinocerotidae indet.]

**11. HOOPERWERF A.**, 1970. Ujung Kulon, the Land of the Last Javan Rhinoceros. With local and general data on the most important faunal species and their preservation in Indonesia. E.J. Brill ed., pp. i-xiii / 1-512, Pls 1-83, maps 1-3, Leiden.

**9. HORNADAY W.T.**, 1908. The Elephant House. *Bulletin of the New York Zoological Society*, **30**:450-453.

**15. HORNADAY W.T.**, 1910. A white rhinoceros head. *Bulletin of the New York Zoological Society*, **39**:665.

**16-20. HOWISON R.O.**, 2009. Food preferences and feeding interactions among browsers and the effect of an exotic invasive weed *Chromolaena odorata* on the endangered black rhino (*Diceros bicornis*), in an African savanna. Dissertation presented to the University of KwaZulu-Natal, pp. 1-82.

**3. JACOBSHAGEN E.**, 1963. Die Faunen und ihre Bindung an Klima und Umwelt (in: Jacobshagen E., Huckriede R. & Jacobshagen V., eds: Eine Faunenfolge aus dem jungpleistozänen Löß bei Bad Wildungen). *Abhandlungen des Hessischen Landesamtes für Bodenforschung*, **44**:5-92, 9 figs, 14 Pls, Wiesbaden.

**16-19-21. JAYASEKARA J.**, 2011. Health care, feeding and adaptation in two black rhinoceros (*Diceros bicornis*) imported from Japan to the National Zoological Gardens in Sri Lanka. *Proceedings of the 2011 International Elephant and Rhino Conservation and Research Symposium*, pp. 1325-1159, Rotterdam.

**3-AH. JIN CHANG ZHU & KAWAMURA Y.**, 1996. [Late Pleistocene mammal fauna in Northeast China – Mammal fauna including woolly mammoth and woolly rhinoceros in association with Paleolithic tools] [in Japanese]. *Earth Science—Chikyu Kagaku*, **50**:315-330, 3 figs, 2 tabs, Tokyo.

**12. JOKELA T., ERONEN J.T., KAAKINEN A., LIU LIPING, PASSEY B.H., ZHANG ZHAOQUN & FU MINGKAI**, 2005. Translation of Otto Zdansky's "The Localities of the Hipparion Fauna of Baode County in Northwest Shanxi" (1923). *Palaeontologia Electronica*, **8** (1); 3A:10 pp, 10 figs, 1.8 MB [[http://palaeo-electronica.org/paleo/2005\\_1/jokela3/issue1\\_05.htm](http://palaeo-electronica.org/paleo/2005_1/jokela3/issue1_05.htm)] [details: six rhinoceros species - four of them belong to the genus *Teleoceras*, one to the genus *Aceratherium*, and another one to *Sinotherium lagrelii* Ringström]

**3-4-7. KAHLKE H-D.**, 1955. Die Großsäugetiere Mitteleuropas im Eiszeitalter (in: Grosssäugetiere im Eiszeitalter). Urania-Verlag, pp. 9-15+18-19+38-39+74-75, Pls VII-XVII, XXXV, tabs 1-2, Leipzig/Jena.

**3-4. KAHLKE H-D.**, 1965. Zur Grenze Unterpleistozän/Mittelpleistozän in Europa. *Quaternaria*, **7**:235-237, Roma.

**13-AH. KAHLKE H-D.**, 1986. Southern limits of the Late Pleistocene Euro-Siberian faunal complex in Eastern Asia (in Kontrimavichus V.L., ed: Beringia in the Cenozoic Era). A.A. Balkema, pp. 346-358, Rotterdam. [details: Asian *Dicerorhininae*]

**3. KAHLKE R.-D.**, 1988. Bemerkenswerte Reste Pleistozäner Säugetiere im Zoologischen Museum Leningrad. *Cranium* (Tijdschrift van de Werkgroep Pleistocene Zoogdieren), jrg. 5, 1:51-53, 2 figs, Utrecht.

**5-20. KAHLKE R.-D. & KAISER Th.M.**, 2011. Generalism and subsistence strategy – Advantages and limitations of the highly flexible feeding traits of Pleistocene *Stephanorhinus hundsheimensis* (Rhinocerotidae, Mammalia). *Quaternary Science Reviews*, **30**:2250-2261.

**7. KANIEWSKI D., RENAULT-MISKOVSKY J. & LUMLEY H. de**, 2005. Palaeovegetation from a *Homo neanderthalensis* occupation in Western Liguria – Archaeopalynology of Madonna dell’Arma (San Remo, Italy). *Journal of Archaeological Science*, **32**:827-840, 7 figs. Here, some rhinoceros remains (? *Rhinoceros mercki*) were found.

**13. KAWAMURA Y., OGAWA N. & INOUE Y.**, 1977. [The occurrence of a fossil rhinoceros in Tsukumi Municipality (Oita Prefecture)] [in Japanese]. *Chishitsugaku Zasshi* (= Journal of the Geological Society of Japan), **83**:59-61, 1 fig, 1 Pl.

**1b. KAYA T.**, 1989. Mammalian fauna of Alcitepe (Gelibolu Peninsula) surroundings – Perissodactyla findings [in Turkish, English abstr]. *Geological Bulletin of Turkey*, **32**:79-89.

**13. KHAN A.M., AKHTAR M., KHAN M.A. & SHAHEEN A.**, 2012. New fossil remains of *Brachypotherium perimense* from the Chinji and Nagri formations of Pakistan. *Journal of Animal and Plant Sciences*, **22** (2):347-351.

**1b. KHOMENKO I.**, 1914. Meoticheskaya Fauna s. Taraklii, Benderskago Uezda / La Faune Méotique du Village Taraklia du District de Bendery – Fissipedia, Rodentia, Rhinocerotinae, Equinae, Suidae, Proboscidea [in Russian w/ an extensive French summ.]. *Trudy Bessarabskago Obshchestva Estestvoispytateley i Ljubiteley Estestvoznanya – Travaux de la Société des Naturalistes et des Amateurs des sciences naturelles de Bessarabie*, **V**:1-55, 4 Pls, Tipografiya Bessarabskago Gubernskago Pravleniya, Kishinev”. [details: *Aceratherium incisivum* Kaup, *Rhinoceros pachynatus* Wagner, *Rhinoceros schleiermacheri* Kaup]

**15-16-20. KINGSTON J.D. & HARRISON T.**, 2007. Isotopic dietary reconstructions of Pliocene herbivores at Laetoli – Implications for early hominin paleoecology. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **243**:272-306, 6 figs, 3 tabs. [details: *Ceratotherium praecox*, *Ceratotherium simum*, *Diceros bicornis*]

**15-19. KOBUS L.A.K.**, 2012. Determining the reproductive status of two female southern white rhinoceroses (*Ceratotherium simum simum*) in Khao Kheow Open Zoo in Thailand by measuring fecal progesterone. Thesis presented to the Faculty of Veterinary Medicine, University of Utrecht, pp. 1-17, 2 figs, 3 tabs, Utrecht.

**8. KOCHENOV V.G. & KOZHAMKULOVA B.S.**, 1988. Novye dannye ob *Elasmotherium sibiricum* Fischer v. Waldheim iz Pleystozena Kazakhstana. AN KazSSR, Institut Zoologii, Alma-Ata.

**1c. KONECNY V., LEXA J., KONECNY P., BALOGH K., ELECKO M., HURAI V., HURAI OVÁ M., PRISTAS J., SABOL M. & VASS D.**, 2004. Maar Hajnacka – Kostna dolina (Bone Gorge) (in: Guidebook to the Southern Slovakia – Alkali Basalt Volcanic Field). Státny geologický ústav Dioníza Stúra, pp. 68-75, Bratislava.

**1b. KOROTKEVICH E.L.**, 1970. Mlekopitayushchie Berislavskoy pozdnesarmatskoy gipparionovoy fauny [Mammals from the Berislav Late Sarmatian hipparion-fauna] [in Russian] (in Pidoplichko I.G. & Korotkevich E.L., eds: Prirodnaya Obstanovka i Fauna Proshlogo). *Naukova Dumka*, **5**:47-70, figs 9-19, tabs 10-27, Kiev. [details: *Chilotherium sarmaticum* Korotkevitsch, 1958]

**3. KOUFOS G.D.**, 1981. A new Late Pleistocene (Würmian) mammal locality from the Basin of Drama (Northern Greece). *Science Annals* (Fac. of Physics & Mathematics), Univ. of Thessaloniki, **21**:129-148, Pl I-fig 3.

**3-20. KOUFOS G.D., KOSTOPOULOS D.S. & VLACHOU Th.D.**, 2005. Neogene/Quaternary mammalian migrations in Eastern Mediterranean. *Belgian Journal of Zoology*, **135** (2):181-190, 4 figs. [details: *Dicerorhinus* and *Coelodonta antiquitatis* (Blum.)]

**19-20. KOVACS J., MORAVCOVA M., GABOR J. & PINTAR A.G.**, 2012. Reconstructing the paleoenvironment of East Central Europe in the Late Pleistocene using the oxygen and carbon isotopic signal of tooth in large mammal remains. *Quaternary International*, **276-277**.

**9-20. KUMAR RAM A.**, 2008. Impact of *Mikania micrantha* on Rhinoceros habitat in Chitwan National Park, Chitwan, Nepal. Thesis Submitted for Partial Fulfillment of the Requirement for the Degree of Bachelor of Science in Forestry to the Tribhuvan University, Institute of Forestry, Pokhara Campus Pokhara, Nepal, pp. 1-80, 20 figs, 10 maps, 9 tabs.

**3-20. KUZ’MIN YA.V.**, 2013. Comment on: “Extinction chronology of the woolly rhinoceros *Coelodonta antiquitatis* in the context of late Quaternary megafaunal extinctions in northern Eurasia” by A.J. Stuart and A.M. Lister [*Quaternary Science Reviews*, **51** (2012):1-17]. *Quaternary Science Reviews*, **62**:142-143.

**19. KYOU-GEOFFROY F.**, 1971. La musculature du membre pelvien chez le dāman des arbres

## Bibliography of selected papers

*Dendrohyrax dorsalis* (Fraser) – Comparaison avec les autres mesaxoniens tridactyles, tapir et rhinoceros. *Biologia Gabonica*, 7 (3):271-288, Pls 1-2, figs 1-5.

**15-19. LABUSCHAGNE C., KOTZE A., GLOBER J.-P. & DALTON D.L.**, 2012. A targeted gene approach to SNP discovery in the white rhino (*Ceratotherium simum*). *Conservations Genetics Resource* [doi: 10.1007/s12686-012-9783-6: 1-2]

**1b. LARTET E.**, 1837. Sur les débris fossiles trouvés à Sansan, et sur les animaux antédiluviens en général. *Comptes Rendus de la Academie des Sciences de Paris*, 5 (12), Paris.

**1b. LASKAREV V.**, 1909. Geologicheskaya nablyudeniya v' okrestnostiyakh" g. Tiraspolya [Recherches géologiques dans les environs de Tiraspol] [in Russian]. *Zapiski Novorossiyskogo Obshchestva Estestvoispytateley*, XXXIII:127-148, 1 fig, Tipografiya Merka, Odessa. [details: *Rhinoceros pachygnathus* Wagner, *R. schleiermacheri* Kaup, *Aceratherium incisivum* Cuvier]

**1b-7-8. LASKAREV V.**, 1912. Zametka o novykh" mestonakhozhdennykh" iskopaemykh" mlekopitayushchikh" v" tretichnykh" otlozheniyakh" yuzhnoy Rossiy [Note sur quelques nouveaux gisements de mammifères fossils tertiaires dans la Russie méridionale] [in Russian]. *Zapiski Novorossiyskogo Obshchestva Estestvoispytateley*, XXXVIII:39-55, 1 fig, Kommercheskaya Tipografiya "V.I. Sapozhinkov", Odessa. [details: *Aceratherium incisivum* Cuvier, *Aceratherium* aff. *persiae* Mecquenem, *Rhinoceros* sp., *R. mercki* Jäger, *Elasmotherium* aff. *sibiricum* Fischer]

**19. LAVIN S.R.**, 2012. Plant phenolics and their potential role in mitigating iron overload disorder in wild animals. *Journal of Zoo and Wildlife Medicine*, 43 (3s):S74-S82, American Association of Zoo Veterinarians.

**3-7. LI ZHAN YANG & DONG WEI**, 2007. Mammalian Fauna from the Lingjing Paleolithic site in Xuchang, Henan Province [in Chinese, English abstr.]. *Acta Anthropologica Sinica*, 26 (4):345-360, 6 figs, 2 tabs, Beijing.

**16-19. LINKLATER W.L., MAYER K. & SWAISGOOD R.R.**, 2013. Chemical signals of age, sex and identity in black rhinoceros. *Animal Behaviour*, 7 pp., 4 figs. [http://dx.doi.org/10.1016/j.anbehav.2012.12.034]

**3-6. LISTER A.M. & BRANDON A.**, 1991. A pre-Ipswichian cold stage mammalian fauna from the Balderton Sand and Gravel, Lincolnshire, England. *Journal of Quaternary Science*, 6:139-157, figs 10-11.

**3-20. LISTER A.M. & STUART A.J.**, 2013. Extinction chronology of the woolly rhinoceros *Coelodonta antiquitatis* – Reply to Kuzmin. *Quaternary Science Reviews*, 62:144-146.

**12-20. LUCAS S.G. & SCHOCH R.M.**, 1981. The systematics of *Rhodopagus*, a Late Eocene hyracodontid (Perissodactyla: Rhinoceroidea) from China. *Bulletin of the Geological Institute of Uppsala*, NS 9:43-50, 5 figs, 1 tab.

**1b. LUNGERSHAUSEN L.**, 1934. O stratigrafii "Baltskogo Yarusy" [Ueber die Stratigraphie der "Balta-Stufe"] [in Russian, German summ.]. *Doklady Akademii Nauk SSSR (seriya Geologiya)*, II:381-388, Izd-vo Akademii Nauk SSSR, 1 tab, Leningrad. [details: *Aceratherium incisivum* Cuvier, *Rhinoceros schleiermacheri* Kaup]

**1b. LUNGERSHAUSEN L.**, 1938a. Terrasy Dnestra [Dneestr terraces] [in Russian]. *Doklady Akademii Nauk SSSR (seriya Geologiya)*, XIX (4):263-265, Moskva. [details: *Rhinoceros longirostris* Krokos]

**1b-4-6. LUNGERSHAUSEN L.**, 1938b. Fauna Dnestrovskikh Terrac [Fauna of the Dneestr Terraces] [in Russian]. *Geologicheskyy Zhurnal / Journal of Geology*, Akademiya Nauk URSS (Institut Geologii), V (1-2):199-236, 8 Pls, Vidavniztvo Akademii Nauk URSS, Kiyv/Kiev. [details: *Rhinoceros megarhinus* de Christol, *R. longirostris* Krokos, *Rhinoceros* sp., *R. etruscus* Falconer, *R. etruscus* var. *heidelbergensis*, *R.* aff. *hemitoecus* Falconer]

**1b. LUNGU A.N.**, 1964. Predvaritel'nye soobshcheniya o raskopkakh zakhroneniya srednesarmatskikh mlekopitayushchikh v rayone s. Kalfa [Preliminary notes on excavations of Middle Sarmatian mammals in the Kalfa village area] [in Russian]. *Trudy Tret'ey Konferentsii Molodykh Uchenykh Moldavii*, vyp. II, pp. 202-203, Akademiya Nauk MoldSSR, Zentral'ny Komitet LKSM Moldavii, Kishinev. [details: on the first article page, it is generally indicated "nosorogi" (= "rhinoceroses")].

**24. LUNGU A.N.**, 1984. Gipparionovaya Fauna Srednego Sarmata Moldavii (Kopytnye, Mlekopitayushchie) [The Middle Sarmatian *Hipparion* Fauna from Moldavia (Hoofed Mammals)] [in Russian]. Izd-vo "Stiinta", 158 pp., 23 figs, 33 tabs, 17 Pls, Kishinev. [details: Miocene Rhinocerotidae from Moldavia: *Aceratheriinae*, *Dicerorhininae*, and *Teleoceratine*, pp. 35-53, figs 5-8, tabs 13-17, Pls VI-X].

**9-10-11. LYDEKKER R.**, 1900. The Great and Small Game of India, Burma and Tibet. Rowland Ward, pp. i-xviii + 1-416, London.

**4-6. MADE J v.d.**, 2013. First description of the large mammals from the locality of Penal, and updated faunal lists for the *Atapuerca* ungulates – *Equus altidens*, *Bison* and human dispersal into Western Europe. *Quaternary International*, 295:36-47.

**16-19. MALAN E.W., REILLY B.K., LANDMAN M. & MYBURGH W.J.**, 2012. Diet of black rhinoceros (*Diceros bicornis minor*) as determined by faecal microhistological analysis at the Mokopane

Biodiversity Conservation Centre, Limpopo Province - A preliminary investigation. *South African Journal of Wildlife Research*, **42** (1):60-62.

**7-20. MALEZ M.**, 1970. Novi pogledi na stratigrafiju Krapinskog nalazista [A new look at the stratigraphy of the Krapina prehistoric site [in Croatian, w/ German & English summ-s] (in Malez M., ed: Krapina 1899-1969 – Papers delivered at the symposium for the 70<sup>th</sup> anniversary of the discovery of the Krapina prehistoric man, Zagreb, 31 May 1969, 216 pp.). Jugoslavenska Akademija Znanosti i Umjetnosti, pp. 13-44, 4 Pls, 15 figs, Zagreb.

**3-19. MARDANOV A.V., BULYGINA E.S., NEDOLUZHKO A.V., KADNIKOV V.V., BELETSKY A.V., TSYGANKOVA S.V., TIKHONOV A.N., RAVIN N.V., PROKHORCHUK E.B. & SKRYABIN K.G.**, 2012. Molekul'yarny analiz sostava mikrobiom kishhechnika mamonta i sherstistogo nosoroga. *Doklady Akademii Nauk*, **445** (4):471-444. [<http://www.maikonline.com/maik/showArticle.do?aid=VAH5KOJCSK&lang=en>]

**3-20. MARKOVA A.K., PUZACHENKO A.YU., KOLFSCHOTEN Th. v., PLICHT J. v. d. & PONOMAREV D.V.**, 2012. Recent data on dynamics of mammoth and woolly rhinoceros ranges in Europe during the second half of the Late Pleistocene-Holocene. *Quaternary International* [doi: 10.1016/j.quaint.2012.11.017]

**3-20. MARKOVA A.K., PUZACHENKO A.YU., KOLFSCHOTEN Th. v., PLICHT J. v. d. & PONOMAREV D.V.**, 2013. New data on changes in the European distribution of the mammoth and the woolly rhinoceros during the second half of the Late Pleistocene and the early Holocene. *Quaternary International*, **292**:4-14, 8 figs, 2 tabs. [<http://dx.doi.org/10.1016/j.quaint.2012.11.033>]

**21. MARTIN E.B. & VIGNE L.**, 2012. Successful rhino conservation continues in West Bengal, India. *Pachyderm*, **51**:27-37.

**20-AH. MARTIN P.S. & R.G. KLEIN** (eds), 1984. Quaternary Extinctions – A Prehistoric Revolution. University of Arizona Press, 892 pp., num. figs, Tucson, Arizona.

**15-19. MARTINEZ-FERNANDEZ L., SILVAN G., SCHWARZENBERGER F., FERNANDEZ MORAN J., CASARES M., MACMILLAN J., MARTIN-RUIZ A., CACERES S. & ILLERA J.C.**, 2012. Comparison of faecal cortisol metabolite concentrations in white rhinoceroses (*Ceratotherium simum*) living in three different environments. *Wiener Tierärztliche Monatsschrift*, **99** (Suppl. 1):51-52.

**1d-3-4-8-20. MATOSHO A.V., GOZHIK P.F. & DANUKALOVA G.**, 2004. Key Late Cenozoic fluvial archives of eastern Europe: the Dniester, Dnieper, Don and Volga Rivers. *Proceedings of the Geologists' Association*, **115**:141-173, 14 figs. [details: a significant paper which reviews the occurrence, structure, stratigraphy and development of the principal deposits of Dniester, Dnieper, Don and Volga. Among many other mollusk and mammalian species, the following rhinoceros taxa are also cited: *Dicerorhinus megarhinus* de Christol, *Dicerorhinus etruscus* (Falconer), *Elasmotherium caucasicum* Borriasiak, *Coelodonta antiquitatis* (Blum.)]

**23-AH. MATTHEW W.D.**, 1932. A review of the Rhinoceroses with a description of *Aphelops* material from the Pliocene of Texas. *Bull. Dept. Geol. Sci.*, **20** (12):411-480, 12 figs, 19 Pls, Univ. of California Publ.

**1b. MAZO A.V., SALESA M.J. & SANCHEZ I.M.**, 2002. Dos nuevos puntos fosiliferos con macromamiferos del Aragoniense de la cuenca de Montalban (Teruel, Espana). *Revista Española de Paleontología*, **17** (2):269-283, 14 figs, 15 tabs, Madrid. [details: *Hispanotherium matritense* Prado, 1864, fig 3 and Rhinocerotidae indet.]

**16-19. McARTHUR H., EDWARDS K. L., LIDDCOAT T. & WALKER S.L.**, 2012. A practical field extraction method for non-invasive monitoring of hormonal activity in the black rhinoceros, *Diceros bicornis*. *Wiener Tierärztliche Monatsschrift*, **99** (Suppl. 1):20-21.

**13b. MELADZE G.K.**, 1985. Obzor Gipparionovykh Faun Kavkaza [Review of the “Hipparion Fauna” of Caucasus] [in Russian]. Akademya Nauk Gruzinskoy SSR, Institut Paleobiologii im. “L. SH. Davitashvili”, 93 pp., 16 Pls, 6 figs, Izd-vo “Mezniebeba”, Tbilisi. [details: some rhinoceros species are listed in the text. No illustrations of the fossil material are available]

**20. MENDOZA M., JANIS CH.M. & PALMQVIST P.**, 2005. Ecological patterns in the trophic-size structure of large mammal communities – A “taxon-free” characterization. *Evolutionary Ecology Research*, **7**:505-530.

**HD. MILNE EDWARDS M.** (translated by R. Knox), 1856 (1<sup>st</sup> ed.). A Manual of Zoology. Henry Renshaw, pp. vii + 503 pp., 500 wood engravings, London. [details: *Rhinoceros indicus* fig. 175, p. 229]

**13-AH. MIRZAEI ATAABADI M.**, 2010. The Miocene of Western Asia – Fossil mammals at the crossroads of faunal provinces and climate regimes. Academic Dissertation, Faculty of Sciences, Dpt of Geosciences and Geography, University of Helsinki, 69 pp., 10 figs, Helsinki University Print, Helsinki. [details: six rhinoceros genera - *Diceros*, *Chilotherium*, *Iranotherium*, *Brachypotherium*, *Aceratherium*, and Rhinocerotidae gen. and sp. nov.]

**1b. MITZOPOULOS M.K.**, 1960. Die Hipparionfauna von Tanagra bei Theben [w/ Greek abstr.]. *Praktiká Akadēmias Athinón*, **34**:295-309. [details: Rhinocerotidae indet.]

## Bibliography of selected papers

**13. MIYATA K., SAEGUSA H., NAKAYA H., UGAI H., KATO T., NAKATA A., HATTORI H., AKASHI N., HANDA N., NAKATANI D., ODE S., YAMADA E., AKAHOSHI M., SEKIYA H., MURAKAMI T., OTSUKA K., ONODERA M., IWAI J., WATANABE H., KITAGAWA K. & SAKADO M., 2012.** Early Miocene rhinocerotid specimen from the “Takashima Formation”, Takashima island (Taka Island), Matsuura City, Nagasaki Prefecture. Abstracts of the 161<sup>th</sup> Regular Meeting of the Paleontological Society of Japan. Gunma, Japan.

**7-20. MOL D., POST K. & PLICHT H. v.d., 2012.** Fossielen van bosneushoorn (*Stephanorhinus kirchbergensis*) en bosolifant (*Elephas antiquus*) uit het Eurogeulgebied. *Cranium*, **29** (2):20-25, figs 1-7, 2 tabs, Utrecht. [details: a fragmentary M<sup>2</sup>, a metacarpal III, and a calcaneum, related with the Eemian interglacial, are reported for the first time from the Eurogeul (North Sea, off the coast of the province of Zuid-Holland)]

**1b. MORALES J., ALCALÁ L., HOYOS M., MONTOYA P., NIETO M., PÉREZ B. & SORIA D., 1993.** El yacimiento del Aragoniense medio de la Retama (Depresión intermedia, Provincia de Cuenca, España) – Significado de las faunas con *Hispanotherium*. *Scripta Geologica*, **103**:23-39, 11 figs, Leiden.

**10-19. MUGGENTHALER E.K. V. & REINHART P., 2001.** Songlike vocalizations from the Sumatran rhinoceros calf (*Dicerorhinus sumatrensis*). *Journal of the Acoustical Society of America*, **110** (5):2611.

**20-21. MUKARU W.C. & MAPAURE I., 2012.** Impacts of large herbivores on plant species diversity and range condition around water points in waterberg plateau park, central Namibia. *Journal of Research in Conservation Biology*, **1** (1):41-48.

**13. MURAKAMI T., MIYATA K., KATO T. & NAKAYA H., 2012.** Rhinocerotid (Mammalia, Perissodactyla) fossil from Takashima Island, Nagasaki, Kyusyu, Japan. Japan Geoscience Union Meeting.

**15-16-19-21. MUTINDA M., OTIENDE M., GAKUYA F., KARIUKI L., OBANDA V., NDEERE D., NDAMBIRI E., KARIUKI E., LEKOLOOL I., SORIGUER R.C., ROSSI L. & SAMER ALASAAD S., 2012.** Putative filariasis outbreak in white and black rhinoceros at Meru National Park in Kenya. *Parasites & Vectors*, **5**:206 (5 pp.).

**13. NAGASAWA J., 1953.** [On a new fossil Rhinoceros from Kuzuu] [in Japanese]. *Journal of the Geological Society of Japan*, **59** (694):326.

**16-19-21. NDEEREH D., OKITA-OUA B., GAYMER J., MUTINDA M. & GAKUYA F., 2012.** Unusual mortalities of Eastern Black Rhinoceros (*Diceros bicornis michaeli*) due to Clostridial Enterotoxaemia in Ol Jogi Pyramid Sanctuary, Kenya. *Pachyderm*, **51**:45-51.

**AH-HD. NICHOLSON H.A. & LYDEKKER R., 1889.** A Manual of Palaeontology for the Use of Students, with a General Introduction on the Principles of Palaeontology. William Blachwood & Sons, vol. **2**, pp. i-xi, 889-1624, Edinburgh & London.

**19. NIELSEN B.D., VICK M.M. & DENNIS P.M., 2012.** A potential link between insulin resistance and iron overload disorder in browsing rhinoceroses investigated through the use of an equine model. *Journal of Zoo and Wildlife Medicine*, **43** (3s):S61-S65, American Association of Zoo Veterinarians.

**20. NORTON Ch.J., JIN CHANGZHU, WANG YUAN & ZHANG YINGQI, 2010.** Rethinking the Palearctic-Oriental biogeographic boundary in Quaternary China (in Norton Ch.J. & Braun D.R., eds: Asian Paleoanthropology – From Africa to China and Beyond). *Vertebrate Paleobiology and Paleoanthropology*, Chapter 7, pp. 81-100, 1 map, 3 tabs, Springer Science+Business Media B.V. [doi: 10.1007/978-90-481-9094-2\_7]

**3-AH. NOWAK J., PANOW E., TOKARSKI J., SZAFER W. & STACH J., 1930.** Drugi Nosorożec z Warstw Dyluwialnych Staruni oraz Charakter jego Otoczenia (Geologja, Mineralogja, Flora i Fauna) [The second woolly rhinoceros from Starunia ... (Geology, Mineralogy, Flora and Fauna) [in Polish]. Rozprawy Wydziału Matematyczno-Przyrodniczego, Polska Akademia Umiejętności, 56 pp., 10 Pls, Nakład PAU, Kraków.

**16-19. OLIAS P., MUNDHENK L., BOTHE M., OCHS A., GRUBER A.D. & KLOPFLEISH R., 2012.** Iron Overload Syndrome in the black rhinoceros (*Diceros bicornis*): microscopical lesions and comparison with other rhinoceros species. *Journal of Comparative Pathology* [available online]

**23. OSBORN H.F., 1890-91.** The Perissodactyla (in Scott W.B. & Osborn H.F., 1891: Preliminary account of the fossil mammals from the White River and Loup Fork Formations – Part II: Carnivora, Artiodactyla, Perissodactyla – Rhinocerotidae). *Bulletin of the Museum of Comparative Zoölogy of Harvard*, **XX**:89-99, figs 13-17, Pls II-III, Harvard Univ. Press, Cambridge, Mass.

**25. OSBORN H.F., 1935.** Explorations, researches and publications of Pierre Teilhard de Chardin, 1911-1931 – With map and legend showing chief fossil collecting areas of China, 1885-1931. *American Museum Novitates*, **485**:1-13, 1 photograph, 1 map.

**19. OSTERHAUS A., 2011.** Viruses of wildlife – Elephants and rhinos. *Proceedings of the 2011 International Elephant and Rhino Conservation and Research Symposium*, Rotterdam 10-14 October 2011, pp.

498-521.

**20-21. OWEN-SMITH R.N.**, 1999. The interaction of humans, megaherbivores and habitats in the Late Pleistocene extinction event (Ross D.E. MacPhee, ed: Extinctions in Near Time – Causes, Contexts and Consequences). Kluwer/Plenum Publishers, pp. 57-69, New York.

**15. OWEN-SMITH N.**, 2013. *Ceratotherium simum*, White rhinoceros (in Kingdon J. & Hoffmann M., eds: Mammals of Africa – vol. V: Carnivores, Pangolins, Equids and Rhinoceroses). Bloomsbury Publishing, pp. 446-454, London.

**4. PACHECO F.G., SANTIAGO A., GUTIERREZ J.M., LOPEZ-GARCÍA J.M., BLAIN H.A., CUENCA-BESCO G., MADE J v.d., CACERES I. & GARCÍA N.**, 2011. The Early Pleistocene paleontological site in the Sierra del Chaparral (Villaluenga del Rosario, Cádiz, Southwestern Spain). *Quaternary International*, **243**:92-104.

**19-AH. PALES L. & LAMBERT Ch.**, 1971. Atlas Ostéologique pour servir à l'Identification des Mammifères du Quaternaire – I. Les Membres – Herbivores – Rhinocéros. Éditions du Centre National de la Recherche Scientifique, 41 pp., Paris-VII.

**4. PALMQVIST P., PÉREZ-CLAROS J.A., JANIS CH.M. & GRÖCKE D.R.**, 2008. Tracing the ecophysiology of ungulates and predator-prey relationships in an early Pleistocene large mammal community. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **266**:95-111.

**1b-1c-2. PALOMBO M.R., AZANZA B. & ALBERDI M.T.**, 2002. Italian mammalian biochronology from the Latest Miocene to the Middle Pleistocene – A multivariate approach. *Geologica Romana*, **36**:335-368, 4 figs, Roma. [note - Rhinoceros species from Latest Miocene to the Middle Pleistocene found in Italy are mentioned in the list of localities (pp. 353-368)]

**7. PANDOLFI L.**, 2011a. *Stephanorhinus kirchbergensis* (Jäger, 1839) from the Middle Pleistocene site of Riano (Roma, Central Italy). *Il Quaternario* (Italian Journal of Quaternary Sciences), **24** (1):103-112, 2 figs, 7 tabs, Roma.

**6. PANDOLFI L.**, 2011b. Il cranio di *Stephanorhinus hemitoechus* (Falconer, 1859) di Fosso Malafede (Vitinia, Roma) con note sulla prima presenza della specie in Italia. *Il Quaternario* (Italian Journal of Quaternary Sciences), **24** (2):171-178, 3 figs, 2 tabs, Roma.

**6. PANDOLFI L., GAETA M. & PETRONIO C.**, 2013. The skull of *Stephanorhinus hemitoechus* (Mammalia, Rhinocerotidae) from the Middle Pleistocene of Campagna Romana (Rome, Central Italy) – Biochronological and paleobiogeographic implications. *Bulletin of Geosciences*, **88** (1):51-62, 5 figs, 3 tabs, Czech Geological Survey, Prague.

**4. PANDOLFI L. & PETRONIO C.**, 2011. *Stephanorhinus etruscus* (Falconer, 1868) from Pirro Nord (Apricena, Foggia, Southern Italy) with notes on the late Early Pleistocene rhinoceroses of Italy. *Rivista Italiana di Paleontologia e Stratigrafia*, **117** (1):173-187, 10 figs, 5 tabs, Milano.

**6. PANDOLFI L., PETRONIO C. & SALARI L.**, 2013. Catastrophic death assemblages from the Late Pleistocene of Italy – The case of Avetrana karst filling (Taranto, Southern Italy). *Rivista Italiana di Paleontologia e Stratigrafia*, **119** (1):109-124, 11 figs, 2 Pls, 4 tabs, Milano.

**15-19-20. PATTON F. CAMPBELL P., GENADE A., AYIKO R. & LUTALO G.**, 2012. Dispersal and social behaviour of the three adult female white rhinos at Ziwa Rhino Sanctuary in the immediate period before, during and after calving. *Pachyderm*, **52**:66-71.

**3-12. PEI WEN-CHUNG**, 1956. Quaternary mammalian fossils from Hsintsai, southeastern part of Honan. *Acta Palaeontologica Sinica*, **IV** (1):77-99 [in Chinese, w/ English summ. (pp. 95-99)], 12 figs/phot., 1 Pl, Beijing. [details: a right lower jaw w/ P<sub>3</sub>-M<sub>3</sub> of *Coelodonta antiquitatis* (Blum.), non figured]

**3. PENG JIANG**, 1991. [Discovery of a comparatively complete skeleton of *Coelodonta* in Fuyu, Jilin] [in Chinese, English abstr]. *Acta Anthrologica Sinica*, **10** (1):78-84, 1 fig, Beijing.

**23. PETERSON O.A.**, 1920. The American Diceratheres. *Memoires of the Carnegie Museum*, **VII** (6):399-476, 37 figs, 10 Pls.

**6. PETRONIO C., BELLARDINI F., ARZARELLO M., BEDETTI C., BELLUCCI L., CIPULLO A., DI STEFANO G., PANDOLFI L., PAVIA M., PETRUCCI M., SARDELLA R. & SALARI L.**, 2008. The deposit of the Late Pleistocene from Avetrana (Taranto, Southern Italy) – Biochronology and palaeoecology. *Il Quaternario* (Italian Journal of Quaternary Sciences), **21** (2):409-422, 10 figs, Roma.

**1e-3-4-5-7. PETRONIO C., BELLUCCI L., MARTINETTO E., PANDOLFI L. & SALARI L.**, 2011. Biochronology and palaeoenvironmental changes from the Middle Pliocene to the Late Pleistocene in Central Italy. *Geodiversitas*, **33** (3):485-517, 9 figs, Paris. [details: *Stephanorhinus jeanvireti* (Guérin, 1972), *Stephanorhinus etruscus* (Falconer, 1868), *Stephanorhinus hundsheimensis* (Toula, 1902), *Stephanorhinus kirchbergensis* (Jäger, 1839), *Coelodonta antiquitatis* (Blum., 1799)] [doi: 10.5252/g2011n3a4]

**5. PETRUCCI M. & SARDELLA R.**, 2009. *Ursus etruscus* Cuvier, 1823 from the Early Pleistocene of Monte Argentario (Southern Tuscany, Central Italy). *Bollettino della Società Paleontologica Italiana*, **48** (2):89-94. [details: *Stephanorhinus* cf. *hundsheimensis* (Toula, 1902) is only mentioned on the first article page]



## Bibliography of selected papers

- 1b-20. PEVZNER M.A. & VANGENGEYM E.A.**, 1993. Magnetochronological age assignments of Middle and Late Sarmatian Mammalian localities of the Eastern Paratethys. *Newsletter on Stratigraphy*, **29** (2): 63-75, 6 figs, 3 tabs, Berlin/Stuttgart. [details: in faunal lists the following species are cited: *Chilotherium zernovi* Borissyak, *Aceratherium simorreense orientalis* Lungu, *Chilotherium eldaricum* Zisk., *Chilotherium* aff. *zernovi* Borissyak, *Chilotherium kowalevskii* (Pavlova), *Chilotherium sarmaticum* Korotkevich, *Chilotherium schlosseri* (Weber), *Diceros gabuniai* Zisk.]
- 1d. PEVZNER M.A., VANGENGEYM E.A., VISLOBOKOVA I.A., SOTNIKOVA M.V. & TESAKOV A.S.**, 1996. Ruscinian of the territory of the former Soviet Union. *Newsletter on Stratigraphy*, **33** (2):77-97, 4 figs, 3 tabs, Berlin/Stuttgart. [details: *Dicerorhinus megarhinus* de Christol]
- 9-19. PFISTERMULLER R., WALZER C. & LICKA T.**, 2011. First evidence of the use of kinetic gait analysis as a clinical tool for early detection of chronic foot disease in an Indian rhino (*Rhinoceros unicornis*). *Proceedings of the 2011 International Elephant and Rhino Conservation and Research Symposium*, Rotterdam 10-14 October 2011, pp. 806-813.
- 1b-AH. PIDOPLICHKO I.G. & KOROTKEVICH E.L.**, 1970. Prirodnyaya Obstanovka i Fauna Proshlogo [Natural Situation and Past Fauna] [in Russian]. *Naukova Dumka*, **5**:1-121, 31 figs, 35 tabs, Kiev. [details: *Chilotherium sarmaticum* Korotkevitsch 1958, pp. 47-70, figs 9-19, tabs 10-27]
- 3. PROCTOR C.J., COLLCUTT C.N., CURRANT A.P., HAWKES C.J., ROE D.A. & SMART P.L.**, 1996. A report on the excavations at Rhinoceros Hole, Wookey. *Proceedings of the University of Bristol Speleological Society*, **20** (3):237-262, 6 figs, 3 tabs.
- AH-20. PROTHERO D.R.**, 2013. Rhinoceros Giants – The Paleobiology of Indricotheres (Life of the Past). Indiana Univ. Press, 160 pp, numerous illustrations, Bloomington, Indiana.
- 1b. PRZEMYSKY K.**, 1912. Zametka o novom” mestonakhozhenii “Pikermiyskoy fauny” v” meoticheskikh” sloyakh” doliny Bol’shogo Kyyal’nika v” Okresnostyakh” goroda Odessa [Contribution sur le gisement des ossements fossiles de mammifères dans les terrains maotiques de la Vallée du Grand Kouyalnik près d’Odessa] (in: Zametka o Novom” Mestonakhozhenii “Pikermiyskoy Fauny” v” Okresnostyakh” Goroda Odessa) [in Russian]. *Zapiski Novogo Obshchestva Estestvennikh*, **XXXVIII**:25-38, 1 fig, Kommercheskaya Tipografiya “V. Sapozhnikov”, Odessa. [details: *Aceratherium* aff. *persiae* Mecquenem, *Aceratherium* sp.]
- 1b. PSARIANOS P.**, 1958. Neue Rhinocerotidenfunde aus dem Tertiär und Quartär von Mazedonien (Griechenland) [w/ Greek abstr.]. *Praktiká Akademias Athinón*, **33**:303-312, 2 figs, 2 tabs.
- 11-13-20. PUSHKINA D., BOCHERENS H., CHAIMANEE Y. & JAEGER J.-J.**, 2010. Stable carbon isotope reconstructions of diet and paleoenvironment from the late Middle Pleistocene Snake Cave in Northeastern Thailand. *Naturwissenschaften*, **97**:299-309, 2 figs, 1 tab.
- 3-6-7. PUSHKINA D. & RAIJA P.**, 2008. Human influence on distribution and extinctions of the late Pleistocene Eurasian megafauna. *Journal of Human Evolution*, **54**:1-14, 2 figs, 10 tabs.
- 10. PUSPARINI W.**, 2006. Studi populasi dan analisis kelayakan habitat badak sumatera (*Dicerorhinus sumatrensis* Fischer, 1814) di Taman Nasional Bukit Barisan Selatan. Thesis presented to Universitas Indonesia n. 0301040523, Fakultas Matematika dan Ilmu Pengetahuan Alam, Departement Biologi, Depok, 124 pp., 18 figs, 6 tabs.
- 12. QIU ZHANXIANG, WANG BANYUE, DENG TAO, NI XIJUN & WANG XIAO MING**, 2002. Notes on the Mammal Fauna from the bottom of the Loess deposits at Longdan, Dongxiang County, Gansu Province [in Chinese, English summ.]. *Quaternary Sciences*, **22** (1):33-38, 2 Pls, Beijing. [details: *Coelodonta* cf. *C. nihouanensis*]
- 1b. RADULESCU C. & SAMSON P.M.**, 1989. Oligocene mammals from Romania (in: The Oligocene from the Transylvanian Basin). PP. 301-312, 3 figs, 1 tab, Cluj-Napoca. [details: “*Ronzootherium*” *kochi* Kretzoi 1940 & *Benaratherium gabuniai* n. sp.]
- 11-20-21. RAHMAT U. MAMAT**, 2011. Sebaran spasial dan model kesesuaian habitat badak Jawa (*Rhinoceros sondaicus* Desmarest, 1822) di Taman Nasional Ujung Kulon [Spatial distribution and habitat suitability model for Javan Rhino (*Rhinoceros sondaicus* Desmarest, 1822) in Ujung Kulon National Park]. Sekolah Pascasarjana Institut Pertanian Bogor [Thesis presented to the Institute Pertanian in Bogor], 160 pp., Bogor.
- 11-20-21. RAHMAT U. MAMAT, SANTOSA Y., PRASETYO L.B. & KARTONO A.P.**, 2012. Habitat suitability modeling of Javan Rhino (*Rhinoceros sondaicus* Desmarest 1822) Ujung Kulon National Park. *Jurnal Manajemen Hutan Tropika*, **18** (2):129-137.
- 16. RAPSCH H.**, 1964. Bruellen Spitzmaulnashorner ?. *Mitteilungen der Sud-West Afrika Wissenschaftlichen Gesellschaft*, **5** (9):5-6.
- 3. RATHGEBER Th.**, 2004. Die quartäre Tierwelt der Höhlen um Veringenstadt (Schäbische Alb). *Laichinger Höhlenfreund*, **39** (1):207-228, 9 figs, 7 tabs, Laichingen.

**3. RAVEN Th.**, 1934. Neue Funde quartärer Säugetiere in den Niederlanden. *Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen*, **37** (5):302-308, Amsterdam.

**1c. REDCOZUBOV O. & OBADA Th.**, 2012. The fossil remains of turtles from Upper Pliocene location Alexanderfeld [in Russian]. Proceedings of the International Conference “Geocological and Bioecological Problems of the North Black Sea Coast”, Tiraspol’, November 9-10, PGU Publ., pp. 244-245, Tiraspol’.

**HD. RIDE W.D.L. & AL.** (eds), 1999 (4<sup>th</sup> ed). International Code of Zoological Nomenclature. The International Trust for Zoological Nomenclature, pp. xxix + 306, London.

**21-22. RIDLEY G.**, 2005. Clara’s Grand Tour – Travels with a Rhinoceros in Eighteenth-Century Europe. Atlantic Books, pp. i-xvii, 1-222, London. [details: on the famous rhinoceros named “Clara”, that one widely painted by several artists (e.g., Pietro Longhi)]

**21-22. RIDLEY G.**, 2008. Claras grand Tour – Die spektakuläre Reise mit einem Rhinoceros durch das Europa des 18. Jahrhunderts. Aus dem Englischen von Sonja Hinte und Lucia Markendorf. Konkret Literatur Verlag, pp. 1-208, Hamburg.

**22. RODRÍGUEZ LÓPEZ M.I.**, 2005. El Arte del Paleolítico Superior (I), E-EXCELLENCE – [www.liceus.com](http://www.liceus.com)

[<http://pendientedemigracion.ucm.es/centros/cont/descargas/documento10734.pdf>]

**4-5-6. ROOK L., CROITOR R., DELFINO M., FERRETTI M.P., GALLAI G. & PAVIA M.**, 2013. The Upper Valdarno Plio-Pleistocene vertebrate record – An historical overview, with notes on palaeobiology and stratigraphic significance of some important taxa. *Italian Journal of Geosciences* (Bollettino della Società Geologica Italiana), **132** (1):104-125, 26 figs, Roma. [doi:10.3301/IJG.2012.16]

**HD. ROOKMAAKER L.C.**, 2011. The early endeavours by Hugh Edwin Strickland to establish a code for zoological nomenclature in 1842–1843. *Bulletin of Zoological Nomenclature*, **68** (1):29-40, figs 1-4.

**10-11-20-21. ROOKMAAKER L.C.**, 2012. Asian rhinos in Singapore, and their survival in the region. *Proceedings of the International Conference of Zookeepers* (Singapore, September 2012), pp. 1-30, numerous figs.

**17-20-AH. ROOKMAAKER L.C. & ANTOINE P.O.**, 2012. New maps representing the historical and recent distribution of the African species of rhinoceros: *Diceros bicornis*, *Ceratotherium simum* and *Ceratotherium cottoni*. *Pachyderm*, **52**:91-96.

**4. ROS X., GALOBART À., MAROTO J., GAETE R., ORTEGA-COBOS D. & SINTES X.**, 2003. Excavación de un *Stephanorhinus etruscus* en las calizas de Crespià (Girona, NE de la Península Ibérica). *Paleontologia i Evolució*, **34**:269-277, 9 figs, Sabadell.

**4. ROSELL J., BLASCO R., MADE J. v.d., CÁCERES I., CAMPENY G., DÍEZ J.C., SALADIÉ P. & CARBONELL E.**, 2010. Acumulaciones producidas por carnívoros en el Pleistoceno medio inicial: una reconstrucción a partir del conjunto faunístico del nivel TD8 de Gran Dolina (Sierra de Atapuerca, Burgos). 1<sup>a</sup> Reunión de científicos sobre cubiles de hiena (y otros grandes carnívoros) en los yacimientos arqueológicos de la Península Ibérica, pp. 159-172, 10 figs, 2 tabs.

**10-19. ROVIE-RYAN J.J., ZAINUDDIN Z.Z., MARNI W., AHMAD A.H., AMBU L.N. & PAYNE J.**, 2013. Blood meal analysis of tabanid fly after it biting the rare Sumatran rhinoceros. *Asian Pacific Journal of Tropical Biomedicine*, **3** (2):95-99, 3 figs, 2 tabs.

**6. RUBINATO G., SAMI M., FANTI F., MARABINI S., SALA B. & VAI G.B.**, 2013. Terrestrial vertebrates in MIS 6 to MIS 5 deposits of the Zannona Quarry (Faenza, Italy). *AMQ* (Alpine and Mediterranean Quaternary), **26** (1):55-63, 9 figs. [available online <http://amq.aiqua.it>]

**1b-1c. SABOL M., JONIAK P. & HOLEC P.**, 2004. Succession(-s) of mammalian assemblages during the Neogene – A case study from the Slovak part of the Western Carpathians. *Scripta Fac. Sci. Nat. Univ. Masaryk Brunensis* (Geology), **31-32**: 65-84, Brno.

**1e-20. SABOL M., KONECNY V., VASS D., KOVÁCOVÁ M., DURISOVÁ A. & TÚNYI I.**, 2006. Early Late Pliocene site of Hajnácka I – Geology, palaeovolcanic evolution, fossil assemblages and palaeoenvironment. *Courier Forschungs-Institut Senckenberg*, **256**:261-274, Frankfurt/Main.

**1d-1e. SABOL M., VASS D., ELECKO M., KONECNY V., HENSEL K., HOLEC P., HUDACKOVA N., KERNATSOVA J., KLEMBARA J., PIPIK R. & SLAMKOVA M.**, 2004. Reconstruction and evolution of the Hajnácka I palaeoenvironment (in: Sabol M., ed: Early Villanyian Site of Hajnácka I, Southern Slovakia – Palaeontological Research 1996/2000), pp. 131-141, Bratislava.

**13. SAMIULLAH K., AKHTAR M., KHAN M.A. & GHAFAR A.**, 2012. Fossil mammals (rhinocerotids, giraffids, bovids) from the Miocene rocks of Dhok Bun Ameer Khatoon, District Chakwal, Punjab, Pakistan. *International Journal of Research in Engineering, IT and Social Sciences*, **2** (8):124-178, 6 figs, 6 tabs.

**1d-1e-4. SAMSON P.M. & RADULESCU C.**, 1973. Les faunes de Mammifères et la limite Pliocène-Pléistocène en Roumanie. *Travaux de l’Institut de Spéologie “Émile Racovitza”*, **XII**:191-228, 2 tabs, Éditions de l’Académie de la République Socialiste de Roumanie, Bucaresti. [details: *Dicerorhinus cf. megarhinus* (de

## Bibliography of selected papers

Christol), *Dicerorhinus elalus* (Croizet & Jobert), *Dicerorhinus etruscus* (Falconer)]

**9. SANBORN E.R.**, 1918. Death of the Indian Rhinoceros. *Bulletin of the New York Zoological Society*, **21** (5):1673.

**1b. SANISIDRO O.**, 2011. Description of some Rhinocerotidae teeth from the lower Miocene from Estrepouy (France). *Estudios Geológicos*, **67** (2):419-421, Sabadell.

**AH. SANISIDRO O. & CANTALAPIEDRA J.L.**, 2010. Nuevas técnicas paleobiogeográficas aplicadas a la familia Rhinocerotidae (Perrissodactyla) – New palaeobiographic tools applied to the family Rhinocerotidae (Perrissodactyla) (in: Moreno-Azanza M., Diaz-Martinez I., Gasca J.M., Melero-Rubio M., Rabal-Garcés R. y Sauqué V., eds: Volumen de Actas “VIII Encuentro de Jóvenes Investigadores en Paleontología”). *Cidaris*, Revista Ilicitana de Paleontología y Mineralogía, **30**:293-298, 4 figs.

**AH. SANISIDRO O., CANTALAPIEDRA J.L. & GARCÍA YELO B.**, 2012. Cambios faunísticos y diversificación en la familia Rhinocerotidae (in: Volumen de Actas “X Encuentro de Jóvenes Investigadores en Paleontología”). Paleodiversidad y Paleoecología de los ecosistemas ibéricos, pp. 161-163, 1 fig.

**1b-19. SANISIDRO MORANT O., SORIANO ESTÍVALIS B. & DURÁ A.A.**, 2011. El significado funcional de los cíngulos anterior y posterior en el rinoceronte *Alicornops símorrense* (Lartet, 1851) mediante el análisis de elementos finitos. Volumen de Actas “IX Encuentro de Jóvenes Investigadores en Paleontología”, pp. 355-361, 3 figs, 1 tab.

**6. SANTA FÉ-LLOPIS J.V. & CASANOVAS-CLADELLAS M.L.**, 1986. *Dicerorhinus hemitoechus* (Falconer 1868) (Mammalia, Perissodactyla) del yacimiento Pleistocénico de la cova del Gegant (Garraf, Barcelona). *Empuries*, Revista de Mon Classic i Antiquitat Tardana, **48-50** (vol 2):310-322.

**11-20-21. SANTOSA Y., RAHMAT U.M., PRASETYO L.B. & KARTONO A.P.**, 2013. Javan Rhino (*Rhinoceros sondaicus* Desmarest 1822) Utilization Distribution and Habitat Selection in Ujung Kulon National Park. *Journal of Tropical Forest Management* (JMHT), **XIX** (1):31-38, 11 figs, 1 tab. [doi:10.7226/jtfm.19.1.31]

**16-19. SANTYMIRE R., MEYER J. & FREEMAN E. W.**, 2012. Characterizing sleep behavior of the wild black rhinoceros (*Diceros bicornis bicornis*). *Sleep*, **35** (11):1569-1574.

**10-19. SAPUTRA A.E.**, 2012. Anatomi otot daerah panggul dan paha badak sumatera (*Dicerorhinus sumatrensis*) [The Muscle Anatomy of the Hip and Thigh Region of the Sumatran Rhino (*Dicerorhinus sumatrensis*)]. Thesis presented to the Agricultural University of Bogor - Fakultas Kedokteran Hewan Institut Pertanian Bogor, pp. 1-22, 1 fig, Bogor.

**6. SARDELLA R., BEDETTI C., BELLUCCI L., CONTI N., COPPOLA D., DI CANZIO E., PAVIA M., PETRONIO C., PETRUCCI M. & SALARI L.**, 2005. The Late Pleistocene vertebrate fauna from Avetrana (Taranto, Apulia, Southern Italy) – Preliminary report. *Geo. Alp.*, **2**:25-29, 3 figs.

**9-21. SARMA P.K., MIPUN B.S., TALUKDAR B.K., SINGHA H., BASUMATARY A.K., DAS A.K., SARKAR A. & HAZARIKA B.C.**, 2012. Assessment of habitat utilization pattern of rhinos (*Rhinoceros unicornis*) in Orang National Park, Assam, India. *Pachyderm*, **51**:38-44.

**7. SATAEV R.M.**, 2008. Ostatki medvedya *Ursus* (*Spelaearctos*) sp. i nosoroga *Stephanorhinus* sp. iz peshchery Verkhnyaya (YUzhny Ural) [The remains of bear *Ursus* (*Spelaearctos*) sp. and rhinoceros *Stephanorhinus* sp. from the cave “Verkhnyaya” (“Upper”) (Southern Ural)] (in Kosintsev P.A., ed: Fauna i Flory Severnoy Evrazii v Pozdnem Kaynozoy – Faunae and Florae of Northern Eurasia in the Late Cenozoic). Rossijskaya Akademya Nauk, Ural’skoe otdelenie, Institut Ekologii Rastanii i Zhivotnikh, pp. 137-146, 1 tab, Ekaterinburg/Chelyabinsk.

**1b. SAVA G.M. & CODREA V.A.**, 2012. Upper Miocene rhinoceros partial skeleton from Mânzai, Vaslui District: preliminary data. *Oltenia. Studii si comunicari. Stiintele Naturii*, **28** (1):215-220, 5 figs, Muzeul Olteniei, Craiova. [details: ? *Dihoplus*]

**9-19. SCHAFTENAAR W.**, 2011. Chronic perforating foot sole lesions in 2 captive great Indian rhinoceroses (*Rhinoceros unicornis*). *Proceedings of the 2011 International Elephant and Rhino Conservation and Research Symposium*, pp. 1359-1454, Rotterdam.

**1b-18. SCHERLER L. & BECKER D.**, 2012. Evolution of non-ruminant, hoofed mammals during the Oligocene and Early Miocene in Western Europe. Résumé du “Quatrième Symposium Georges Cuvier – Fossiles, Evolution, Mouvement”, Montbéliard 8-12 Octobre 2012, p. 46.

**1b. SCHLOSSER M.**, 1921. Die Hipparionenfaua von Veles in Mazedonien. *Abhandlungen der Bayerischen Akademie der Wissenschaften Mathematisch-physikalische Klasse*, **29** (4):15-17, 1 Pl, München. [details: *Rhinoceros schleiermacheri* Kaup]

**6. SCHMIDT Z.**, 1962. Nalez pleistocénneho nosorozca *Dicerorhinus hemitoechus* (Falconer) v riecisti Vahu v Sali. *Sbornik Prace z ochrany prírody v Zapadoslovenskom kraji*, pp 113-117, Bratislava.

**3. SCHMIDT Z.**, 1965. Metricka charakteristika fosilnych vertebrat v zbierkach Vlastivedneho muzea v Spisskej Novej Vsi. *Sbor. Vychodoslovenského muzea v Kosiciach*, s. A, Geologické vedy, **6A**:119-133,

Kosice.

**3. SCHMIDT Z.**, 1972. Zlozenie fauny Slovenska na konci tretohor a vo stvrtohoach (in Luknis & al., eds: Slovensko, Priroda, 916:631-642, Bratislava).

**19. SCHMIDT-KITTLER N.**, 1984. Pattern analysis of occlusal surfaces in hypsodont herbivores and its bearing on morpho-functional studies. *Proceedings KNAW / Royal Netherlands Academy of Arts and Sciences on fossil mammals*, B-87:453-480, 16 figs.

**3-20. SCHREVE D., HOWARD A., CURRANT A., BROOKS S., BUTEUX S., COOPE R., CROCKER B., FIELD M., GREENWOOD M., GREIG J. & TOMS Ph.**, 2013. A Middle Devensian woolly rhinoceros (*Coelodonta antiquitatis*) from Whitemoor Haye Quarry, Staffordshire (UK) – Palaeoenvironmental context and significance. *Journal of Quaternary Science*, 28 (2):118-130, 12 figs.

**15-19-21. SCHWARZENBERGER F., WALZER C., VERSTEEGE L., GOERITZ F., HILDEBRANDT T.B. & HERMES R.**, 2012. Reproductive steroid monitoring in white rhinoceroses kept in European zoos. *Wiener Tierärztliche Monatsschrift*, 99 (Suppl. 1):36-37.

**23. SCOTT W.B. & OSBORN H.F.**, 1887. Preliminary account of the fossil mammals from the White River Formation, contained in the Museum of Comparative Zoölogy. *Bulletin of the Museum of Comparative Zoölogy*, XIII (5):151-171, 9 figs, 2 Pls.

**10-21. SEDLAQ U.**, 1999. Reise-Eindrücke aus Nordborneo – Zucht des Sumatranashorns *Dicerorhinus sumatrensis* in der Sepilok Forest Reserve. *Säugetierkundliche Mitteilungen*, 44 (2):79-82, map 1, fig 1.

**3-20. SEL'S'KY V.K.**, 2008. Stratigrafichna Pam'yatka "Chudo Staruniya" ta ii Geologichne Minule [Stratigraphy of the site "Chudo Staruniya" (Wonderful Starunia") and its geological past] [in Ukrainian, English abstr.]. *Visnik Prikarpat's'kogo Nazional'nogo Universitetu im. "Vasylia Stefanyka"*, serya Biologiya (Paleontologiya), X:67-87, 1 tab, 23 figs, Ministerstvo Osvity i Nauki Ukraini, Ivano-Frankivs'k, Gostinez'.

**13. SEN S., BLIECK A., BOUVRAIN G., BRUNET M., GERAAD D., HEINTZ E. & KOUFOS G.D.**, 1997. Late Miocene mammals from Taghar, Khurdakul Basin, Afghanistan. *Annales de Paléontologie (Vert.-Invert.)*, 83 (3):233-266, Paris. [details: Rhinocerotidae indet.]

**13. SHIKAMA T.**, 1967. Note on the occurrence of a fossil *Rhinoceros* from Kagoshima Prefecture, Southern Japan. *Contr. Celebrate Prof. I. Hayasaka's 76<sup>th</sup> Birthday*, pp. 117-119.

**7. SHPANSKY A.V. & BILLIA E.M.E.**, 2012. Records of *Stephanorhinus kirchbergensis* (Jäger, 1839) (Mammalia, Rhinocerotidae) from the Ob' River at Krasny Yar (Tomsk region, southeast of Western Siberia). *Russian Journal of Theriology*, 11 (1):47-55, 4 figs, 4 tabs, Moskva.

**8. SHVYREVA A.K.**, 1995a. Iskopaemye Nosorogi Elasmoterii. Stavropol'sky Gos. Ob. Kraevedchesky Muzei im. "G.N. Prozriteleva & G.K. Prave", 103 pp., Stavropol'.

**8. SHVYREVA A.K.**, 1995b. Iskopaemye Nosorogi Elasmoterii – Muzeinye Raritety. Stavropol'sky Gos. Ob. Kraevedchesky Muzei im. "G.N. Prozriteleva & G.K. Prave", 104 pp., Stavropol'.

**3. SIEGFRIED P.**, 1961. Pleistozäne Säugetiere in Westfälischen Höhlen. *Jahrbuch für Karst- und Höhlenkunde*, 2:177-191.

**3-19. SIEGFRIED P.**, 1975. Der Schädel eines juvenilen Fellnashorns *Coelodonta antiquitatis* (Blumenbach) (Rhinocerotidae, Mammalia). *Münstersche Forschungen zur Geologie und Paläontologie*, 35:51-69, Münster.

**3-7. SIEGFRIED P.**, 2001. Fossilien Westfalens – Eiszeitliche Säugetiere – Eine Osteologie pleistozäner Großsäuger. *Münstersche Forschungen zur Geologie und Paläontologie*, 60:1-163, 22 figs, 1 tab, 40 Pls, 1 fold. map in pocket, Münster.

**1c. SIMIONESCU I.**, 1930. Vertebratele Pliocene de la Malusteni (Covurlui) – Les Vertébrés Pliocène de Malusteni (Roumanie) [in Romanian & French]. Academia Romana, Publicatiunile Fondului Vasile Adamachi, tom. IX, n° XLIX, pp. 83-151, 5 Pls, Cultura Nationala, Bucuresti. [details: *Rhinoceros* sp., p. 110, no rhinoceros figures]

**6. SOTO E., SESÉ C., PÉREZ-GONZÁLEZ A. & SANTONJA M.**, 2001. Mammal fauna with *Elephas* (Palaeoloxodon) antiquus from the lower levels of Ambrona (Soria, Spain). Proceedings of the International Congress "The World of Elephants", Rome 2001, pp. 607-610, 1 tab, Roma.

**19. SPINAGE C.A.**, 1973. A review of the age determination of mammals by means of teeth, with especial reference to Africa. *East African Wildlife Journal*, 11:165-187.

**13. STEHLIN H.G.**, 1925. Fossile Säugetiere aus der Gegend von Limbangan (Java). *Wetenschappelijke Mededeelingen* (Dienst Mijnbouw in Nederlandsch-Indië), 3:1-12, 4 figs, 2 folding Pls, Weltevreden. [details: *Rhinoceros* sp. pp. 2-3, no figures]

**13. STEHLIN H.G.**, 1927. Ueber einem *Baluchitherium*-fund aus dem Punjab. *Eclogae Geologicae Helveticae*, 20 (2):297-301, 2 figs.

**15-16-19. STENSETH N.C. & IMS R.A.** (eds), 1993. The Biology of Large African Mammals in their Environment. Symposia of the Zoological Society of London, pp. xxii + 304, num. figs, 4 Pls.

**7. STEPANOV V.V.**, 1961. Chetvertichnye otlozheniya v dolinax limanov Odesskoy oblasti (in:

## Bibliography of selected papers

Materialy Vsesoyusnogo Soveshchanya po Izuchenyu Chervertichnogo Perioda). Tom 2, Moskva.

**9-10-11. STERNDAL R.A.**, 1884. Natural History of the Mammalia of India and Ceylon. Thacker, Spink and Co, pp. i-xxxii, 1-540, 170 figs, Calcutta. [details: *Rhinoceros indicus*, *R. sondaicus*, *R. sumatrensis*, *R. lasiotis*, pp 405-413, 5 figs]

**4. STIUCA E., PETCULESCU A., VASILE S. & TITA R.**, 2012. Macro- and micromammal faunas associated with *Mammuthus (Archidiskodon) meridionalis* in the Lower-Middle Pleistocene from Copăceni (Ilfov County, Romania). Book of Abstracts of the Annual Zoological Congress of “Grigore Antipa” Museum, 21-23 November 2012, Bucharest, Romania, pp. 76-77.

**10-11-AH. STRIEN N.J. v.**, 1983. A Guide to the Tracks of the Mammals of Western Indonesia. School of Environmental Conservation Management, Ciawi, pp. vii + 44, 189 figs, Bogor, Indonesia.

**3. STUART A.J. & LISTER A.M.**, 2012. Extinction chronology of the woolly rhinoceros *Coelodonta antiquitatis* in the context of late Quaternary megafaunal extinctions in northern Eurasia. *Quaternary Science Reviews*, **51**:1-17.

**3. STUDER T.**, 1911. Ueber restes des *Rhinoceros tichorhinus* Fisch. im diluvium der Schweiz. *Mitteilungen des Naturforschenden Gesellschaft in Bern*, NR **1796**:207-213, 6 figs.

**10-19. SUSANTI H.**, 2012. Anatomi otot daerah bahu dan lengan atas badak sumatera (*Dicerorhinus sumatrensis*) [The Muscle Anatomy of the Shoulder and Upper Arm Region of the Sumatran Rhino (*Dicerorhinus sumatrensis*)]. Thesis presented to the Agricultural University of Bogor - Fakultas Kedokteran Hewan Institut Pertanian Bogor, pp. 1-24, 3 figs, Bogor.

**3. SYCHEVA S.**, 2010. High-resolution stratigraphy and chronology of Late Pleistocene periglacial zone of the East-European plain. Abstracts volume of the “Quaternary Stratigraphy and Paleontology of the Southern Russia – Connections between Europe, Africa and Asia”, pp. 164-165, Rostov-on-Don.

**13c. SZALAY F.S. & MCKENNA M.C.**, 1971. Beginning of the Age of Mammals in Asia – The Late Paleocene Gashato Fauna, Mongolia. *Bulletin of the AMNH*, **144** (4):269-318, 35 figs, 3 tabs, New York.

**1b. TOULA F.**, 1903-1911. Über Säugetierreste aus der pliocänen Lignitformation von Illyefalva (Szent-Kiraly) (in Paläontologische Mitteilungen aus den Sammlungen von Kronstadt in Siebenburgen). *Abhandlungen der Kaiserlich-Königlichen Geologischen Reichsanstalt*, **XX**:36-45, 1 Pl, Wien. [details: *Aceratherium* sp., p. 44, Pl IV-figs 7a, 7b]

**13. TAKAI F.**, 1949. Fossil mammals from Katabira-mura, Kani-gun, Gifu Prefecture, Japan. *Japanese Journal of Geology and Geography* (Transactions), **21** (1-4):285-290, 1 Pl, Science Council of Japan, Tokyo. [details: *Chilotherium pugnator*]

**1b-1c. TARABUKIN B.A. & SUKHOV I.M.**, 1969. Paleolandshafty Neogena Moldavii [Palaeoenvironments of the Moldavian Neogene] [in Russian]. *Trudy*, **II**:160-159, Gosudarstvenny Istoriko-Kraevedchesky Muzey, Ministerstvo Kultury SSR, Kartya Moldovenyaskie, Kishinev.

**22. TEWARI R.**, 1992. Rock paintings of Mirzapur in Uttar Pradesh (in: Lorblanchet M., ed: Rock Art in the Old World). Papers presented in Symposium A of the AURA Congress 1988, pp. 285-301.

**13. THEWISSEN J.G.M., GINGERICH P.D. & RUSSELL D.E.**, 1987. Artiodactyla and Perissodactyla (Mammalia) from the Early-Middle Eocene Kuldana Formation of Kohat (Pakistan). *Contributions from the Museum of Paleontology - University of Michigan*, **27** (10):247-274, 8 figs, Ann Arbor.

**25. TIKHONOV A.A., BARYSHNIKOV G.F. & SAUNDERS J.J.**, 2002. Vadim Evgenievich Garutt (1917-2002). *Russian Journal of Theriology*, **1** (2):151-152, 1 photograph, Moskva.

**10-19. TIURIA R., PANGIHUTAN J., NUGRAHA R.M., PRIOSOERYANTO B.P. & HARIYADI A.R.S.**, 2008. Kecacingan Trematoda pada Badak Jawa dan Banteng Jawa di Taman Nasional Ujung Kulon [Prevalence of trematodes in Javan rhinoceros and banteng at Ujung Kulon National Park]. *Jurnal Veteriner*, **9** (2):94-98.

**13. TOKUNAGA S.**, 1926. Fossils of Rhinocerotidae found in Japan. *Proceedings of the Imperial Academy of Japan*, **2**:289-291, Tokyo. [details: *Teleoceras*]

**1b. TOMÀS M., ALBA D.M., SANISIDRO O., BOLET A. & CHECA L.**, 2010. Los perisodáctilos del Mioceno Superior de la Autovía Orbital de Barcelona B-40, tramo Olesa de Montserrat – Viladecavalls (Cuenca del Vallès-Penedès) [Upper Miocene perissodactyls from the Autovía Orbital de Barcelona B-40, Olesa de Montserrat – Viladecavalls Stretch (Vallès-Penedès Basin)] (in Moreno-Azanza M., Díaz-Martínez I., Gasca J.M., Melero-Rubio M., Rabal-Garcés R. & Sauqué V., eds: Volumen de Actas “VIII Encuentro de Jóvenes Investigadores en Paleontología”). *Cidaris – Revista Illicitana de Paleontología y Mineralogía*, **30**:317-323, 6 figs. [details: *Aceratherium incisivum* Kaup, 1832]

**9-20. TRIPATHI A.K.**, 2012. Habitat and population ecology of *Rhinoceros unicornis* in Dudhwa National Park, Uttar Pradesh. *International Journal of Pharmacy & Life Sciences*, **3** (11):2090-2097.

**15. TROUESSART E.L.**, 1908. Le rhinocéros blanc du Bahr-el-Gazal. *La Nature – Revue des sciences et de leurs applications aux arts et à l’industrie*, **37**:50-53, figs. 1-2.

**16-19. TURNBULL P.C.B., TINDALL B.W., COETZEE J.D., CONRADIE C.M., BULL R.L., LINDEQUE P.M. & HUEBSCHLE O.J.B., 2004.** Vaccine-induced protection against anthrax in cheetah (*Acinonyx jubatus*) and black rhinoceros (*Diceros bicornis*). *Vaccine*, **22**:3340-3347, figs 1-2, tabs 1-3.

**19. TURNBULL W.D., 1970.** Mammalian masticatory apparatus. *Fieldiana*, 210 pp., 47 figs.

**1b. UHLIG U., 1996.** Erstfund eines juvenilen Unterkiefers von *Epiacceratherium bolcense* Abel, 1910 (Rhinocerotidae, Mammalia) aus dem Unteroligozän von Monteviale (Italien). *Mitteilungen der Bayerischen Staatssammlung für Paläontologie und historische Geologie*, **36**:135-144, 3 figs, 1 Pl., München.

**3-20. UKRAINTSEVA V.V., 1986.** On the composition of the forage of the large herbivorous mammals of the Mammoth epoch – Significance for palaeobiological and palaeogeographical reconstruction. *Quartärpaläontologie*, **6**:231-238.

**3-20. UKRAINTSEVA V.V., 1993.** Vegetation cover and environment of the Mammoth epoch in Siberia (in Agenbroad L.D., Mead J.I. & Hevly R., eds: Mammoth Site of Hot Springs, S.D., USA). 309 pp, maps, b/w Pls.

**19. VALEN L.M. v., 1993.** Serial homology: the crests and cusps of mammalian teeth. *Acta Palaeontologica Polonica*, **38** (3-4):145-158.

**18. VANGENGEYM E.A. & SOTNIKOVA M.V., 1989.** Etapy razvitya mlekopitayushchih Severnoy Palearktiki v Pozdnem Pliocene i Antropogene [North paleartic Mammalian evolution stages in Late Pliocene and Anthropogene] [in Russian]. *Izvestiya AN SSSR (seriya Geologicheskaya)*, **7**:50-58, 1 tab, Izd-vo AN SSSR, Moskva/Leningrad. [details: *Coelodonta antiquitatis* and *Dicerorhinus* genus]

**1d-AH. VANGENGEYM E.A., VISLOBOKOVA I.A. & SOTNIKOVA M.V., 1998.** Krupnye mlekopitayushchie ruzhiny na territorii bybshego SSSR [Ruscinian large mammals on former Soviet Union territory] [in Russian]. *Stratigrafya. Geologicheskaya Korrelazya*, **6** (4):52-66, 2 figs, 2 tabs, Moskva. [details: *Dicerorhinus megarhinus* (de Christol); the authors also referred (vide on p. 60 – “Semeystvo Rhinocerotidae”) to the very scarce presence of *Dicerorhinus* genus remains on that territory]

**20. VARELA S., LOBO J.M., RODRIGUEZ J. & MADE J. v.d., 2010.** ¿Las extinciones de herbívoros a finales del Pleistoceno están relacionadas con la desaparición de las hienas manchadas? 1ª Reunión de científicos sobre cubiles de hiena (y otros grandes carnívoros) en los yacimientos arqueológicos de la Península Ibérica, pp. 77-89, 6 figs, 3 tabs.

**7. VAUFREY R., 1931.** L’Acheuléen supérieur de la Grotte d’Oumm-Qatafa (Palestine) – IV. Paléontologie. *L’anthropologie*, **41**:253-263, figs 22-24, Paris.

**7. VAUFREY R., 1951.** Mammifères (in Neuville R. & al.: Le Paléolithique et le Méolithique du Desert de Judee). *Archives de l’Institut de Paléontologie Humaine*, Mémoires, **24**:198-217, Pls XVII-XX.

**15. VAUGHAN-KIRBY F., 1920.** The white rhinoceros, with special reference to its habits in Zululand. *Annals of the Durban Museum*, **2** (5):223-242, Pl 27, Durban.

**13a. VEKUA A.K. & TRUBIKHIN V.M., 1988.** Novoe mestonakhozhdenie iskopaemykh mlekopitayushchikh v Vostochnoy Gruzii [About a new location of fossil mammals in Eastern Georgia] [in Russian, Georgian & English abstr-s]. *Soobshcheniya AN GruzSSR*–Bulletin of the Academy of Sciences of the Georgian SSR (Paleobiology), **132** (1):197-200, Tbilisi. [details: *Dicerorhinus* sp.]

**1b. VENYUKOV” P.N., 1903.** Fauna Mlekopitayushchikh” Baltskikh” Peskov” Podol’skoy Gubernii [Baltic Sands Mammal Fauna from the Podol’sk Governorship] [in Russian, exhaustive German summ.]. *Materialy dlja Geologii Rossii*, Chast’ III, **XXI**:123-194, Pls IV-V. [details: *Rhinoceros megarhinus* de Christol & *Aceratherium incisivum* Kaup, pp. 123-128+174-177+182-194, Pls IV-figs 2, 3]

**3-19. VERCOUTÈRE C., GUÉRIN C., CRÉPIN L., RICHARDIN P., GANDOLFO N., VINCENT J., MARSAC J., CERSOY S., ROUSSELIÈRE H., WALTER Ph., BRUNELLE A., NOWIK W., BRISSAUD D., DRUCKER D.G., PLICHT J. v. d., PATOU-MATHIS M. & VIALET A., 2013.** Étude pluridisciplinaire du squelette de rhinoceros laineux, *Coelodonta antiquitatis* (Blumenbach, 1799), de l’Institut de paléontologie humaine (Paris, France) - Pluridisciplinary research on a woolly rhinoceros skeleton, *Coelodonta antiquitatis* (Blumenbach, 1799), from the Institut de paléontologie humaine (Paris, France). *L’anthropologie*, **117**:1-47, 35 figs, 11 tabs, Paris. [http://dx.doi.org/10.1016/j.anthro.2013.01.003]

**15-19-21. VERSTEEGE L., 2011.** Body condition scoring of captive white rhinoceros *Ceratotherium simum*. *Proceedings of the 2011 International Elephant and Rhino Conservation and Research Symposium*, Rotterdam 10-14 October 2011, pp. 1123-1137.

**9-AH. VOELZER S. & KIRCHBERG U., 2012.** Clara, das Nashorn mit den rosa Socken – Die bestrickende Geschichte um eine Tierfreundschaft. Friedland, pp. 1-24, Steffen-Verlag.

**11. WAGNER A., 1839.** Beschreibung einiger neuen oder wenig bekannter Säugthiere (4. *Rhinoceros javanus*). *Gelehrte Anzeigen*, **184**:533-540, München.

**9-10-11-15-16-HD.**

*Bibliography of selected papers*

**WALKER E.P., WARNICK F., LANGE K.I., UIBLE H.E., HAMLET S.E., DAVIES M.A. & WRIGHT P.F.**, 1968 (2<sup>nd</sup> ed.). *Mammals of the World*. Vol. I – Monotremata, Marsupialia, Insectivora, Dermoptera, Chiroptera, Primates, Edentata, Pholidota; vol. II – Lagomorpha, Rodentia, Cetacea, Carnivora, Pinnipedia, Tubulidentata, Proboscidea, Hyracoidea, Sirenia, Perissodactyla, Artiodactyla), 1-2:1-1500, hundreds of photographs, The John Hopkins Press, Baltimore.

**6. WARRIMONT J.P. de & GROENENDIJK K.**, 1988. De vondst van een steppeneushoorn (*Dicerorhinus hemitoechus*) in de Belvédère-Groeve te Maastricht. *Cranium* (Tijdschrift van de Werkgroep Pleistocene Zoogdieren), jrg. 5, 1:16-21, 1 tab, 1 sketch, 2 figs, Utrecht.

**HD. WEBER M.**, 1904 (1<sup>st</sup> ed.). Die Säugetiere – Einführung in die Anatomie und Systematik der recenten und fossilen Mammalia. Vol. I, pp. i-xii + 1-806, 567 figs, Gustav Fischer, Jena.

**HD. WEBER M.**, 1927-1928 (2<sup>nd</sup> ed.). Die Säugetiere – Einführung in die Anatomie und Systematik der recenten und fossilen Mammalia. Vols. I-II, 1381 pp., 889 figs, Gustav Fischer, Jena. [details: the second and best edition of this important work]

**3. WEINSTOCK J.**, 1999. The Upper Pleistocene mammalian fauna from the Große Grotte near Blaubeuren (southwestern Germany). *Stuttgarter Beiträge zur Naturkunde*, s. B (Geologie und Paläontologie), 277:1-49.

**13. WHYBROW P.J.** (ed), 1987. Miocene geology and palaeontology of Ad Dabtiyah, Saudi Arabia. *Bulletin BMNH* (Geology), 41 (4):365-457, numerous figs/phot. [details: Mastodonts, Rhinoceroses, Ruminants, Hominoid]

**3. WILDE B. de**, 2011. Pleistocene zoogdieren uit de kleigroeve van Oekene. *West-Vlaamse Archeologica*, 24:50-56, 10 figs.

**HD. WILSON D.E. & REEDER D.M.** (eds), 1993 (2<sup>nd</sup> ed.). *Mammal Species of the World – A taxonomic and geographic reference*. Smithsonian Press, pp. xviii + 1206 pp., Washington & London.

**3-7. WINGS O., SCHWARZ-WINGS D. & HEINRICH W.-D.**, 2009. The Rixdorf Horizon (“Rixdorfer Horizont”) of the Niederlehme sand pits near Königs Wusterhausen (in: The Rixdorf Horizon [“Rixdorfer Horizont”] of the Niederlehme Sand Pits near Königs Wusterhausen). Abstracts volume of the 7<sup>th</sup> Annual EAVP Meeting 2009, pp. 71-74, 2 figs. [On the “Rixdorfer Horizont” vide autem in Pohlig, 1887; Dietrich, 1932; Cepek, 1986; Heinrich, 2002; Hermsdorf, 2000, 2002, Wings & al., 2009]

**3. YAKOVLEV A., DANUKALOVA G. & OSIPOVA E.**, 2013. Biostratigraphy of the Upper Pleistocene (Upper Neopleistocene) of the Southern Urals. *Quaternary International*, 292:150-167, 3 figs, 7 tabs.

**1c. ZAKHAROV D.C. & CHEPALYGA A.L.**, 2012. [Problems of the earliest stages of Dniester Valley evolution – Alluvial of Kuchurganian Sections] [in Russian]. Proceedings of the International Conference “Geoecological and Bioecological Problems of the North Black Sea Coast”, Tiraspol’, November 9-10, PGU Publ., pp. 109-111, 1 map, Tiraspol’.

**1c. ZAKHAROV D.C. & REDCOZUBOV O.I.**, 2012. [Early Pliocene turtles from Priozernoe Site (Dniester Valley)] [in Russian]. Proceedings of the International Conference “Geoecological and Bioecological Problems of the North Black Sea Coast”, Tiraspol’, November 9-10, PGU Publ., pp. 108-109, Tiraspol’.

**12. ZDANSKY O.**, 1923. Fundorte der Hipparion-Fauna um Pao-Te-Hsien in NW-Shansi. *Bulletin of the Geological Survey of China*, 5:69-82. [An English translation of this work (“The Localities of the Hipparion Fauna of Baode County in Northwest Shanxi”) in also available, vide Jokela T. & al. (2005)] [details: six rhinoceros species - four of them belong to the genus *Teleoceras*, one to the genus *Aceratherium*, and another one to *Sinotherium lagrelii* Ringström]

**15-19. ZEILER G.E. & STEGMANN G.F.**, 2012. Anaesthetic management of a 10-month-old white rhinoceros (*Ceratotherium simum*) calf for emergency exploratory celiotomy. *Journal of the South African Veterinary Association*, 83 (1):1-5.

**12-20. ZEITOUN V., LENOBLE A., LAUDET F., THOMPSON J., RINK W.J. & DOYASA T.**, 2006. Taphonomy and paleoecological significance of the *Ailuropoda-Stegodon* complex of Ban Fa Suai (Northern Thailand). *EurASEAA 2006 Bougon Papers*, pp. 51-57, 4 figs.

**1b. ZERVÁNOVÁ J., SABOL M., HUDÁCKOVÁ N. & HOLEC P.**, 2013 (in press). *Brachypotherium* cf. *brachypus* and *Lartetotherium* sp. (Rhinocerotidae, Perissodactyla, Mammalia) from the Middle Miocene Dúbravka-Pole Site (Western Slovakia). *Acta Geologica Slovaca*.