

96¹⁹
Purchase
Goddard
Mus. & Mammals

QL
71
I42 C14
Mamm.

Case 11
2199
Smith

CATALOGUE

OF THE

124

MAMMALIA


IN THE

MUSEUM ASIATIC SOCIETY,

BY

EDWARD BLYTH,

CURATOR.



Published by Order of the Society.

CALCUTTA:

SAVILLE & CRANENBURGH, BENGAL PRINTING COMPANY LIMITED.

1863.

2 2 1

SYN. *E. hemionus* of India, Persia, and hither portion of W. Asia, auctorum.

HAB. W. Asia, from 48° N. lat., southward to Persia, Beluchistán, and W. India.

A. Skull, and *B.* Flat skin, from Kandahar. Presented by Major H. B. Lumsden, in 1859 (*J. A. S.* XXVIII, 237, 411).

A. HEMIONUS, Pallas (*nec Comm. Petrop.* t. 7).

SYN. *A. kyang*, Moorcroft (Strachey, *J. A. S.* XXIX, 136.)

A. equoides et polyodon, Hodgson.

HAB. The Tibetan region, and E. Turkistán. (*Vide P. Z. S.* 1858, p. 531.)

A B. Adult and young, stuffed, from specimens sent down by Dr. Campbell in 18 .

C. Another skin, not mounted. Presented at the same time by Dr. Campbell. *D.* Skull, and *E.* Limb-bones, taken from a skin forwarded by G. T. Lushington, Esq., C. S., in 1838 (*J. A. S.* XVII, 144).

E. ZEBRA, L. (F. Cuv., *Mamm. Lithog.* III, 88.)

SYN. *E. montanus*, Burchell.

E. indicus, Johnstone's *Quadr.*

E. brasiliensis, Jacob, apud Gray.

HAB. Mountainous regions of S. Africa.

A. Imperfect skin. Purchased.

FAM. RHINOCEROTIDÆ.

Genus RHINOCEROS, L.

RH. INDICUS, Cuvier (*Mem du Mus*, t. ; *J. A. S.* XXXI, p. 155).

SYN. *Rh. unicornis*, L.

Rh. asiaticus, Blumenbach.

Rh. inermis, Lesson.

HAB. Tárai region at the base of the E. Himálayas, inclusive of the valley of the Upper Bráhma-putra, or province of Asám.*

* Skulls immediately expected.

460. RH. SONDAICUS, S. Müller (Horsf., *Zool. Res. in Java*).

SYN. *Rh. javanicus*, F. Cuv.; *Mamm. Lithog.* I, pl. 85, 86.)

HAB. Rajmáhal hills (where now verging on extirpation); Bengal Sundarbáns; Indo-Chinese region; Malayan peninsula; Jáva; Borneo; Upper Siam; Cambodia; province of Quang-si, in China (?).

A. Stuffed specimen, under $3\frac{1}{2}$ feet high. Carcass presented by C. Huffnagle, Esq., in 1850 (*J. A. S.* XIX, 88). B. Skeleton of nearly full-grown female, not quite complete (*vide J. A. S.* X, 928); the animal killed in the Jessore district, and presented to the Society by J. H. Barlow, Esq., in 1834 (*J. A. S.* III, 142, IX, 518). C. D. E. F. G. H. Series of skulls, one of them young; one (with horn) from Jáva, presented by the Batavian Society in 1846; three from the Tenasserim provinces—two of them presented by Sir T. H. Maddock, in 1842 (*J. A. S.* XI, 448)—the third (with horn), from near Tavoy Point, presented by Col. A. Fytche, in 1861 (*J. A. S.* XXXI, 159). The remaining adult is that noticed by Dr. Pearson in *J. A. S.* IX, 518 (being probably one of the five presented by Dr. Wallich, as recorded in *As. Res.* XII, *App.* XXVI). I. Bones of right hind-foot of a young animal, articulated. Presented by Dr. Pearson in 1836, and noticed in *J. A. S.* IX, 524.

461. RH. SUMATRANUS, F. Cuv. (*Phil. Tr.* 1793, pl. ; S. Müller, pl. ; *Mamm. Lithog.* II, 83.)

SYN. ? *Rh. cucullatus*, Wagler, *vide J. A. S.* XXXI, 154.

HAB. Burmese countries; Malayan peninsula; Sumátra. (Rare in Asám.)

A. Stuffed head of adult female. B. Skull, axis vertebra, left scapula, humerus, radius and ulna, and long bones of both hind-limbs, of the same individual. C. Skull, and D. Scapulæ and long bones of the fore-limbs, of

an old male, from the Tenasserim provinces. Presented by E. O'Reilly, Esq., in 1847 (*J. A. S.* XVI, 210, 502). *E. F.* Skulls (one minus lower jaw), also from the Tenasserim provinces. Presented by Sir T. Herbert Maddock, in 1842 (*J. A. S.* XI, 448). *G.* Facial bones of an old individual with small horns. Procured by the Curator near Pahpoon, on the Yunzalin river, Upper Martaban, in Nov. 1861. *H.* United nasal bones, being probably the "part of the head of a two-horned Rhinoceros," recorded as presented by Miss Lloyd, in *As. Res.* XIII, App. XVIII, in which case probably from Sumátra.*

462. RH. AFRICANUS, Desm. (A. Smith, *S. African Zoology, Mamm.*, pl. 2.)

SYN. *Rh. bicornis*, L.

Rh. Brucei et *Rh. Gordonii*, Blainville.

Rh. niger et *Rh. Camperi*, Schinz.

HAB. Africa, from the Galla country to the C. of G. Hope.

A. *B.* Anterior horns. Presented by Major W. S. Sherwill in 1843 (*J. A. S.* XII, 65).

463. RH. SIMUS, Burchell (A. Smith, *S. African Zoology, Mamm.*, pl. 19).

SYN. *Rh. Burchellii*, Desm.

Rh. camus, Griffith, *An. K.*, V, 746.

HAB. S. Africa, chiefly north of Tropic of Capricorn.

A. Anterior horn. Presented by Major W. S. Sherwill, in 1846 (*J. A. S.* XV,).

Fam. HYRACIDÆ.

Genus HYRAX, Hermann.

464. H. CAPENSIS; *Cavia capensis*, Pallas (*Misc. t.*)

HAB. S. Africa.

* "The horn of a Rhinoceros, from Sumátra," recorded as presented by Lieut. Seymour, in *As. Res.* XIII, App. XIX, and also the "two Rhinoceros-horns," presented by R. Home, Esq., as recorded in *As. Res.* XII, App. XXII, were not in the Society's museum when I took charge of it in 1841.