

which is a young pair of the individuals put in great com-  
parison, owing to the want of a safe certificate of the Estab-  
lishment.

DR. SMITH'S PAPERS ON NATURAL HISTORY  
(Continued from the *Advertiser* of May 13.)

*DESMONDI, Redi.*—Front, crown, neck, interscapular  
back, upper tail coverts, and shoulders a dull brown; a row  
of the feathers of cape white towards the quills, thereby  
giving to the back of the neck a little variegated appear-  
ance; primary and secondary wing coverts dark dusky  
brown; primary quill feathers brown, with their lower  
sides more or less banded by white; secondary the same;  
tail light brown, crossed by three distinct dark blackish  
brown banding tips of all the feathers (reddish white; chin,  
throat, breast, belly, and thighs white, the latter latter  
marked with transverse brownish lines, which are very nu-  
merous on the latter as well as on the flanks; legs and toes  
yellow; cere dusky yellow; bill and claws dark horn col-  
ored. Length of bird seventeen inches. Inhabits the  
north eastern parts of the Colony.

*PARUS HARRISONIUS, M. L.*—Front crown and nape  
light tawny, with numerous longitudinal narrow black  
streaks; interscapular, back, shoulders, and scapulars a  
darker tawny, with large transverse waved brownish banding  
tips of feathers light tawny; primary and secondary wing  
coverts alternately banded tawny and brown, tips tawny  
white; primary quill feathers brown, excepting a consi-  
derable portion of the inner vanes, each of which is tawny  
or white; secondary broader like the coverts; tail rounded  
with numerous transverse bands of blackish brown and more  
or less pure white; chin, throat, and thighs plain tawny;  
breast and belly the same, with longitudinal black streaks,  
except on the flanks where they are transverse; legs, toes,  
and cere yellow; claws dark horn colored; base of upper  
mandible greenish blue; tip dark horn colored; base of  
lower yellowish; apex dusky. Length of bird about  
thirteen inches. Inhabits Lake Namsquam.

*CIRCUS HERRINGIANUS, M. L.*—Upper parts dirty brown;  
many of the feathers tipped with reddish white, particularly  
those of the shoulders; primary and secondary wing co-  
verts, as well as primary and secondary quill feathers,  
brown, tipped with reddish white; upper tail coverts  
pale white and part brown; tail rounded and of a brown  
color, with each feather crossed towards its middle by two  
transverse white bands, the anterior in a whitish line and  
apex; front white, with a distinct line of a similar color  
extending from it over each eye, and another, though less  
extensive, between the orbits; cheeks dark brown, and imme-  
diately behind them a complete collar of even close red fish  
scale feathers; under parts tawny white; eyes dark  
brown; legs and toes yellowish; claws dark horn colored;  
cere yellow; bill nearly black. Length of bird sixteen  
inches. Inhabits Lake Namsquam, and the country  
about the Whiggin's River. Probably a young bird in its  
first or second plumage.—(To be continued.)

MAGISTRATE'S COURT, WORCESTER.

RENEWED SUBSCRIPTIONS TO *THE ADVERTISER* FOR ONE YEAR.

May 15.—The indictment charged the defendant, who is a  
son of Mr. Wetherill, with having assaulted and beaten a  
woman named George Rogers, in order to make her

keep  
very  
day  
high  
in or  
out  
bank  
distr  
tion  
thoug  
after  
more  
the  
M

The  
to be  
The p  
was a  
the li  
bill of  
did hi  
some  
in all  
would  
the cal  
agreed  
had be  
had be  
e died  
the ju  
ortho  
been a  
people  
in the  
questi  
frequ  
my inf  
thank  
line of  
measure  
dread  
been a  
the wh  
never be  
ever the  
might,  
Indeed,

He w  
were ma  
for juve  
most de  
country  
his M  
tion, m  
ing the  
noble de  
most