

John Edw. Gray 5

EGYPTIAN HALL, PICCADILLY.

A CATALOGUE

Cape Town, OF THE
SOUTH AFRICAN MUSEUM,

THE PROPERTY OF A SOCIETY, ENTITLED

"THE CAPE OF GOOD HOPE ASSOCIATION FOR
EXPLORING CENTRAL AFRICA."

Which will be Sold by Auction, by Messrs.

J. C. & S. STEVENS,

AT THE EGYPTIAN HALL,

On WEDNESDAY, the 6th day of JUNE, 1838,

AND TWO FOLLOWING DAYS,

At Twelve for One o'Clock,

In pursuance of a resolution passed by the above Society.

May be viewed on Monday and Tuesday prior to the Sale, and Catalogues (1s. each, to admit a Party,) to be had at the Hall, and of Messrs. J. C. & S. STEVENS, 58, King Street, Covent Garden.

Whiting, Beaufort House, Strand.

Sum. "Chies & Spem No. Defences"
Joshua Clark, High Street, Saffron Walden

CONDITIONS OF SALE.

FIRST. The highest bidder to be the buyer, and if any dispute arise between two or more bidders, the lot in dispute to be immediately put up again and re-sold. *Mr. return Price*

SECOND. No person to advance less than one shilling under one pound at each bidding, and so on in proportion.

THIRD. The purchaser shall give in his name and place of abode, if required, and pay down immediately 25 per cent. on the amount of his purchase as a deposit, and the remainder ~~must~~ absolutely be paid on or before the delivery.

a few specimens which will be required to obtain for these with guarantee to be taken in a good state as they are now

FOURTH. The lots to be taken away, with all faults and errors of every description, at the buyer's expense, within two days after the last day's sale.

LASTLY. The lots must be cleared according to the third and fourth conditions, in default of which the seller shall be at full liberty to re-sell the said lot or lots, the deposit money shall be forfeited, and the deficiency (if any) attending such re-sale, together with the expenses attending the same, shall be made good by the defaulter at this sale.

Gentlemen who cannot attend the Sale, may have their Commissions faithfully executed by their most obedient Servants,

JOHN C. & S. STEVENS.

3rd. Soc. 45. 16. ———
Land Rent, 110. 12. ——— = 101. 5. 6
And Misc. 39. 3. ———
6. = 136. 6. 6 = 175. 10. 0

Return 27 Birds today some very common

A CATALOGUE,

&c. &c. &c.

First Day's Sale,

On WEDNESDAY, the 6th Day of JUNE, 1838,

AT TWELVE FOR ONE O'CLOCK.

R = Ret.

sent by Wray.

BIRDS.

| LOT | | | |
|-----|----|----|---|
| 3 | 0 | 1 | Vultur Auricularis, female the <i>Greenle</i> |
| 1 | 3 | 2 | — Kolbii, female <i>head beater dark</i> |
| 2 | 2 | 3 | — Occipitalis, Burchell, male <i>—</i> |
| 1 | 0 | 4 | Bubo Lactea, female <i>Wardwick</i> |
| 11 | | 5 | — ditto, young <i>Waterhouse</i> |
| 1 | 16 | 6 | Gypceus Barbatus, female <i>head beater</i> |
| 3 | 5 | 7 | Aquila Bellicosus, Daudin, female <i>throat & chest black head beater</i> |
| 7 | 10 | 8 | — ditto, female <i>throat & chest white dark</i> |
| 3 | 5 | 9 | — Vulturina, female <i>brown & legs yellow brown</i> |
| 2 | 0 | 10 | — ditto, young female <i>all black (Retain)</i> <i>Just. Soc.</i> |
| 2 | 0 | 11 | Gypogerranus Serpentarius <i>young</i> <i>Just. Soc.</i> |
| 2 | 0 | 12 | Circæus Pectoralis, female <i>yellow brown dark bands</i> <i>Just. Soc.</i> |
| 1 | 0 | 13 | — ditto, female <i>brown</i> <i>Thompson</i> |
| 2 | 15 | 14 | — ditto, male <i>black belly legs white</i> <i>head dark</i> |
| 3 | 0 | 15 | — ditto, male <i>white brown line on chest</i> <i>dark</i> |
| 2 | 10 | 16 | — ditto, female <i>whitish with a bar</i> <i>dark</i> |
| 12 | | 17 | Helotarsus Typicus, male <i>black, back brown</i> <i>long curved</i> <i>Greenle</i> |
| 1 | 15 | 18 | — ditto, young <i>brown</i> <i>dark</i> <i>Just. Soc.</i> |
| 1 | 12 | 19 | Haliaetus Vocifer, male <i>Red head when white</i> <i>head beater</i> |
| 3 | 5 | 20 | — ditto, female <i>back black</i> <i>Just. Soc.</i> <i>head beater</i> |

427 0

| | | | | | | | |
|--------|----|-----|---------------------------|-----------|---|----|---|
| | | | | | 3 | 17 | 0 |
| Am | 10 | 55 | Otus Maculosus, young | m | x | 10 | 0 |
| M | 11 | 56 | ditto, female young | | x | 11 | |
| Stonie | 6 | 57 | Leucotis, female | | = | | |
| Dor. | 5 | 58 | Noctua Perlata, male | | | | |
| Stonie | 5 | 59 | ditto, female | | | | |
| | 5 | 60 | ditto, young | | x | 5 | |
| | 5 | 61 | Strix Flammea (spotted) | | | | |
| M | 12 | 62 | Capensis | | x | 12 | |
| M | 2 | 63 | Accipiter Minulus, male | | x | 2 | 6 |
| M | 10 | 64 | ditto, female | | x | 10 | |
| | 6 | 65 | ditto, young male | | | | |
| Dor. | 14 | 66 | Gabar, male | | | | |
| Zs. | 11 | 67 | ditto, male | | | | |
| Dor. | 15 | 68 | ditto, female | | | | |
| Zs. | 11 | 69 | ditto, female | | | | |
| Cal. | 7 | 70 | ditto, young | | | | |
| M | 7 | 71 | Milvus Parasiticus | | x | 7 | 0 |
| | 13 | 72 | Scops Capensis | | | | |
| Zs. | 4 | 73 | Otus Capensis | | | | |
| Zs. | 16 | 74 | Noctua Woodfordii | | | | |
| Stonie | 7 | 75 | Accipiter Tachiro | | | | |
| | 7 | 76 | ditto | | | | |
| head | 6 | 76* | Falco Peregrinus | | | | |
| | 5 | 77 | ditto | | | | |
| Stonie | 5 | 78 | ditto | | | | |
| Stonie | 6 | 79 | Buteo Jackal | | | | |
| Zs. | 6 | 80 | Tachardus, male | | | | |
| " | 6 | 81 | ditto, female | | | | |
| | 5 | 82 | ditto, ditto | | | | |
| Zs. | 4 | 83 | ditto, young female | | | | |
| Zs. | 3 | 84 | Otis Kori, female | | | | |
| Zs. | 2 | 85 | Coleii, male | Not given | | | |
| M | 3 | 86 | ditto, female | | x | 3 | 0 |
| | 3 | 87 | Cerulescens, male | | x | 3 | 5 |
| | 14 | 87* | acridotheres corniculatus | | x | 14 | 0 |
| | 5 | 87* | " | | | 5 | |

13 18 6

| | | | | | 13 | 13 | 18.6 |
|---------|----|----|------|---|------|----|------|
| | 2 | 10 | 0.88 | Otis Corulescens, female | X | 2 | 10. |
| Ady. 4. | 5 | | .89 | Ruficrista, male | | | |
| 53. 3 | 10 | | .90 | Afroides, male | | | |
| 32. 3 | 0 | | .91 | ditto, female | X | 3 | 4 |
| Body 1 | 15 | | .92 | Vigorsii, male <i>if Violet spot very prominent</i> | | | |
| glaminy | 6 | | .93 | Numida Mitrata, male | | | |
| | 5 | | .94 | ditto, female | | | |
| leath | 5 | | 0.95 | Bucero Nasutus, male <i>one on his left lateral</i> | | | |
| Wm | 6 | | .96 | ditto, female | X | | 6. |
| Wm | 5 | | .97 | ditto, young | X | | 5. |
| | 9 | | .98 | Erythrorhyncus, male | | | |
| | 5 | | .99 | ditto, female | | | |
| | 0 | | 1.00 | ditto, young <i>immature</i> | | | |
| grindle | 0 | | 1.01 | Chizaerhis Concolor, male | | | |
| Gray 1 | 4 | | 1.02 | ditto, female and young | X | 1 | 4. |
| Eula 1 | 2 | | 1.03 | Struthio Camelus, male <i>Ad. pr. 1. full developed</i> | | | |
| Kucher | 12 | | 1.04 | ditto, young, rare | | | |
| | 5 | | 1.05 | Chizaerhis Variiegatus | | | |
| Florie | 6 | | 1.06 | Misophaga Violaacea | | | |
| Amul | 4 | R | 1.07 | Otygis Lepurana, male <i>Rel. by N. Smith.</i> | ✓ | 1 | 4. |
| Amul | 0 | R | 1.08 | ditto, female | ✓ R. | 1 | 0 |
| | 5 | | 1.09 | Pterocles Tachyptes, male | | | |
| | 10 | | 1.10 | ditto, female and young | X | | 10 |
| | 5 | | 1.11 | Columba Guinea, female | | | |
| Abate | 6 | | 1.12 | Arquatrix, young | | | |
| | 5 | | 1.13 | Centropus Senegalensis, male | | | |
| Body 2 | 0 | R | 1.14 | Perdrix Coqui, male <i>rel. pr. state</i> | | | |
| + | 12 | | 1.15 | Pterocles Bicinctus, male | | | |
| | 6 | | 1.16 | ditto, female | | | |
| 35. 1 | 5 | 0 | 1.17 | Merops Bullockoides, male | | | |
| | 16 | | 1.18 | ditto, female | | | |
| | | | 1.19 | Pterocles Variiegatus, male | | | |
| | | | 1.20 | ditto, female | | | |
| | 3 | 0 | 1.20 | Petrocinula capensis (ca 185) 2. spec | | | |

| | | | | | | | |
|----|----|-------|------------------------------------|----------------------------------|-------|----|----|
| 3 | 5 | 121 | Pterocles Gutturialis, male | Desly | 23 | 17 | 0 |
| 2 | 15 | 122 | ditto, female | | | | |
| 2 | 15 | 123 | Perdix Sephaena, male | | | | |
| 2 | 15 | 124 | ditto, female | | | | |
| 1 | 15 | 125 | Francolinus Lechoho, male | | X | 1 | 15 |
| 2 | 15 | 126 | ditto, female and young | Ret. off Smith. | | | |
| 1 | 11 | R 127 | Swainsonii, male | abs. Lech. Smith. (Megalopterus) | | | 11 |
| 2 | 5 | R 128 | ditto, female and young | Desly | | | |
| 3 | 9 | 129 | Cursorius Chalcopterus, male | Griffith | | | |
| 2 | 2 | 130 | ditto, female | Leach | | | |
| 10 | 6 | 131 | Bicinctus, male | | | | |
| 10 | 6 | 132 | ditto, female | | | | |
| 5 | | 133 | Rufus, male | | | | |
| 5 | | 134 | ditto, female | | | | |
| M | 5 | 135 | Temminckii, male | X | | 5 | |
| M | 5 | 136 | ditto, female | X | | 5 | |
| 1 | 15 | 137 | Lanius Melanoleucus, Jardine, male | Desly | | | |
| M | 2 | 0 | 138 | ditto, male | X | 2 | 0 |
| 2 | 15 | 0 | 139 | ditto, female and young female | Desly | | |
| 5 | | 140 | Telophonus Zeylonicus, young | | | | |
| M | 13 | 141 | Melaconotus Atrococcineus, male | X | | 13 | |
| M | 16 | 142 | ditto, female and young | X | | 16 | |
| S | 5 | 143 | Lanius Collaroides, male and young | | | | |
| 5 | | 144 | Collaris, male and young | | | | |
| 3 | | 145 | Melaconotus Bulbul, male | | | | |
| | | 146 | ditto, female | | | | |
| 3 | 0 | 147 | Eurocephalus Anguitimens, male | Desly | | | |
| 2 | 5 | 148 | ditto, female | X | 2 | 5 | 0 |
| 1 | 15 | 0 | 149 | ditto, young female | S | | |
| 11 | | 150 | Lamprotornis Nabouroup | Desly | | | |
| 3 | | 151 | Bicolor, male | | | | |
| | | 152 | ditto, female | | | | |
| 5 | | 153 | Nitens, male and young | Swainson | | | |
| 1 | 1 | 0 | 154 | (Megalopterus) Australis, male | X, R | 1 | 1 |

| | | | | | |
|--------|----|---|-----|---|------|
| | 18 | 0 | 155 | Lamprotornis Megalopterus, female and young | |
| Henry | 5 | 0 | 156 | _____ Morio, male | |
| | | | 157 | _____ ditto, female head grey | |
| Henry | 8 | | 158 | Cuculus Serratus, male | |
| Manich | 4 | | 159 | _____ ditto, female and young | |
| | | | 160 | _____ Glandarius, female | |
| Henry | 4 | | 161 | _____ Solitarus, female | |
| | | | 162 | _____ ditto, young | |
| Henry | 2 | 6 | 163 | _____ Clamosus, male | |
| Manich | 14 | 0 | 164 | Acridotheres Carunculatus, male | |
| A | 9 | | 165 | _____ ditto, young male | |
| | 5 | | 166 | Coracias Angolensis, male | |
| | 6 | | 167 | _____ ditto, female | |
| Henry | 6 | | 168 | _____ ditto, young male | |
| | | | 169 | _____ ditto, young female | |
| | 11 | | 170 | _____ Nuchalis, male and young female <i>dark</i> | |
| 35- | 4 | 0 | 171 | Merula Olivacea, male | |
| 30- | 11 | | 172 | _____ Obscura, male | |
| 35- | 10 | | 173 | _____ Libonyana, male | |
| | 8 | 0 | 174 | _____ ditto, female | |
| | 0 | | 175 | _____ Litsitsirupa, male <i>dark</i> | X 80 |
| 35.2 | 10 | | 176 | _____ ditto, female and young | |
| | 9 | | 177 | Crateropus Bicolor, male | |
| | 8 | | 178 | _____ ditto, female | X 97 |
| | | | 179 | _____ ditto, male <i>dark</i> | X 97 |
| | 9 | | 180 | _____ ditto, male and young female <i>dark</i> | X 97 |
| 1 | 10 | | 181 | _____ Jardinii, male <i>dark</i> | X 97 |
| 1 | 4 | | 182 | _____ ditto, female <i>dark</i> | X 97 |
| | 3 | 6 | 183 | Oriolus Radiatus, male <i>black throated</i> | |
| | 3 | | 184 | _____ ditto, female | |
| Henry | 3 | 6 | 185 | Petrocincla Capensis | |
| Henry | 3 | 6 | 186 | Irisor Capensis, male | |
| A | 3 | 6 | 187 | _____ ditto, female | |
| 7 | 3 | 0 | 188 | _____ ditto, young male | |

| | | | | | |
|------|-----|--------------------------------|-----------------------|-------|-------|
| 2 | 189 | Irrisor Capensis, young female | gleny | | |
| 1 0 | 190 | Rhinopomastus Cyanomelas, male | | X | 1 0 0 |
| 9 0 | 191 | ditto, female and young female | not | | 9 |
| 6 | 192 | Upupa Capensis, male | | | |
| 10 | 193 | ditto, female | | | |
| 3 0 | 194 | Petrocincla Perspicax, male | | X | 3 |
| 4 6 | 195 | Merops Apiaster | gleny | | |
| 7 | 196 | Minulus, male | leadbeater | | |
| 4 | 197 | ditto, female | | | |
| 1 10 | 198 | Bessonornis Humeralis, male | leadbeater | | |
| 1 10 | 199 | ditto, female | | | |
| 1 8. | 200 | Pectoralis, male | | | |
| 9 | 201 | Chalcites Klaasi | leadbeater | | |
| 10 | 202 | Auratus, male | | | |
| 5 0 | 203 | ditto, young female | | | |
| 10 | 204 | Porphyrio Smaragnotus, male | | | |
| 2 | 205 | ditto, female | | | |
| 2 | 206 | Procellaria Capensis, male | | | |
| 7 | 207 | Ibis Falcinellus | | | |
| 6 15 | 208 | Grus Carunculatus, female | leadbeater | | |
| 19 | 209 | Phœnicopterus Ruber, male | | | |
| 6 | 210 | Scopus Umbretta | | | |
| 7 | 211 | Ciconia Nigra, female | van. Knott - 1866 | | |
| 5 0 | 212 | Ardea Goliath, male | leadbeater | | |
| 12 | 213 | Major, male | | | |
| 1 | 214 | ditto, and young | | | |
| 2 15 | 215 | Procellaria Gigantea | pure white leadbeater | | |
| 10 | 216 | ditto | greyish black | X | |
| 5 | 217 | ditto | pale grey | X | 5 0 |
| 7 | 218 | ditto | black Pelles | | |
| 7 | 219 | ditto | grey, small | gleny | |
| 15 | 220 | Pelecanus Onocrotalus, young | deep grey, gleny | | 15 0 |
| 1 1 | 221 | Balearica Pavonina, male | | | |

| | | | | | | |
|----|----|---|-----|--------------------------------|----------------------------------|----------|
| | 10 | 6 | 222 | Dionedia Fuliginosa, rare | | |
| | 15 | 0 | 223 | Plectrops Gambensis | | |
| | 7 | R | 224 | ditto, young | | |
| | 10 | | 225 | Ardea Purpurea, male | Leathbeater | R.X. 7 0 |
| | 6 | | 226 | ditto, female | | |
| 1 | 15 | 0 | 227 | R Pelecanus Rufescens, young | Leathbeater | |
| | 16 | | 228 | Anas Flavirostris, female | Gregg's white teal } very small. | |
| 1 | 6 | | 229 | ditto, male | Leathbeater | |
| | 4 | | 230 | Fulica Cristata, male | Greenle | |
| 35 | 12 | 0 | 231 | Procellaria Glacialoides, male | | |
| 1 | 0 | 0 | 232 | ditto | Leathbeater | |
| | 9 | | 233 | ditto | Pittacus sp. | |
| 35 | 6 | | 234 | Vanellus Armatus, male | Leathbeater | |
| | 7 | | 235 | ditto, male | | |
| | 7 | | 236 | ditto, female and young | Leathbeater | |
| 35 | 1 | 5 | 237 | Ardea Gutturalis, male | Leathbeater | |
| 1 | 2 | R | 238 | Carbo Africanoides, female | | |
| | 4 | 1 | 239 | Diomedea Exulans, male | | |
| | | | 240 | ditto, young | | |

End of the First Day's Sale.

| | | | | | |
|-------|----|---|---|-------------|-------|
| | 2 | 6 | a. Pica | | |
| | | | b. Pempolus | | X 2 6 |
| Slay | 5 | | c. Tringella. blue with grey spots on middle belly. | | |
| Ruber | 10 | | d. Pittacus | Leathbeater | |
| | 8 | | e. " | Thayeri | |
| + | 12 | | f. " | | |
| + | 6 | | g. " | | |
| | | | h. Columba | | |
| | | | i. Ploceus | 2 spec | |
| | | | k. " | 2 spec | |
| | | | l. " | 1 spec | |

223

39 8 6

Second Day's Sale,

On THURSDAY, the 7th Day of JUNE, 1838,

AT TWELVE FOR ONE O'CLOCK.

| LOT | | | | |
|-----|-----|--|---|-----|
| | 241 | Alcedo Cristata, male | | |
| 2 | 242 | ditto, male | | |
| 3 0 | 243 | ditto, young | | |
| 2 6 | 244 | Lanius Italicus, male | X | 2 6 |
| | 245 | ditto | | |
| | 246 | Collurio, male with young and young | X | 2 6 |
| | 247 | Nilaeus Capensis | X | 2 6 |
| 2 6 | 248 | ditto | | |
| | 249 | ditto | X | 2 6 |
| | 250 | ditto | X | 1 |
| 1 0 | 251 | Andropadus Vociferus <i>Andropadus</i> | | |
| 10 | 252 | Euplectes Oryx <i>Parus</i> | | |
| 8 | 253 | ditto <i>Andropadus</i> | | |
| | 254 | Australis <i>Common Black-bellied Noctua</i> | X | 2 6 |
| | 255 | ditto | X | 2 0 |
| 8 0 | 256 | Crithagra Sulphurata | | |
| 15 | 257 | Plocepasser Maholi, male <i>Lord Derby</i> | | |
| 1 2 | 258 | ditto, female and young <i>Lord Derby</i> | | |
| | 259 | Prionops Talacoma, male | X | 6 0 |
| | 260 | ditto, female | | |
| 2 6 | 261 | Pogonias Sulcirostris, male | | |
| | 262 | Personatus | | |
| 3 0 | 263 | ditto | | |
| 2 6 | 264 | ditto | | |
| | 265 | Niger | X | 4 0 |
| | 266 | ditto | X | 3 6 |
| | | 266 | | |
| 3 | 266 | <i>Andropadus</i> | | |

1 9 0

| | | | | | | | | |
|--------|---|------|---------------------------|-----------------------------------|---|---|---|---|
| | | 267 | Halcyon Pygmæus | | X | 2 | 0 | 0 |
| | | 268 | ditto | | X | 3 | 0 | 0 |
| Zs | 4 | 269 | Atricapillus | | | | | |
| | | 270 | ditto | | | 3 | 0 | |
| | | 271 | Alcedo Semitorquata | Warrick | X | | | |
| Alcedo | 3 | 272 | Cristata | Skull of bird of large | | | | |
| | 1 | 273 | ditto | Skeleton of a bird of large | | | | |
| | 2 | 274 | ditto | Cranium | | | | |
| | | 275 | Melaconotus Cubla, male | | | | | |
| | | 276 | ditto, female | | | | | |
| | | 277 | Telophonus Collaris, male | | X | 3 | 0 | |
| | | 278 | Glareola Torquata, male | | X | 3 | 6 | |
| | | 279 | ditto | | | | | |
| | | 279a | ardiacambensis | | | | | |

QUADRUPEDS.

| | | | | | | | | |
|---------|----|-----|----------------------------|--|-----------------------|-----|----|---|
| | | 280 | RHINOCEROS SIMUS, Burchell | Young ♂ | | 10 | 10 | 0 |
| | | 281 | --- -- | AFRICANUS, male more than half grown | | 20 | 0 | 0 |
| | | 282 | --- -- | KEITLOA, male—a new species and | | 5 | 0 | 0 |
| | | | | the only specimen which has yet reached Europe | | | | |
| Zs. | 3 | 283 | Antelope | Melampus, male | Black ♂ | 105 | 10 | 0 |
| | 2 | 284 | ditto, | female | Black ♂ at a New York | | | |
| | 1 | 285 | R. | ditto, | young male | 3 | 0 | 0 |
| Warwick | 2 | 286 | --- | Euchore, | male | 15 | | |
| | | 287 | --- | ditto, | female | 10 | | |
| Warwick | 19 | 288 | --- | Lunata, | female | 2 | 10 | 0 |
| | | 289 | --- | Burchellii, | male | | | |
| Warwick | 3 | 290 | R. | ditto, | male | 3 | 0 | 0 |
| | 4 | 291 | R. | ditto, | female | | | |
| Zuber. | 2 | 292 | R. | Caama, | male | | | |
| R.S. | 4 | 293 | R. | Rupestris | | | | |
| Warwick | 3 | 294 | R. | Elcotragus, | female | | | |
| Warwick | 3 | 295 | R. | Lalandii, | female | | | |
| | | 296 | R. | Scoparia, | young | 4 | 10 | 0 |

13 10 0

| | | | | |
|-----|-----|------------------|---|---------|
| 6 | 10 | 297 ^W | ^{Cephalophora} Antelope Natalensis, female - ^{Warrick} Warrick - | |
| 12 | 12 | 298 ^W | ^{Warrick} (Aigoceros) Ellipsiprymnus, Ogilby, male ^{Warrick} Warrick | |
| 11 | 11 | 299 ^W | ^{Warrick} ditto. female ^{Warrick} Warrick | |
| 12 | 0 | 300 ^W | (---) Equina, male ^{Warrick} Warrick | |
| | 8 | 301 | Bathergus Capensis ^{Warrick} Capensis ^{Warrick} Warrick | |
| | | 302 | Caecutiens | X 5 0 |
| | | 303 | Maritimus ^{Warrick} Moor, ^{Warrick} <i>ingotis unguiculata</i> | 5 0 |
| 15 | 9 | 304 | Sciurus Cepapi, male | |
| | | 305 | ditto, female | X 5 0 |
| | | 306 | ditto, young | X 7 |
| 18 | | 307 | Felis Leo, young ^{Warrick} Leathbealer | |
| 5 | 0 0 | 308 ^W | Herpestes Badius, male ^{Warrick} <i>Mar. Rathamus chi.</i> ^{Warrick} <i>Warrick</i> | |
| | | 309 ^W | ditto, young ^{Warrick} <i>like unguiculata</i> ^{Warrick} <i>Warrick</i> | 15 0 |
| 4 | 15 | 310 ^W | ^{Warrick} <i>Cauwi</i> , male ^{Warrick} Leathbealer | |
| 1 | 6 | 311 | Hyaena Maculata, male ^{Warrick} Grenille | |
| 1 | 0 | 312 | Erinaceus Frontalis ^{Warrick} Warrick | |
| 1 | 1 | 313 | Ryzena Capensis ^{Warrick} Leathbealer | |
| | | 314 | Equus Burchellii, young ^{Warrick} (Zelandi) ^{Warrick} <i>Warrick</i> | 2 5 0 |
| 353 | 5 | 315 | Manis Temminckii, very rare ^{Warrick} "not unguiculata" ^{Warrick} <i>Warrick</i> | |
| 14 | | 316 | Cynictis Steadmanii ^{Warrick} Leathbealer | |
| 11. | | 317 | ditto, young ^{Warrick} Warrick | |
| 1 | 10 | 318 | Ogilbyii ^{Warrick} <i>Warrick</i> ^{Warrick} <i>Warrick</i> | |
| 8 | 0 | 319 | Catoblepas Taurina, male ^{Warrick} Warrick | |
| 2 | 2 | 320 ^W | ditto, young ^{Warrick} <i>Warrick</i> | |
| 2 | 5 0 | 321 | Macroschelides Brachyrinchus ^{Warrick} Warrick | |
| | | 322 | ^{Warrick} <i>Warrick</i> | |
| 6 | | 323 ^W | Hyrax, male ^{Warrick} Grenille | |
| | | 324 ^W | Ditto, young ^{Warrick} <i>Warrick</i> | X R 3 0 |
| 10 | | 325 | Geosciurus Capensis, female - (2) ^{Warrick} Leathbealer | |
| 4 | 15 | 326 | Phascogaster Africanus, female, rare ^{Warrick} Grenille | |
| | | 327 | ditto, young ^{Warrick} <i>Warrick</i> | X 2 2 |
| 2 | 10 | 328 | Circocebus Pygerythraeus, male | |
| | | 329 | ditto, young ^{Warrick} <i>Warrick</i> | X 16 |
| 3 | 5 | 330 ^W | ^{Warrick} <i>Herpestes zebra</i> ^{Warrick} Warrick | |
| | | | | 21 3 |

Canis caama - Felis cupra - Rhinoceros Capensis
 arcticeps Caama
 Manx, Urinaling, Capra, Bubalus, Staphidium Capensis
 Myrmica murina - Stomoxys typicus - O. albicaudatus - Sarcophaga irritata
 & Muscivora - Musca domestica - Dendromyia typicus & Melanota
 scabellus, after auricularis - Stomoxys typicus - Stomoxys typicus
 invertebrata - Stomoxys, Riparian.

| | | | | | | | | |
|-----|----|----|------|----------------------------|----------------|------|----|---|
| 36. | 3 | 5 | 330 | Galago Maholi, male, rare | Scrub Senyders | 21 | 3 | 0 |
| | 1 | 15 | 331 | Cephalophorus mergens | Leathbeater | | | |
| | 2 | 62 | 332 | Myrmecophaga Capensis | Leathbeater | | | |
| | 16 | 0 | 333 | Hippopotamus | Graville | | | |
| | | | 334 | Canis Caama p. 31 | | X R. | 7 | 0 |
| | | | 335 | Felis Capensis Capra p. 10 | | X | 11 | |
| | | | 336 | R. + 1 | See N. 10 | X R. | 10 | |
| | | | 336x | Mus?? - Stomoxys typicus | | X | 3 | |

BIRDS, continued.

| | | | | | | | | |
|--|---|----|------|--|--------------------|------|----|---|
| | | | 337 | Lamprolornis Leucogaster, male | (120. 2. c) | 22 | 14 | 0 |
| | 8 | | 338 | Perdrix Afra | | | | |
| | 2 | 16 | 339 | Levaillantoides, male | Wannut | | | |
| | | | 340 | Motacilla Levaillantii, male | Leathbeater | | | |
| | 2 | 8 | 341 | ditto, female | Leathbeater | | | |
| | | | 342 | Platystera Typica, male | | | | |
| | | | 343 | ditto, female | in the Nest with | X | 5 | 0 |
| | | | 344 | Chotops Burchelli, male | with hi when young | X | 9 | 0 |
| | 5 | 0 | 345 | Cossypha Vocifera | | | | |
| | | | 346 | Columba Cambayensis, male | Leathbeater | | | |
| | 6 | 0 | 347 | Thamnobia Rufiventer, male, rare | | X | 6 | |
| | | | 348 | ditto, male and female | Wash. | | | |
| | 5 | | 349 | Aegithalus-Capensis, male and female, rare | | | | |
| | | | 350 | Crithagra Butyracea, male and ditto | | | | |
| | | | 351 | Alario, male | | X | 2 | 6 |
| | 4 | 0 | 352 | Selbyii, male, rare | Wannut | | | |
| | | | 353 | ditto | | X | 3 | 0 |
| | | | 354 | Pyrgita Motitensis, male | | X | 11 | |
| | | | 355 | ditto, female and young | | X R. | | |
| | | | 356 | Simplex Rupp., male and female | | X | 9 | |
| | | | 357 | Estrela Lipiniana, male, rare | | X | 3 | 6 |
| | 5 | 0 | 358 | ditto, female | | X | | |
| | | | 359 | Granatina, male | Leathbeater | | | |
| | 3 | 9 | 360 | ditto, female and young | male | | | |
| | | | 360x | 2. Female - different yellow | | | | |
| | | | 360x | 1 | | | | |

339. 1. Pul. ... for 3x
 and no. 336 x.

| | | | | |
|----|---------|--|---------|-----|
| 9 | 361 | Estrela Squamifrons, male, rare | Leather | |
| 7 | 362 | ditto, female | | |
| 11 | 363 | Spermestes Polyzonus, male and female, rare | Leather | |
| 2 | 364 | Vidua Serena, 3 specimens, males | | |
| 6 | 365 | Regia, male, female and young | | |
| | 366 | Ploceus Tahatali, male and female | X X | 2 6 |
| | 367 | Euplectes Taha, male, in summer and winter plumage | X | 3 6 |
| 8 | 368 | Pytilia Elegans, male | Leather | |
| | 369 | ditto, female | X | 4 6 |
| 2 | 370 | Pyrrhulauda Australis, male and young female | Mar | |
| | 371 | Leucotis, male, female and young | X | 2 6 |
| 7 | 372 | Philetairus Lepidus, male | Leather | |
| | 373 | ditto, female and young | X | 5 6 |
| | 374 | Amadina Erythrocephala, male | X | 7 6 |
| | 375 | ditto, female and young | X | 5 6 |
| 2 | 376 | Emberiza Flaviventris, male | | |
| 5 | 377 | ditto, male | Leather | |
| 6 | 378 | ditto, female and young | Leather | |
| 2 | 379 | Parus Ater, male | | |
| 2 | 380 | Griseus, male, rare | | |
| 2 | 381 | ditto, female | | |
| | 382 | Alauda Africanoides | X | 2 6 |
| | 383 | Africana | X | 1 - |
| 1 | 384 | Certhilauda Garrula, male | Leath | |
| | 385 | Macronyx Capensis, male | | |
| 2 | 386 | ditto | | |
| 10 | 387 | Bubalornis Niger, male | Leather | |
| | 388 | ditto, young male | X | 2 6 |
| | 389 | Telophonus Australis, male, rare | RX | 2 6 |
| | 390 | ditto, female | X | 2 6 |
| 2 | 391 | Telophonus Longirostris, male and female | Leather | |
| | 392 | Melaenotus Similis, male, rare | X | 1 - |
| 14 | 393 | Erythropygia Pectoralis, male, rare | Leather | |
| | 393 x | Fringilla | t. | |
| | 393 x x | " | f | |

| | | | | |
|------|----------------|------------------------------------|----------------------|------|
| 9 | 394 | Erythroptilia Pectoralis, female | Leabates | |
| | 395 | Paena, male | X | 3 0 |
| 12 | 396 | ditto, female, and young | Leabates | |
| 3 | 397 | Saxicola Rubicola, male and female | | |
| | 398 | Familiaris, male | | |
| 1 | 399 | ditto, female | and young | |
| | 400 | Formicivora, male | | |
| 13 | 401 | Chrysoptilus Abingoni, male | | |
| | 402 | Bennetii, male | X R. | 12 0 |
| | 403 | ditto, female | X R. | 8 0 |
| 8 | 404 | Picus Biarmicus, male | Leabates | |
| 5 | 405 | ditto, female | | |
| | 406 | Yunx Pectoralis | | |
| 8 | 407 | Buphaga Erythrorhyncha | White | |
| 2 6 | 408 | Indicator Albirostris, male | Warrick | |
| 4 0 | 409 | ditto, male and female | | |
| 5 6 | 410 | Major | White | |
| 3 10 | 411 | Micropogon Quopopa, male, rare | Leabates | |
| 2 10 | 412 | ditto, female, rare | | |
| | 413 | Bucco Nanoides, male, rare | X | 6 0 |
| 12 | 414 | Cinnyris Mariquensis, male | Leabates | |
| 7 4 | 415 | Chalybea, male | White | |
| | 416 | Namaquensis, male | | |
| 10 | 417 | Aurifrons, male | | |
| 12 | 418 | Talatala, male | (Chalybea var) | |
| 7 6 | 419 | Caprimulgus Pectoralis, male | (may be had) | |
| | 420 | Colius Leuconotus | | |
| | 421 | Striatus | | |
| | 422 | Oedicnemus Crepitans ? | | |
| | 423 | Podiceps Minor, male | | |
| | 424 | ditto, female | | |
| | 425 | Diomedea Chlororhynchos | | |
| | 426 | Melanophrys | | |
| | 427 | ditto | | |
| | 427* | | | |
| | 427** | | | |

5 10 0
175 10 0

- 428 Diomedea Melanophrys
 429 Streptopelia Interpres
 430 Butorides Stellaris
 431 Sula Alba, young
 432 Plectropterus Melanotus, female
 433 Fuligula Capensis, male
 434 Querquedula Capensis
 435 ——— Erythrorhyncha
 436 Procellaria Aequinoctialis
 437 ——— ditto ——— young.
 438 ——— ditto
 439 Recurvirostra Avocetta seen 1866
 440 Helionis Senegalensis
 441 Rynchœa Capensis
 442 Scolopox Gallinago
 443 Hamatopus ostralegus Capensis
 444 Squatarola Grisea
 445 Rallus Cœrulescens
 446 Crex Niger
 447 Anthus Rufulus
 448 Estrelida Astrild
 449 ———
 450 Shoveller

- 40 40 10 0 8 451 *Larus dorsalis* n. 9
 452 *Larus tenuis* Capensis?
 453 A geological collection, consisting of about 186 specimens of rocks, collected between Graaff Reynett and the Tropic of Capricorn

The Catalogue will be furnished upon request.

End of the Second Day's Sale.

345.6.0 Total

223.0.0

568.6.0 Today

The large animal purchases
 by Warrick were purchased
 for sale again by Mr. Jackson
 the dealer

| | | | | |
|--------|-----|---|-------|----------------|
| 3 12 6 | 475 | Dr. Bechuana | _____ | Sledman |
| 3 5 0 | 471 | FIGURE OF A KAFIR OF THE BASHOOTOO TRIBE, IN HIS NATIVE COSTUME | _____ | Sledman |
| 1 16 0 | 472 | FIGURE OF A KAFIR WOMAN, GRINDING CORN, OF | _____ | + |
| | | DITTO, IN DITTO | _____ | |
| 2 4 0 | 473 | FIGURE OF A KAFIR OF THE AMAZOOLOO TRIBE, IN HIS WAR DRESS | _____ | + |
| 2 2 | 474 | FIGURE OF A BUSHMAN, IN HIS NATIVE COSTUME | _____ | + |
| 2 4 6 | 475 | DITTO OF A BUSHWOMAN, IN DITTO | _____ | + |
| | 476 | <i>Kaross, or mantle of the Bechuana Tribes</i> | _____ | + |
| 16 | 477 | ditto | _____ | |
| | 478 | ditto | _____ | |
| 16 | 479 | ditto | _____ | <i>Summate</i> |
| 7 | 480 | ditto | _____ | <i>Clark</i> |
| | 481 | ditto | _____ | |
| | 482 | ditto | _____ | <i>Wells</i> |
| | 483 | ditto | _____ | |
| 8 | 484 | ditto | _____ | |
| | 485 | ditto | _____ | |
| 2 0 | 486 | ditto | _____ | |
| 2 2 | 487 | ditto | _____ | <i>Genelle</i> |
| 19 | 488 | ditto | _____ | <i>Genelle</i> |
| 5 0 0 | 489 | ditto | _____ | <i>Genelle</i> |
| 1 10 | 490 | ditto | _____ | <i>Genelle</i> |
| 4 15 | 491 | ditto | _____ | <i>Genelle</i> |
| | 492 | ditto | _____ | <i>Genelle</i> |
| | 493 | ditto | _____ | <i>Genelle</i> |
| | 494 | ditto | _____ | |
| | 495 | ditto | _____ | |
| | 496 | ditto | _____ | |
| | 497 | ditto | _____ | |
| | 498 | <i>Kaross, or mantle, as worn by the Bechuana in summer, Bechuana hat made of rushes, and fur cap</i> | _____ | |
| | 499 | ditto | _____ | |
| | 500 | ditto | _____ | |

- 501 A Bechuana shield, 3 spears, a battle axe, the handle of rhinoceros horn, and a standard of ostrich feathers
- 502 ——— ditto ———
- 503 ——— ditto ———
- 504 ——— ditto ———
- 505 ——— ditto ———
- 506 ——— ditto ———
- 507 Bashootoo spear and Bushman's bow and arrows
- 508 Zooloo spears and ditto, and Zooloo vessel for holding fat
- 509 Amazooloo mattress, pillow and head ornaments
- 510 ——— ditto, corsets and ditto
- 511 ——— ditto, beer basket, beer sieve and ditto
- 512 ——— ditto, corn basket and ditto
- 513 ——— ditto, corn bowl, 2 milk jars & 3 spoons
- 514 ——— ditto, 2 milk jars, 2 snuff boxes and 4 spoons
- 515 Two Amazooloo milk jars, 6 spoons, 3 Bechuana spoons, a Bechuana knife and a sewing needle
- 516 Three ditto, 3 spoons and a pair of trousers
- 517 Two ditto, 3 spoons, 3 Bechuana spoons and a pair of Zooloo trousers
- 518 Two ditto, 3 spoons, 3 ostrich shell necklaces, 3 Bechuana whistles, 2 ditto aprons, 6 ear rings, 2 snuff boxes and a sewing needle
- 519 Two ditto, Bechuana cupping horn and lancet 3 spoons, knife, sewing needle, 6 ear rings and ostrich egg-shell waist bands
- 520 Two ditto, a Bashootoo dancing dress, 3 Bechuana spoons, knife, 2 ivory armlets and 8 hair bracelets
- 521 Two ditto, 4 Bechuana spears, knife, sewing needle, 8 hair bracelets, 2 metal ditto, 3 whistles and 3 snuff boxes

- 522 Two Amazooloo milk jars, pair blacksmith's bellows,
2 Bechuana battle axes, knife, needle and head
ornament
- 523 Two Amazooloo milk jars, 3 Bechuana battle axes,
rhinoceros' horn club, knife, 2 whistles, 2 snuff
boxes, 6 ear rings, head ornament, pocket hand-
kerchief and 2 aprons
- 524 Two Amazooloo milk jars, Bechuana dancing dress
and 3 aprons
- 525 Ditto ditto
- 526 Two Amazooloo milk jars, 4 ditto ear rings, 6
Bechuana ear rings, 2 battle axes, 2 spears, club, &c.
- 527 A Zooloo earthenware cooking pot, 20 brass beads
used by the Zooloos as ornaments for their karosses,
petticoats, &c., umbrella, 3 aprons, pair of Bechu-
ana sandals, 2 spears, 2 battle axes and a war club
- 528 Three snuff boxes, 6 whistles, 10 pair of bracelets,
&c., 3 leg ornaments, knife, needle, an ivory and
2 metal armlets
- 529 A Bushman's bow and arrows, 2 Bechuana battle
axes, war club and a pocket handkerchief
- 530 A ditto, Baka shield, 2 spears, 2 battle axes and a
war club
- 531 A ditto, 3 snuff boxes, ostrich shell necklaces and
10 arm and leg ornaments
- 532 A Bechuana hat, set of ostrich shell waistbands,
bone necklaces, pair of sandals, 2 aprons, 10 arm
and leg ornaments, 12 brass ditto and a Baquana
bag
- 533 A *Bechuana dancing dress*, 10 arm and leg orna-
ments, 2 whistles, 2 snuff boxes, 1 pocket handker-
chief and Bechuana fur cap
- 534 *Ditto*, 10 arm and leg ornaments, 6 ear rings, 2
snuff boxes, 1 fur cap, ostrich shell necklaces, and
handkerchief

- 535 *A Bechuana dancing dress*, 10 arm and leg ornaments, 3 metal bracelets, 4 ear rings and 1 umbrella
- 536 *Ditto*, ditto
- 537 *Ditto*, ditto
- 538 An ornamented bag, Baquana bag, leathern bottle, and a Bechuana axe
- 539 A ditto, 3 aprons, pocket handkerchief, 10 arm and leg ornaments, ostrich shell necklaces, 3 snuff boxes, 4 whistles and a knife
- 540 A Bashootoo dancing dress, leg rattles, a Mantatee ear ring, Rhinosceros horn war club and a scent box
- 541 Scent box, Zooloo vessel for holding fat, set of ostrich shell necklaces and 3 aprons
- 542 Ten arm and leg ornaments, 10 brass balls used as ornaments by the Amazooloo, vessel for holding fat, Zooloo trousers and waistband
- 543 Sundry ornaments, &c.
- 544 Ditto
- 545 Ditto
- 546 Ditto
- 547 Ditto
- 548 Ditto
- 549 Ditto
- 550 Ditto
- 551 Ditto
- 552 Ditto
- 553 Ditto
- 554 Ditto
- 555 Ditto
- 556 Ditto
- 557 Ditto
- 558 Ditto
- 559 A number of large packing cases, made to the sizes of the quadrupeds

